

HOWARE QUEBEC'S YOUNGEST CHILDREN FARING?

2017 Portrait

OBSERVATOIRE des tout-petits



The content of this publication was prepared and edited by the **Early Childhood Laboratory** (Observatoire des tout-petits), a project of the Lucie and André Chagnon Foundation.

This document can be accessed online in the Publications section of the Observatory's website at tout-petits.org/portrait2017.

Project team

DIRECTION Fannie Dagenais

RESEARCH AND WRITING Kathleen Couillard

ENGLISH TRANSLATION Cynthia Gates

GRAPHIC DESIGN AND LAYOUT GB Design Studio

MANAGER / GRAPHIC AND DIGITAL PRODUCTION Alexandre Gosselin

WE WISH TO THANK EVERYONE WHO PARTICIPATED IN THE DATA ANALYSIS AND THE REVISION OF THIS DOCUMENT:

Sophie Bonneville Direction générale de la santé publique, Ministère de la Santé et des Services sociaux

Caroline Bouchard Professeure, Département d'études sur l'enseignement et l'apprentissage, Université Laval

Julie Brousseau Psychologue, CHU Sainte-Justine

Catherine Chouinard Avenir d'enfants

Catherine Dea Médecin-conseil, Direction régionale de la santé publique de Montréal

Marie-Josée Demers Centre intégré universitaire de santé et de services sociaux de la Capitale-Nationale

Hélène Desrosiers Institut de la statistique du Québec François Fortin

Retraite Québec

Christa Japel Professeure, Département d'éducation et formation spécialisées, Université du Québec à Montréal Marie-Claude Larrivée Consultante, MC Larrivée recherche-intervention

Isabelle Lizée Carrefour action municipale et famille

Joanie Migneault Ministère de la Famille Virginie Nanhou

Institut de la statistique du Québec Simon Quellet

Ministère de l'Éducation et de l'Enseignement supérieur

Éric Pelletier Institut national de santé publique du Québec

Julie Poissant Institut national de santé publique du Québec Julie Raymond

Psychologue pour enfant, spécialiste du développement et du comportement des tout-petits

Marie Rhéaume Réseau pour un Québec Famille

Julie Soucy Direction générale de la santé publique, Ministère de la Santé et des Services sociaux

The opinions expressed in this document are those of the authors and do not necessarily represent those of the organizations that participated in the revision.

Reproduction of excerpts from this document is authorized for non-commercial purposes provided the source is acknowledged. Any partial reproduction must be faithful to the original.

To cite this document:

Early Childhood Observatory (2016). *How are Quebec's youngest children faring? 2017 Portrait.* Montréal. Quebec: Observatoire des tout-petits.

Distribution

Observatoire des tout-petits 2001 McGill College Avenue Suite 1000 Montréal QC H3A 1G1

Telephone: 514 380-2001 info@toutpetits.org © Lucie and André Chagnon Foundation

Legal deposit (Print) – 4th quarter 2017 Legal deposit (PDF) – 4th quarter 2017 Bibliothèque et Archives nationales du Québec Library and Archives Canada ISBN: 978-2-9814756-5-7 (Print version) ISBN: 978-2-9814756-6-4 (PDF)

TABLE OF CONTENTS

A PORTRAIT OF QUEBEC'S YOUNGEST CHILDREN

	Part 1 – The	situation in the provinc	e of Quebec	
WHO ARE THESE 0-5 YEAR-OLDS?	DURING PREGNANCY AND AT BIRTH	PHYSICAL HEALTH	R MENTAL HEALTH	DEVELOPMENT
	Part 2 -	The situation region by	/ region	
BAS-SAINT- LAURENT	SAGUENAY- LAC-ST-JEAN	CAPITALE- NATIONALE		100 ESTRIE
	120 OUTAOUAIS	ABITIBI- TÉMISCAMINGUE	CÔTE-NORD	150 NORD-DU-QUÉBEC
GASPÉSIE-ÎLES- DE-LA-MADELEINE	CHAUDIÈRE- APPALACHES	178	LANAUDIÈRE	LAURENTIDES
	219 CENTRE- DU-QUÉBEC			





HIGHLIGHTS



HIGHLIGHTS

The health of Quebec babies at birth is improving. Intrauterine growth restriction (IUGR), low birthweights and stillbirths are all phenomena that have been declining since the end of the 1970s. The proportion of mothers who breastfeed or attempt to breastfeed their babies is also much higher than it was in the year 2000. Many of them, however, stop breastfeeding at some point during the first few months.

It is worrying to see that the rate of Caesarean deliveries rose from 20.9% in 2002 to 24.9% in 2015. In addition, despite a slight decrease in the past few years, the rate of premature births is still higher than it was in the early 1980s. This figure may be explained by the higher proportion of children born to older mothers and an increase in multiple births.

In terms of their physical health, very young children are faring better in 2017 than they were 10 years ago. Hospitalizations for asthma in children between the ages of 0 and 4 decreased between 2007-2010 and 2013-2016, as did hospitalizations for accidental injuries.

Although several infectious vaccine-preventable diseases are also on the decline, occasional outbreaks of measles remind us of the importance of continuing to vaccinate very young children. Obesity has become a serious concern, with one-third of very young children at risk of becoming overweight, being overweight or obese in 2015. Furthermore, only one-quarter of children between 0 and 5 follow Canadian recommendations for screen time.

It is also important to be vigilant regarding the mental health of very young children. In 2015-2016, 22,010 children between the ages of 1 and 5 had been diagnosed with a mental disorder. The proportion of very young children who had been diagnosed rose from 3.5% in 2000-2001 to 4.8% in 2015-2016. Although the proportion of children who were diagnosed with an attention deficit disorder with or without hyperactivity (ADD or ADHD) or with an autism spectrum disorder is very low among 1-5 year-olds, the figure rose between 2000-2001 and 2015-2016. More data on the mental health of the very young is needed in order to provide a more complete portrait of the situation.

In 2012, one out of four kindergarten-aged children was vulnerable in at least one area of his or her development. Vulnerability was proportionally higher in certain groups: younger children, boys, children whose first language was not English or French, children born outside of Canada, those who did not regularly attend daycare, and those living in a materially or socially disadvantaged environment.

Finally, the issue of service accessibility for very young children is a matter for concern. In 2015, almost one out of 10 families with children between 0 and 5 declared that they did not have a family doctor or pediatrician. It is also worrying to observe that some vulnerable children did not benefit from the services of a non-teaching professional in kindergarten.

A PORTRAIT ^{OF} QUEBEC'S YOUNGEST CHILDREN

Established in April 2016, the Early Childhood Observatory is a project of the Lucie and André Chagnon Foundation. The Observatory's mission is to help ensure that the well-being and development of the very young remains at the top of Quebec's list of social priorities.

To fulfill this mission, the Observatory compiles and disseminates the most rigorous data available on children between the ages of 0 and 5 in order to spark dialogue on collective action to be taken on early childhood issues. The Observatory's activities are focused on finding the answers to two important questions:

HOW ARE QUEBEC'S YOUNGEST CHILDREN FARING?

AND

WHAT KIND OF ENVIRONMENTS ARE THEY GROWING UP IN?

The first portrait, published in 2016, attempted to answer the second question. This edition of the portrait looks at the first question, providing a snapshot of the state of health and development of children between the ages of 0 and 5 living in Quebec. We have provided information on the conditions surrounding their birth, their physical and mental health, and their overall development.

The data presented in this portrait are drawn from administrative, census and population survey documents. Certain aspects of children's health and well-being are unfortunately not presented here, as they are not all measured by surveys or stored in administrative databases. The data available to us are representative of all young children in Quebec, however.

These data create a portrait of the current situation of very young children in Quebec as well as, whenever possible, the evolution of their situation over the past several years. Since the data used come from different sources, reference years may vary; all data presented are the most recent available to us.

This portrait could not have been produced without the assistance of many people, including the team at the *Institut de la statistique du Québec*, the members of the Observatory's scientific and advisory committees, and the many experts consulted at various stages in the process. The Observatory extends its most sincere thanks to all of the dedicated professionals who were able to see the individuals behind the figures.

Their efforts have given us a better understanding of how children between 0 and 5 years of age are faring in Quebec while providing a unique insight into their world.

	$_{}^{}}$	

Part 1 THE SITUATION IN THE PROVINCE OF QUEBEC



WHO ARE THESE 0-5 YEAR-OLDS?

534,939 The number of children between the ages of 0 and 5 who were living in Quebec in 2016.

With the exception of a slight decline in 2015 and 2016, this figure has grown every year between 2006 and 2014.

This age group accounts for **6** 4% of the population of Quebec.


In 2006, that figure was 5.9%.

Source: Institut de la statistique du Québec and Statistics Canada, Population estimates, adapted by the Institut de la statistique du Québec, provisional data for 2016.



... an increase of approximately 4,400 births every year.


The annual number of births has been on the decline for a few years, however, remaining below those recorded between 2009 and 2013, when the annual number of births exceeded 88,000.



* Provisional data for 2014-2016

Source: Institut de la statistique du Québec, *Registre des événements démographiques*. Provisional data for 2014-2016.

DISTRIBUTION OF THE POPULATION OF VERY YOUNG CHILDREN THROUGHOUT THE REGIONS OF QUEBEC



The distribution among the regions has remained relatively unchanged between 2006 and 2016.

SIBLINGS


According to the most recent data, the youngest Quebecers live in families of:



Source: Statistique Canada, *Enquête nationale sur les ménages de 2011*, adapté par l'Institut de la statistique du Québec.

FAMILY STRUCTURE

In 2011, the majority of very young children in Quebec were living in an intact family.



Source: Statistics Canada, 2011 National Household Survey, adapted by the Institut de la statistique du Québec.

ECONOMIC SITUATION

Between 2004 and 2015, the proportion of children between 0 and 5 living in a low-income^{*} family fell from



* After taxes

Source: Statistics Canada. T1 Family File (T1FF), adapted by the Institut de la statistique du Québec.

Poverty can have negative effects on very young children, affecting their physical health, social and emotional development or educational success. These impacts can last a lifetime.

Children's socio-economic situation and the environments they grow up in are discussed in greater detail in the 2016 edition of the Portrait of very young children in Quebec. This report is available at **tout-petits.org/portrait2016**.



HOW ARE THEY FARING

DURING PREGNANCY

Pregnancy and birth are critical events in terms of health and development. What happens during this period can have repercussions throughout a child's entire life.

The context in which a woman's pregnancy evolves has an influence on her baby's health. For example, certain factors can increase the risk of stillbirth: the mother's weight, **her age**, her health problems (e.g.: infections, high blood pressure or diabetes), her lifestyle (e.g.: diet, smoking, use of alcohol, drugs or medication) or **multiple pregnancies**.² These factors also increase the risk of congenital anomalies, **intrauterine growth restriction (IUGR)**, **premature birth** and **low birthweight**. There are ways, however, to counter these factors during pregnancy and at birth. **Prenatal groups** are one of the possible solutions for informing future parents and encouraging new mothers to adopt healthy lifestyle habits.³ Even though prenatal classes alone cannot modify children's health, they can have an influence on certain determinants of health that are affected by the mother's and father's behaviour.⁴


Improving birthing conditions is another way to give newborns a better start in life. Although a **Caesarean section** is sometimes necessary to save the life of the mother or baby, it is not without risk (including infections, hemorrhage or trouble initiating breastfeeding).⁵ There are no data showing that a Caesarean birth can have positive effects for the mother or baby when it is not medically necessary. The World Health Organization recommends that countries take steps to ensure that the rate of Caesarean sections remains between 10% and 15%.⁶

Complications at birth can also affect a child's health and development. Intrauterine growth restriction, prematurity and low birthweight are associated with respiratory problems, neurological difficulties, blindness and deafness, as well as with behaviour and learning difficulties later in a child's life.⁷ Finally, **breastfeeding** is an important protective factor for the health of babies and the adults they become. Not only does breast milk provide all the nutritional elements a baby needs to develop, it protects against several types of infection, such as ear infections, pneumonia, and gastroenteritis⁸ Studies have also shown that breastfeeding decreases the risk of sudden infant death syndrome and certain chronic diseases (such as celiac disease, inflammatory bowel disease, obesity and diabetes).⁹ **Breastfeeding support services** offered by professionals (doctors, midwives, nurses and lactation consultants) or volunteers in support groups can often give nursing mothers the help they need.¹⁰




PREGNANCY

PARTICIPATION IN PRENATAL CLASSES




The proportion of parents who participated in prenatal classes was lower, however, among parents in less socio-economically advantaged neighbourhoods, even though those are the parents who have the greatest need of support during pregnancy.



Source: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans*, 2015.

INTRAUTERINE GROWTH RESTRICTION (IUGR)

Newborns whose weight is below the 10th percentile of the standard weight curve for the number of weeks of pregnancy completed are diagnosed with intrauterine growth restriction.




The rate of IUGR in 2011-2013 was significantly higher than in 2002-2004 (8.1%), when it was at its lowest. Since the early 1980s, however, the proportion has dropped radically—from 16.2% in 1981-1983.



Source: Ministère de la Santé et des Services sociaux, Fichier des naissances (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, May 29, 2017.

CHILDBIRTH


MOTHER'S AGE AT BIRTH



Between 2006 and 2016, the proportion of children whose mothers were 35 or older when they were born increased, rising from 15% to 21% during that period. The proportion of children born to mothers 19 or under declined during the same period.

Source: Institut de la statistique du Québec.

CAESAREAN BIRTHS




According to the World Health Organization, a rate of Caesarean births over 10% is not associated with a reduction in mother or baby mortality. The international community therefore considers the ideal proportion of Caesarean births to be between 10% and 15%.¹¹

* The percentage presented for this indicator is based on the rate of Caesarean sections for every 100 births.

Source: Discharge Abstract Database, Canadian Institute for Health Information (CIHI); Quebec hospitalization database MED-ÉCHO, ministère de la Santé et des Services sociaux du Québec.


PREMATURE BIRTHS

Over a 10-year period, the proportion of babies born before having completed 37 weeks of gestation went from




In spite of this slight decline, the rate of premature births is still higher than it was in the early 1980s, when it was 5.6%.

Premature births occur more frequently when the mother is 40 or over or 19 or under.



They are also more frequent in cases of multiple births.





Source: Institut de la statistique du Québec, Registre des événements démographiques.

MULTIPLE BIRTHS

In 2016, **multiple** births—almost exclusively twins—accounted for **2.9%** of all births in Quebec. Births of **triplets** (or more) accounted for barely **0.05%** of all births.

Although the proportion of multiple births has risen over the past 30 years, going from 2.1% in 1988 to 2.9% in 2016, it has remained relatively stable since 2006.






* Provisional data

Source: Institut de la statistique du Québec, Registre des événements démographiques.

LOW BIRTHWEIGHT


of babies born in 2013 weighed less than 2.5 kg (5.5 lb). This proportion has varied very little over the past 30 years and has remained under 6% since 1999.

Low-birthweight babies are born more frequently to mothers 40 and over or 19 and under.



Source: Institut de la statistique du Québec, Registre des événements démographiques.


Low-birthweight babies are also more frequent in the case of multiple births.



Proportion of low birthweight babies based on type of birth (annual average for 2011-2013)

Source: Institut de la statistique du Québec, Registre des événements démographiques.

STILLBIRTHS



After decreasing significantly between the late 1970s and the mid-1990s, this rate has remained stable over the past several years. In 1976, the rate of stillbirths was 7.8 out of every 1,000 births.

According to the World Heath Organization, all countries should aim to reduce their stillbirth rate to less than **10 out of every 1,000 births by 2035.**¹² Quebec therefore has a good record in this area.


Source: Institut de la statistique du Québec, Registre des événements démographiques.

BREASTFEEDING

Based on data for 2013-2014, approximately of new mothers breastfed or attempted to breastfeed their youngest child*.

This proportion is higher than that observed in 2000-2001, when it was 72.6%.








* Women between the ages of 15 and 55 who gave birth during the previous five years. Starting in 2003, proportions may be overestimated due to high partial non-response.

However, 2013-2014 data show that the proportion of breastfeeding mothers declines rapidly as their babies age.



* Mothers who had stopped breastfeeding their baby at the time of the survey.


Moreover, 73.8% of mothers who had introduced other liquids or solid goods did so before the age of 6 months.

The World Health Organization recommends that babies be exclusively breastfed for the first six months of their lives. Once solid foods have been introduced, breastfeeding may continue for another two years or more.¹³


Source: Statistics Canada, *Canada Community Health Survey (CCHS)*, 2000-2001, 2003, 2005, 2007-2008, 2009-2010, 2011-2012 and 2013-2014, share files, adapted by the Institut de la statistique du Québec.

BREASTFEEDING SUPPORT SERVICES

In Quebec, in addition to measures introduced by establishments that have received Baby-Friendly certification, there are various other forms of support for breastfeeding mothers, including breastfeeding support groups, breastfeeding clinics, breastfeeding drop-in centres and lactation consultants.



Among the mothers who had never used breastfeeding support services...



* To be precise, this cohort consisted of mothers of children between 0 and 5, but did not include those who explained that they hadn't needed breastfeeding support because they didn't breastfeed their children.

Source: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015.*

Pregnancy and childbirth: Key points

The state of health of newborns in Quebec is improving.

- The rate of intrauterine growth restriction (IUGR) has declined since the late 1970s.
- The proportion of low-birthweight babies was lower in 2013 than in the early 1980s.
- After dropping by almost half between the mid-1970s and the mid-1990s, the rate of stillbirths has remained relatively stable. With a rate well below the target set by the World Health Organization, Quebec is doing well is this respect.
- The proportion of mothers who breastfeed or attempt to breastfeed their babies has risen since the end of the 1990s.

Certain elements continue to give cause for concern:

- In spite of a slight decline over the past few years, the premature birth rate was still higher in 2013 than it was in 1980.
- The rate of Caesarean births was 24.9% in 2015, representing an increase of 19% over 2002. This rate is significantly higher than that recommended by the World Health Organization (10-15%).
- Although there has been a rise in the proportion of mothers who breastfeed or attempt to breastfeed their most recent child, most of them stop breastfeeding during the first few months. Very few mothers are still exclusively breastfeeding at six months.

SOMETHING CAN BE DONE

The scientific literature has documented the existence of collective drivers that could be used to effect positive change in conditions surrounding pregnancy and childbirth. Here are a few examples:

> Living in a disadvantaged socio-economic environment has been associated with higher frequencies of premature births, low birthweights and low breastfeeding rates.¹⁴ Measures aimed at **improving pregnant women's surroundings** and providing them with the support they need can have a positive effect on newborn health by improving birth weights, prematurity rates and breastfeeding rates. Examples include the OLO program ¹⁵ (nutritional aid for pregnant women), the Maison Bleue¹⁶ model and the SIPPE program (integrated perinatal and early childhood services¹⁷).



The QUARISMA research project conducted in 32 Quebec hospitals between 2008 and 2011 showed that **education of childbirth professionals** combined with **feedback on clinical practice** was an effective and safe way to reduce the rate of Caesarean sections.¹⁸ In addition, according to a report produced by Quebec's Institut national d'excellence en santé et en services sociaux (INESSS), having a childbirth companion to accompany mothers during labour and birth has also been shown to effectively reduce obstetrical interventions overall.¹⁹



Baby-Friendly Initiative certification in hospitals has been proven to be effective in improving breastfeeding rates.²⁰ Certain measures could optimize implementation, however, such as the creation of baby-friendly environments²¹ (including social marketing campaigns promoting positive attitudes towards breastfeeding, nursing rooms and support for mothers' right to breastfeed in public).²² Finally, better training of professionals²³ and the existence of support groups²⁴ could help mothers who decide to breastfeed their babies.

Some of these measures have already been implemented in Quebec. We need to make sure they are maintained and consolidated.

How could these measures be more effectively applied? Are there other measures we need to consider? We hope our 2017 Portrait will make a valuable contribution to the public reflection on these issues.



HOW ARE THEY FARING AS THEY GROW UP?

PHYSICAL HEALTH

In order to achieve their full development potential, the very young must be able to rely on good physical health. Physical health problems that go untreated can negatively affect not only children's overall physical health but their mental health and development as well. The vast majority of such problems can be at least partially avoided through preventive intervention, thus reducing their impact on the very young.

The potential sequelae of early childhood diseases are many. **Infectious dis**eases can cause paralysis, brain damage, respiratory problems, liver damage or deafness.²⁵ **Accidental injuries** can affect motor function and cause permanent disability.²⁶ **Excess weight and obesity** are associated, later in a child's life, with high blood pressure, type 2 diabetes, cardiovascular diseases, asthma and sleep apnea.²⁷


The consequences of physical health problems have also been observed in children's short- and long-term mental health. **Asthma** and **epilepsy** are associated with a higher risk of symptoms of depression, anxiety and attention deficit disorder with or without hyperactivity (ADD/ADHD). **Children with epilepsy** are also at three times greater risk of suffering from mood disorders such as depression or bipolar disorder.²⁸ Children suffering from obesity have a poor body image and lower self-esteem.²⁹

Young children's physical health problems can also have an effect on their development. **Obesity** can have a negative impact on relationships with other children, which can hinder social development.³⁰ Certain **accidental injuries** can negatively affect motor development and cognitive function. Finally, there is a higher risk of learning problems among children who suffer from **asthma**, **epilepsy** or **intrauterine growth restriction**.³¹

To lower the risk of consequences later in life, prevention and rapid intervention are essential—which is why timely access to healthcare is critical for very young children. Any delay in receiving treatment can have a negative impact on a child's health and quality of life. Inadequate access to healthcare is associated with higher levels of pain, complications and emotional distress.³²

WEIGHT


In 2012-2015, one out of three children between 36 and 60 months was at risk of being overweight, was overweight or was obese. That statistic translates into 58,000 children.



Source: Statistics Canada, *Canadian Health Measures Survey (CHMS)*, Cycles 3 (2012-2013) and 4 (2014-2015) combined, adapted by the Institut de la statistique du Québec.

PHYSICAL ACTIVITY


In 2012-2015, on average, very young children were spending an increasing amount of time on sedentary activities than on physical activities.³³



For children aged 3 to 5, an activity is considered to be sedentary if it requires fewer than 100 movements per minute. Light physical activity requires between 100 and 1,150 movements per minute, while moderate to vigorous physical activity requires more than 1, 150 movements per minute.

Source: Statistics Canada, *Canadian Health Measures Survey (CHMS)*, Cycles 3 (2012-2013) and 4 (2014-2015) combined, adapted by the Institut de la statistique du Québec.


According to the Canadian Physical Activity Guidelines, children between the ages of 3 and 4 should accumulate at least 180 minutes of physical activity at any intensity spread throughout the day. Five-year-olds should accumulate at least 60 minutes of moderate (cycling, playing in the park) to vigorous (swimming, running) physical activity every day.³⁴



In 2012-2015, a third of children between the ages of 3 and 5 failed to respect these recommendations.

* Coefficient of variation between 15% and 25%: interpret with caution.


According to the *Canadian Sedentary Behaviour Guidelines*, recreational screen time should be limited to under an hour a day for children between 2 and 4 and to two hours a day for 5-year-olds.³⁵




Source: Statistics Canada, *Canadian Health Measures Survey (CHMS)*, Cycles 3 (2012-2013) and 4 (2014-2015) combined, adapted by the Institut de la statistique du Québec.

CHRONIC DISEASES AND CONDITIONS THAT AFFECT DEVELOPMENT

ASTHMA



The average annual number of hospitalizations for asthma has declined significantly since 2007-2010, when it was de 369.4 hospitalizations for every 100,000 children between 0 and 4: a decrease of 56%.




Source: Ministère de la Santé et des Services sociaux. Quebec hospitalization database MED-ÉCHO (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec. April 5, 2017.


Source: Ministère de la Santé et des Services sociaux, Quebec hospitalization database MED-ÉCHO (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, April 5, 2017.

INFECTIOUS DISEASES

The vaccine-preventable diseases that affect the largest number of very young children are flu (influenza), whooping cough and invasive pneumococcal infections.




The number of cases of whooping cough decreased considerably between 1998 and 2000.



* Disease characterized by cyclical activity with peaks every 3-4 years.

A decrease was also observed in invasive pneumococcal infections between 2003 and 2006.

There has, in fact, been a major decrease in most infectious diseases since the early 1990s.




Source: Bureau de surveillance et de vigie de la Direction de la protection de la santé publique, DGSP, Ministère de la Santé et des Services sociaux, based on reports produced by the Infocentre at the INSPQ, extracted from MADO files as at July 17, 2017.

An outbreak is defined as the occurrence of cases of disease in excess of what would normally be expected for a given period.

All these infectious diseases are vaccine-preventable. The outbreaks of mumps and measles observed since 2010 are evidence of the importance of continuing to vaccinate babies and toddlers.




In 2014, 95% of one-year-olds had received all their recommended vaccinations, as had 89% of all two-year-olds.




The proportion of children who have received the recommended vaccinations for their age has increased significantly since 2006. Although there has been a slight increase in the number of vaccinated two-year-olds, it is not statistically significant.

Source: Institut national de santé publique du Québec (INSPQ), Enquête sur la couverture vaccinale des enfants québécois, 2006, 2008, 2010, 2012, 2014.

ACCIDENTAL INJURY



Accidental injuries can be the result of an involuntary event such as a fall, collision with a motor vehicle, medication poisoning, fire or drowning.



The number of hospitalizations for accidental injury declined significantly between 2007-2010 and 2013-2016.

Source: Ministère de la Santé et des Services sociaux, Quebec hospitalization database MED-ÉCHO (electronic), actualisation découpage territorial version M34-2016 selon la table de correspondance des territoires 2014-2015; Discharge Abstract Database, Canadian Institute for Health Information, actualisation découpage territorial version M34-2016 selon la table de correspondance des territoires 2014-2015; Ministère de la Santé et des Services sociaux, Estimations et projections démographiques, electronic (1981-1995; April 2012 version, 1996-2036; March 2015 version) selon la table de correspondance des territoires 2014-2015 de la version M34-2014.

MORTALITY



Under 1 year (infantile mortality)

4.49 out of 1,000

children died before their first birthday in 2016. In 1990, this rate was 6.32 for every 1,000 births.

Following a significant decline between the late 1970s and the mid-1990s, this rate has remained stable over the past few years. Between 1 and 4 years (juvenile mortality)

The mortality rate for children between the ages of 1 and 4 is much lower.

In 2016, it stood at 0.18 deaths for every 1,000 children between 1 and 4. In 1990, the corresponding rate was 0.38.

Source: Institut de la statistique du Québec, Registre des événements démographiques. Provisional data for 2016.


As part of its Millennium Development Goals, the United Nations has urged all the world's nations to take the necessary steps to reduce the under-5 mortality rate by two-thirds between 1990 and 2015.

The primary causes of infantile mortality (before 1 year of age) are neurological problems (such as cerebral palsy), respiratory problems (such pneumonia or flu), cardiovascular problems, infections and cancer.

The primary cause of juvenile mortality (between 1 and 4 years of age) is accidental injury.

ACCESS TO HEALTHCARE

FAMILY DOCTOR AND PEDIATRICIAN




Source: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015*.

DENTAL CARE


In 2016, 163,016 children—or less than a third of all children between 0 and 5—had their teeth examined by a dentist free of charge under the dental services program offered by the Régie de l'assurance maladie du Québec (Quebec health insurance).

This figure represents an improvement over the past several years. The rate of very young children who had seen a dentist rose from:




The Canadian Dental Association recommends that children be seen by a dentist within 6 months of the eruption of their first tooth or by one year of age.

In 2016, the number of children between 3 and 5 who had seen a dentist was higher than for children between 0 and 2.



More children between 3 and 5 also received some form of dental treatment (having a cavity filled or a tooth pulled, for example).



These figures tell us that 28,112 children between the ages of 3 and 5 received dental treatment in 2016.

Source: Régie de l'assurance-maladie du Québec (RAMO), Direction de l'analyse et de la gestion de l'information, Fichier des services rémunérés à l'acte.

Physical health: Key points

Babies, toddlers and preschoolers are faring better than they were 10 years ago in terms of certain aspects of their physical health.

- Most vaccine-preventable infectious diseases are on the decline.
- There has also been a reduction in hospitalizations for asthma among children between 0 and 5 years of age.
- > The rate of hospitalizations for accidental injury has also decreased.
- Infantile and juvenile mortality rates are lower.

Certain aspects continue to give cause for concern, however:

- A few outbreaks of mumps and measles have occurred since 2010.
- In 2012-2015, one-third of very young children were at risk of becoming overweight or were actually overweight or obese.
- Only about one-quarter of children between 3 and 5 followed the guidelines for maximum screen time, and almost one-third failed to follow guidelines for physical activity.
- In 2015, almost one family out of 10 (9%) declared that they did not have a family doctor or pediatrician for their children between 0 and 5 years of age.

SOMETHING CAN BE DONE

The scientific literature has documented the existence of collective drivers that could be used to effect positive change in the area of young children's physical health. Here are a few examples:



Acquiring healthy living habits at a very early age can reduce the risk of chronic diseases such as obesity.³⁷ The adoption of public policies or collective measures such as taxes on sugary drinks, nutritional targets aimed at reducing the sugar content in food³⁸, and safe areas in municipalities³⁹ that are conducive to physical activity can contribute to creating environments that foster healthy eating habits and a physically active lifestyle.



It is also possible to take action in the context of children's educational services. The "Gazelle et Potiron" framework, for example, was developed to support the creation of environments that encourage healthy eating, active play and motor development in educational daycares.⁴⁰ These measures are not applied in all preschool programs, however.



Solutions that encourage healthy eating can also prevent tooth decay. Providing better access to free drinking water in public spaces⁴¹ (like parks and playing fields) can help reduce children's consumption of the sugary drinks that are so harmful to overall health. Water fluoridation is another safe, effective way to help ensure healthy teeth.⁴²



Although the majority of parents have their children vaccinated, some still have concerns.⁴³ The **EMMIE program** (*Entretien Motivationnel en Maternité pour l'Immunisation des Enfants*) uses **motivational interviews in the maternity ward to reinforce new parents' attitudes in favour of vaccination**. According to a study conducted in four hospital centres in Quebec, this program has been effective in bolstering parents' intention to vaccinate their children and reducing their hesitation.⁴⁴ It is obviously also important to ensure that vaccines are universally available for all children in Quebec and that sufficient services are offered to comply with the normal immunization schedule.

Some of these measures have already been implemented in Quebec. We need to make sure they are maintained and consolidated.

How could these measures be more effectively applied? Are there other measures we need to consider? We hope our 2017 Portrait will make a valuable contribution to the public reflection on these issues.



HOW ARE THEY FARING AS THEY GROW UP?

MENTAL HEALTH

Mental disorders are more frequent among very young children than most people think. Although there is little data available on this subject for children 5 and under, it is estimated that the frequency for that age group would be similar to that for school-aged children. The most common **mental disorders** encountered in very young children are related to behaviours and emotions.⁴⁵ These include problems related to behaviour, **anxiety, depression, attention deficit with or without hyperactivity (ADD/ ADHD)** and **autism spectrum disorder.**⁴⁶

Although it was originally believed that **anxiety-depressive disorders** did not exist in very young children, studies over the past 10 years have shown that they can indeed suffer from social phobia, separation anxiety, generalized anxiety and depression. These conditions are difficult to detect in very young children, as they are usually not yet able to verbalize their emotions. Certain factors can increase a child's risk of suffering an anxiety-depressive disorder: a difficult family environment, problematic relationships with peers, or living through a stressful event.⁴⁷

ADHD (attention deficit hyperactive disorder) is characterized by symptoms of inattention, hyperactivity or impulsivity. Although this condition is generally diagnosed when children are in primary school, symptoms are often apparent at a much earlier age. While it is difficult to diagnose ADHD in preschoolers, many forms of treatment (medication and behavioural intervention) are available for these children. Since ADHD is associated with higher risks of dropping out, a lower rate of high school completion and more difficult relationships with other children, early intervention is important.⁴⁸

When left untreated, 50% of the **mental disorders** that affect very young children will persist into later childhood. It is therefore important that these problems be detected early in order to intervene more rapidly. Since the brain is much more plastic early in life, interventions in early childhood are much more effective than in school-aged children, adolescents and adults.⁴⁹

MENTAL DISORDERS


_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _



22,010 children between the ages of 1 and 5 had been diagnosed with a mental disorder in 2015-2016.


The majority of diagnoses are for specific developmental delays (e.g.: speech and language development disorders, specific motor delay) and behavioural disorders (e.g.: stammering/stuttering, tics, sleep disorders). Mental disorders also include several other diagnoses such as autism, anxiety, depression and ADHD.

Since 2000-2001, the proportion of very young children diagnosed with a mental disorder has increased significantly, rising from 3.5% to 4.8%.



USE OF SERVICES

Of the young children who were diagnosed with a mental disorder, 32.6% were hospitalized, seen in the emergency department, saw a psychiatrist or consulted a GP in his or her office.



Of the children who received other forms of mental health services, a large proportion were seen by a pediatrician.

Source: Institut national de santé publique (INSPQ), Quebec Integrated Chronic Disease Surveillance System (QICDSS), Quebec hospitalization database (MED-ÉCHO - Maintenance et exploitation des données pour l'étude de la clientèle hospitalière), physician claims database and health insurance registry (FIPA fichier d'inscription des personnes assurées).

ANXIETY AND DEPRESSIVE SYMPTOMS



1,794 children between the ages of 1 and 5 had been diagnosed with an anxiety disorder or depressive symptoms in 2015-2016.

The proportion of children in this category has remained stable at around 0.4% since the early 2000s.

The main anxio-depressive disorders that affect very young children are social phobia, separation anxiety, generalized anxiety and depression.

Source: Institut national

de santé publique du Québec (INSPQ), Quebec Integrated Chronic Disease Surveillance System (QICDSS), Quebec hospitalization database (MED-ÉCHO - Maintenance et exploitation des données pour l'étude de la clientèle hospitalière), physician claims database and health insurance registry (FIPA - fichier d'inscription des personnes assurées).

ATTENTION DEFICIT DISORDER WITH OR WITHOUT HYPERACTIVITY (ADD/ADHD)




3,555 children between the ages of 1 and 5 had been diagnosed with ADHD in 2015-2016.

Since the early 2000s, the proportion of children with this diagnosis has increased significantly, rising from 0.4% in 2000-2001 to 0.8% in 2015-2016.

In order to be diagnosed with an attention deficit disorder, a child must present six symptoms of inattention. If he or she also presents six symptoms of hyperactivity or impulsivity, the diagnosis becomes attention deficit hyperactive disorder, or ADHD.⁵⁰

Since it is normal for very young children to display a certain degree of inattention or hyperactivity, the symptoms must be severe, unusual for the child's age, persistent, and affect the child's functioning.

Source: Institut national de santé publique du Québec (INSPQ). Quebec Integrated Chronic Disease Surveillance System (QICDSS). Quebec hospitalization database (MED-ÉCHO - Maintenance et exploitation des données pour l'étude de la clientèle hospitalière). Physician claims database and health insurance registry (FIPA - fichier d'inscription des personnes assurées).




AUTISM SPECTRUM DISORDER (ASD)



3,716 children between the ages of 1 and 5 had been diagnosed with autism spectrum disorder in 2015-2016.

Since the early 2000s, the proportion of children diagnosed with ASD has increased significantly, rising from 0.16% in 2000-2001 to 0.82% in 2015-2016.



Source: Institut national de santé publique du Québec (INSPQ). Quebec Integrated Chronic Disease Surveillance System (QICDSS). Quebec hospitalization database (MED-ÉCHO - Maintenance et exploitation des données pour l'étude de la clientèle hospitalière). Physician claims database and health insurance registry (FIPA - fichier d'inscription des personnes assurées).

Mental health: Key points

The mental health of very young children in Quebec needs to be monitored.

- In 2015-2016, 22,010 children (4.8%) between the ages of 1 and 5 were diagnosed with a mental health disorder.
- Since 2000-2001, the proportion of very young children affected by a mental health disorder rose from 3.5% to 4.8%.
- The proportion of children affected by anxiety and depressive symptoms has remained stable at around 0.4% since the early 2000s.
- Although the proportion of children diagnosed with ADHD is low among 1-5 year-olds, it rose significantly between 2000-2001 and 2015-2016.
- The proportion of children diagnosed with autism spectrum disorder rose from 0.16% in 2000-2001 to 0.82% in 2015-2016.
- Since very little data is available to evaluate the mental health of very young children, the extent of the problem may actually be underestimated.

SOMETHING CAN BE DONE

The scientific literature has documented the existence of collective drivers that could be used to effect positive change in the area of young children's mental health.

Here are a few examples of ways we could help improve children's mental health:



Working parents with high levels of stress related to reconciling work and family life are at greater risk of shouting, getting angry or losing patience with their children.⁵¹ **Making work-life balance measures available to parents** could help to improve the quality of young children's lives at home.⁵² Some organizations also offer courses in improving parenting skills.⁵³



Offering parents assistance and supporting them in their efforts to provide their children with an environment that fosters healthy lifestyle habits could also have a positive effect on young children's mental health. Certain studies have shown that there is a connection between food insecurity⁵⁴ or insufficient sleep⁵⁵ and certain mental disorders. Physical activity also has a positive impact on children's mental health.⁵⁶



The quality of a child's educational facility can have an effect on his or her stress levels.⁵⁷ When facilities offer a combination of trained educators⁵⁸ and specialized services, it is possible to ensure prompt intervention in the daily lives of the toddlers and preschoolers.

It is also possible to facilitate the detection and diagnosis of mental disorders in very young children:



Parents must be **made aware of the potential causes of distress in their children,** which could include mental disorders, learning difficulties and adaptation problems.



Improved access to mental health services would be an effective way to help ensure that affected children were diagnosed and treated.⁵⁹

Some of these measures have already been implemented in Quebec. We need to make sure they are maintained and consolidated.

How could these measures be more effectively applied? Are there other measures we need to consider? We hope our 2017 Portrait will make a valuable contribution to the public reflection on these issues.



HOW ARE THEY FARING AS THEY GROW UP?

DEVELOPMENT

Early childhood development includes development in various areas of skill and aptitude. Developmental studies generally focus on the following domains: physical and motor, social, emotional, cognitive and language/communication. All these aspects are interrelated and influence each other. For example, children who have trouble managing their emotions (emotional development) may also have less harmonious relationships with their peers (social development).

Although the main stages in development are similar from one child to the next, each develops at his or her own rhythm. Rates of development in different areas depend on the various learning situations to which children are exposed and the environments they have grown up in.⁶⁰

Certain physical and mental conditions can restrict a child's activities, however, including such disabilities as intellectual disabilities, severe behaviour disorders, autism spectrum disorder, hearing and visual disabilities, cardiovascular dysfunction, food and digestion deficiencies, and immune system or nervous system deficiencies. Different disabilities affect different aspects of a child's development. Moreover, very young children who live with a disability may also unfortunately experience discrimination and exclusion.⁶¹

Children who have all the skills and aptitudes they need to get a good start in school are able to take full advantage of all the educational opportunities offered to them, which sets them on the right path to achieving their full development and potential. Studies have shown that kindergarten-aged children who are developmentally vulnerable are at greater risk of having difficulty in school later on. Kindergartners who are vulnerable in one or other areas of their development are at greater risk of failing their provincial ministerial examinations in French or mathematics in grade six.⁶² Academic success in primary school subsequently has an impact on the highest level of diploma obtained in adulthood and perspectives for employment.


DISABILITIES



6,598 children between 0 and 5 (or 12 out of 1,000 young Quebecers) were recognized as living with a disability under the supplement for handicapped children program administered by Retraite Québec in 2015.

This represent 12 young Quebecers out of 1,000.

2/3 of these children were living with a disability and one-third had a developmental disorder.




In order to be **recognized as disabled**, a child must present a disability or developmental disorder that significantly restricts his or her daily activities.

Disabilities include food and digestion deficiencies, metabolic disorders, immune system or nervous system deficiencies, hearing or visual disabilities, and cardiovascular, renal or respiratory dysfunction.

Developmental disorders include intellectual disabilities, global developmental delay, autism spectrum disorders and speech disorders.

After rising slightly between 2005 and 2009, the rate of children recognized as living with a disability dropped to a level below that of 2005, when it was 13 out of 1,000. This decrease is primarily due to a decline in the number of children with a developmental disorder that restricts their daily activities.



Source: Retraite Québec, Fichier administratif des enfants handicapés (containing information transmitted by the Directeur de l'état civil, Revenu Québec and parents of children with disabilities).




6,471 Quebec families with at least one child between the ages of 0 and 5 benefited from the provincial supplement for handicapped children in 2015.

This figure represents 1.67% of Quebec families with at least one child between 0 and 5. *

Proportionally more single-parent than two-parent families received this supplement.



The percentage of families with a child between 0 and 5 that receive the supplement for handicapped children decreased between 2007 and 2015.



* This is actually the percentage of Quebec families with at least one child between 0 and 5 that received the provincial child assistance payment (Soutien aux enfants or PSE). This rate nonetheless gives us a fairly accurate idea for all Quebec families with at least one child between the ages of 0 and 5, since between 96% and 97% of all Quebec families receive the PSE.

Source: Retraite Québec, Fichier administratif des enfants handicapés (containing information transmitted by the Directeur de l'état civil, Revenu Québec and parents of children with disabilities).


VULNERABILITY IN KINDERGARTEN

26% of children in kindergarten were vulnerable in at least one domain of their development 2012 in Quebec.

Half of this number


were vulnerable in **just one domain** of development.

Among the children who were vulnerable in a single domain of their development, the most common domains were **physical health and well-being** and **communication skills and general knowledge**.



The other half were vulnerable in more than one domain of development.

Among the children who were vulnerable in at least two domains of development, over half were vulnerable in at least three domains.



The following combinations of vulnerability were particularly common:

- Social competence and emotional maturity
- Language & cognitive development **and** communication skills & general knowledges

For example, children who have trouble managing their emotions are more likely to have less harmonious relationships with others.

Source: Institut de la statistique du Québec, 2012 Quebec Survey of Child Development in Kindergarten.

WHAT DO WE MEAN WHEN WE SAY A CHILD IS "VULNERABLE"?

During the *Quebec Survey of Child Development in Kindergarten* (*Enquête québécoise sur le développement des enfants à la maternelle* or EQDEM), children were evaluated by their kindergarten teacher. A child was considered to be vulnerable in a given domain of development if he or she was included in the 10% of Quebec children with the lowest scores in that domain.

WHAT FACTORS WERE STUDIED IN EACH DOMAIN?



Physical health and well-being Teachers evaluated children's overall

physical development, motor skills, adequate food and clothing, cleanliness, punctuality and alertness.

Social competence

Teachers evaluated children's social skills, self-confidence, sense of responsibility, respect for peers, adults and rules and routines, work skills and autonomy, and curiosity.



Emotional maturity

Teachers evaluated children's behaviour towards others, ability to help others, fear, anxiety, aggressive behaviour, hyperactivity and inattention, and expression of emotions.




Language and cognitive development

Teachers evaluated children's interest and skills in reading, writing and arithmetic, and appropriate use of language.


Communication skills and general knowledge

Teachers evaluated children's ability to communicate understandably, enunciate clearly and their general knowledge.



WHICH KINDERGARTEN-AGED CHILDREN ARE MORE LIKELY TO BE VULNERABLE?

Certain groups of children are more likely to be vulnerable in at least one area of their development.



* The Deprivation Index of an area of residence includes a material dimension (average income, education and employment) and a social dimension (marital status and structure of household: people who are widowed, divorced, living alone or in single-parent families).⁶³


Source: Institut de la statistique du Québec, 2012 Quebec Survey of Child Development in Kindergarten.

KINDERGARTEN-AGED CHILDREN WITH A DISABILITY OR SOCIAL MALADJUSTMENT*

EQDEM data do not include children with disabilities or problems with social adaptation.

During the 2015-2016 school year, **4,688** (5.6%) children in 5-year-old kindergarten had a disability or difficulty with adaptation based on the criteria of the Ministère de l'Éducation et de l'Enseignement supérieur.

Approximately half of these children were living with a disability. The others had an individual intervention plan even though they had not been assigned a code corresponding to a disability or severe behavioural disorder.



The proportion of children with disabilities or adaptation difficulties has remained stable over the past several years.




* The data of the Ministère de l'Éducation et de l'Enseignement supérieur refer to children with a disability, social maladjustment or learning difficulty (special needs children, or EHDAA: *enfants handicapés ou en difficulté d'adaptation ou d'apprentissage*). Learning difficulties do not apply to children in 5-year-old kindergarten, however.

Furthermore, data refer to children in 5-year-old kindergarten in the public education system only; they do not include information from the government or private network.

Source: Ministère de l'Éducation et de l'Enseignement supérieur (MEES), Territoires, statistiques et enquêtes (TSE), Direction générale des Statistiques, des Études et de la Géomatique (DGSEG), Direction des Indicateurs et des Statistiques (DIS), Portail informationnel, Système Charlemagne.

ASSISTANCE OF A NON-TEACHING PROFESSIONAL IN KINDERGARTEN




In 2012, one child in kindergarten out of four received the assistance of at least one non-teaching professional.⁶⁴

Assistance of a non-teaching professional

Among developmentally vulnerable children, this figure rises to 50%.

1 out of 2 vulnerable children were unable to benefit from the services of a non-teaching professional during the period between the beginning of the school year and the time of the survey.

The professional services most frequently used by children in 5-year-old kindergarten (vulnerable or not) were those offered by **resource teachers** and **speech therapists**.



* Certain types of professionals were frequently mentioned in the "Other" category: resource teachers and dental care professionals. These two categories were therefore added to the indicator based on data compiled. It is important to note, however, that the number of professionals in these two categories may be underestimated, as they were initially not offered as a response option for the question.

Source: Institut de la statistique du Québec, Quebec Survey of Child Development in Kindergarten, 2012.

Development: Key points

Statistics on child development in Quebec are worrying.

- One kindergartner out of four is vulnerable in at least one domain of development.
- Children who are vulnerable in the area of social competence are especially likely to be vulnerable in another domain.
- Certain children are at greater risk of being vulnerable in at least one domain of development:
 - very young children
 - boys
 - children whose mother tongue is other than French or English
 - children born outside of Canada
 - children who did not regularly attend daycare before starting kindergarten
 - children from disadvantaged neighbourhoods
- Some children who are developmentally vulnerable were unable to benefit from the services of a non-teaching professional in kindergarten.

SOMETHING CAN BE DONE

The scientific literature has documented the existence of collective drivers that could be used to effect positive change in the development of very young children. Here are a few examples:



The socio-economic environment in which children grow up has a significant impact on their development.⁶⁵ Improving the living conditions of children in disadvantaged environments (better housing, for example) and providing support for parents in difficult situations is one way to have a positive impact on young children's overall development.⁶⁶



Having access to the services of a non-teaching professional (such as a speech therapist, social worker, psychologist or resource teacher) is beneficial for children who are developmentally vulnerable. Non-teaching professionals can support educators by identifying a child's special needs and participating in developing an intervention plan,⁶⁷ thus playing an important role in the prevention, screening and intervention process.




Children from disadvantaged environments, those whose first language is other than French or English, and those whose parents were born outside of Canada are more likely to be developmentally vulnerable when they start school. **Quality educational daycare services** (such as preschool, 4-year-old kindergarten and the Passe-Partout program) can offer these children the stimulation and structure they need to ease their transition into the educational system.⁶⁸ Certain community organizations also offer various types of early stimulation programs for babies and toddlers.



Early intervention is crucial for very young children with special needs such as disabilities or developmental disorders. Early screening for impaired hearing, for example, can prevent some types of language delays.⁶⁹

Some of these measures have already been implemented in Quebec. We need to make sure they are maintained and consolidated.

How could these measures be more effectively applied? Are there other measures we need to consider? We hope our 2017 Portrait will make a valuable contribution to the public reflection on these issues.



Part 2

THE SITUATION REGION BY REGION

Proportion of children between the ages of 0 and 5 in each region - 2016

Region	Population 0-5 years	Proportion of children between 0 and 5
1 Bas-Saint-Laurent	11,095	5.5%
2 Saguenay-Lac-Saint-Jean	16,446	5.9%
3 Capitale-Nationale	45,418	6.2%
4 Mauricie	14,656	5.5%
5 Estrie	19,840	6.1%
6 Montréal	134,098	6.7%
🕖 Outaouais	26,022	6.7%
8 Abitibi-Témiscamingue	10,044	6.8%
9 Côte-Nord	5,926	6.4%
D Nord-du-Québec	4,815	10.7%
Gaspésie – Îles-de-la-Madeleine	4,291	4.7%
Chaudière-Appalaches	27,549	6.5%
🕑 Laval	27,719	6.5%
🛿 Lanaudière	33,631	6.7%
Laurentides	37,460	6.2%
16 Montérégie	100,426	6.5%
Centre-du-Québec	15,503	6.4%
ALL OF QUEBEC	534,939	6.4%

Source: Institut de la statistique du Québec, Direction des statistiques sociodémographiques et Statistique Canada, Division de la démographie, adapté par l'Institut de la statistique du Québec.

The following sections present data on young children's health and development in each of the regions of Quebec, with the exclusion of the regions of Nunavik and the Terres-Cries-de-la-Baie-James, which are generally not included in population surveys.

It is also important to note that certain provincial data are not available at the regional level due to a lack of precision.

BAS-SAINT-LAURENT

In a nutshell

According to the most recent data available:

- The number of births in this region decreased by 4.2% between 2006 and 2016, as compared to an increase of 5.4% for the whole of Quebec.
- ▶ The proportion of very young children living in low-income families (after taxes) is lower in the Bas-Saint-Laurent region than in the rest of Quebec.
- ▶ The proportion of parents of children between 0 and 5 who have already participated in prenatal classes is higher in this region than in the rest of Quebec.
- While the number of hospitalizations for asthma is lower in the Bas-Saint-Laurent than in Quebec as a whole, the number of hospitalizations for epilepsy is higher.
- The rate of children between the ages of 0 and 5 who have had their teeth examined by a dentist is higher in this region than in Quebec as a whole.
- The proportion of families who have a family doctor or pediatrician for all their children 5 and under is higher in this region than in the rest of Quebec.

The indicators mentioned in the "In a nutshell" section were selected because the region stood out clearly from the rest of Quebec or the province as a whole in those areas.

WHO ARE THESE 0-5 YEAR-OLDS?



In 2006, that figure was 10,453, or 5.2% of the total regional population.

In 2016, there were 1,728 recorded births.

That represents a decrease of 4.2% over the 2006 figure of 1,803 recorded births in the region.

WHAT DID THEIR FAMILIES LOOK LIKE IN 2011?*



* Since certain percentages have been rounded up or down, the total may be slightly above or below 100%.

WHAT ARE THEIR LIVING CONDITIONS?

of very young children in the region were living in low-income families (after tax) in 2015.



That figure was 12.6% in 2004.

Sources: Institut de la statistique du Québec and Statistics Canada, Population estimates, adapted by the Institut de la statistique du Québec. Provisional data for 2016; Statistics Canada, 2011 *National Household Survey*, adapted by the Institut de la statistique du Québec, and Statistics Canada, *T1 Family File* (T1FF), adapted by the Institut de la statistique du Québec.

HOW ARE THEY FARING DURING PREGNANCY AND CHILDBIRTH?

50 2006 2016 25 20.4% 15.9% 40.7% 39.9% 26.3% 29.3% 8.7% 1.9% 2.0% 1.9% 1.9% 0. 19 or under 20-24 25-29 30-34 35-39 40 or over

HOW OLD WAS THEIR MOTHER AT BIRTH?

PRENATAL CLASSES

64.9% of parents of children between 0 and 5 in 2015 had already participated in prenatal classes.





INTRAUTERINE GROWTH RESTRICTION

9.1% of babies were born with intrauterine growth restriction in 2011-2013.

This figure was 16.5% in 1981-1983 and 8% in 2002-2004.



CAESAREAN BIRTHS


25.7% of births in this region in 2015 were by Caesarean section.

In 2002, the rate of Caesarean births in the region was 23.4%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015;* Ministère de la Santé et des Services sociaux, Fichier des naissances (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, May 29, 2017; Discharge Abstract Database, Canadian Institute for Health Information (CIHI); MED-ÉCHO hospitalization database, ministère de la Santé et des Services sociaux.




PREMATURE BIRTHS



LOW BIRTHWEIGHT

5.8% of babies born in the Bas-Saint-Laurent in 2013 had a low birthweight (under 2.5 kg or 5.5 lb).



STILLBIRTHS



of every 1,000 babies were stillborn in 2009-2013.

This rate was 4.5 out of 1,000 births in 2001-2005.



BREASTFEEDING

97.7% of mothers breastfed or tried to breastfeed their youngest child, according to 2013-2014 data.*

This figure was 64.8% in 2000-2001.

* Among women between 15 and 55 who had given birth over the previous five years. (N.B.: Potential for bias due to high partial non-response.) **49.6%** of mothers of children between 0 and 5 in the Bas-Saint-Laurent who breastfed their child(ren)* had already used breastfeeding support services in 2015.

* This figure includes all mothers of children between 0 and 5, with the exclusion of those did not use breastfeeding support services because they did not breastfeed their child(ren).

Sources: Institut de la statistique du Québec, Registre des événements démographiques; Statistics Canada, *Canadian Community Health Survey* (CCHS), 2000-2001 and 2013-2014, share files, adapted by the Institut de la statistique du Québec; Institut de la statistique du Québec; Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015.

HOW ARE THEY FARING AS THEY GROW UP? PHYSICAL HEALTH



ASTHMA

70.5 hospitalizations for every 100,000 children 4 and under in the region in 2013-2016.*

In 2007-2010, this rate was 100.9 hospitalizations for every 100,000 children 4 and under.*



91.7 hospitalizations for every 100,000 children 4 and under in 2013-2016.*

In 2007-2010, this rate was 78.5 hospitalizations for every 100,000 children 4 and under.*

* Coefficient of variation greater than 16.66% and less than or equal to 33.33%: interpret with caution.

ACCIDENTAL INJURY



hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 276.6 hospitalizations for every 100,000 children 4 and under.

MORTALITY

5.1 children out of 1,000: the average annual number of children who died before their first birthday in 2009-2013.

In 1999-2003, that rate was 4.2 children out of 1,000.

0.16 children out of 1,000: the average annual number of children who died between the ages of 1 and 4 in 2009-2013.

In 1999-2003, that rate was 0.22 children out of 1,000.

Sources: Ministère de la Santé et des Services sociaux, MED-ÉCHO hospitalization database (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, April 5, 2017; Institut de la statistique du Québec, *Registre des événements démographiques*.



FAMILY DOCTOR OR PEDIATRICIAN



95.6% of families had a family doctor or pediatrician for all their children 5 and under in 2015.




DENTAL EXAMS

63.3% of children between 3 and 5 and

12.9% of children between 0 and 2 had had their teeth examined by a dentist in 2016.

In 2011, these figures were 59.6% and 9.4%.



In 2011, that figure was 10.3%.

Data on children between the ages of 0 and 2 are not available for the Bas-Saint-Laurent region.

Sources: Institut de la statistique du Québec, Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015; Régie de l'assurance-maladie du Québec (RAMQ), Direction de l'analyse et de la gestion de l'information.

HOW ARE THEY FARING AS THEY GROW UP? DEVELOPMENT



DISABILITIES

12.0 out of 1,000 children between 0 and 5 were recognized as living with a disability in 2015.

In 2005, this rate was 11.4 out of 1,000 children between 0 and 5.

1.7% In 2015, 1.7% of families in the region with at least one child between 0 and 5 were receiving the Quebec supplement for handicapped children.

This rate was 1.6% in 2007.




VULNERABILITY IN KINDERGARTEN

25.2% of children in kindergarten in the Bas-Saint-Laurent were vulnerable in at least one domain of development in 2012.

Among these vulnerable children, **55.2% were vulnerable in two or more domains.** This figure is significantly higher than than in the rest of Quebec.



At the provincial level, certain groups of children are more likely to be developmentally vulnerable. Below are the **proportions of children in the region who were vulnerable in at least one domain of development:**



* Coefficient of variation between 15% and 25%: interpret with caution.

Sources: Retraite Québec, Fichier administratif des enfants handicapés (containing information transmitted by the Directeur de l'état civil, Revenu Québec and parents of children with disabilities); Institut de la statistique du Québec, 2012 Quebec Survey of Child Development in Kindergarten.



CHILDREN WITH A DISABILITY OR SOCIAL MALADJUSTMENT IN KINDERGARTEN


5.6% of children in 5-year-old kindergarten had a disability or social maladjustment in 2015-2016.

This figure was 5.1% of all children in kindergarten in 2011-2012.



USE OF THE SERVICES OF A NON-TEACHING PROFESSIONAL BY CHILDREN WHO WERE VULNERABLE IN AT LEAST ONE DOMAIN OF THEIR DEVELOPMENT

52.2% of vulnerable children in kindergarten in the region benefited from the services of a non-teaching professional at school in 2012.



*Nurse, social worker, dental hygienist/dentist: coefficient of variation between 15% and 25% for regional data: interpret with caution.

Psychologist: coefficient of variation greater than 25% for regional data: imprecise estimate provided for information purposes only.

N.B.: Certain types of professionals were frequently mentioned in the "Other" category: resource teachers and dental care professionals. These two categories were therefore added to the indicator based on data compiled. It is important to note, however, that the number of professionals in these two categories may be underestimated, as they were initially not offered as a response option for the question.

Sources: Ministère de l'Éducation et de l'Enseignement supérieur (MEES), Territoires, statistiques et enquêtes (TSE), Direction générale des Statistiques, des Études et de la Géomatique (DGSEG), Direction des Indicateurs et des Statistiques (DIS), Portail informationnel, Système Charlemagne; Institut de la statistique du Québec, Quebec Survey of Child Development in Kindergarten, 2012.

THE REGION AT A GLANCE

	Caution must be exercised in interpreting these data. Certain differences between the region and all of Quebec may not be significant or due to random fluctuations. INDICATORS	Bas-Saint-Laurent	All of Quebec
WHO ARE THESE 0-5 YEAR-OLDS?	Number of children between the ages of 0 and 5 in 2016	11,095	534,939
	Proportion of children between the ages of 0 and 5 in 2016	5.5%	6.4%
	Number of newborns in 2016	1,728	86,400
PREGNANCY AND CHILDBIRTH	Proportion of parents with children between O and 5 in 2015 who had already attended prenatal classes	64.9%	59.8%
	Proportion of babies born with intrauterine growth restriction in 2011-2013	9.1%	8.7%
	Proportion of premature births (< 37 full weeks of gestation) in 2013	7.3%	7.3%
	Proportion of low birthweight babies (< 2,500 g) in 2013	5.8%	5.9%
	Rate of Caesarean births in 2015	25.7%	24.9%
	Average annual rate of stillbirths in 2009-2013	4.6 deaths for every 1,000 births	4.2 deaths for every 1,000 births
	Proportion of women between the ages of 15 and 55 who gave birth during the five years preceding the 2013-2014 survey who breastfed or tried to breastfeed their youngest child	97.7%	89.0%
	Proportion of mothers of children between the ages of 0 and 5 who breastfed their child(ren)** and used breastfeeding support services in 2015	49.6%	51.6%

WHO ARE THESE

PHYSICAL HEALTH	Average annual number of hospitalizations for asthma in 2013-2016	70.5 hospitalizations for every 100,000 children between 0 and 4	162.4 hospitalizations for every 100,000 children between 0 and 4
	Average annual number of hospitalizations for epilepsy in 2013-2016	91.7 hospitalizations for every 100,000 children between 0 and 4	57.1 hospitalizations for every 100,000 children between 0 and 4
	Average annual number of hospitalizations for accidental injuries in 2013-2016	321 hospitalizations for every 100,000 children between 0 and 4	346,3 hospitalizations for every 100,000 children between 0 and 4
	Average annual rate of infant mortality (before 1 year of age) in 2009-2013	5.1 deaths for every 1,000 births	4.8 deaths for every 1,000 births
	Average annual rate of juvenile mortality (between 1 and 4 years of age) in 2009-2013	0.16 deaths for every 1,000 births	0.15 deaths for every 1,000 births
	Proportion of families who had a family doctor or pediatrician for all their children between O and 5 in 2015	95.6%	88.8%
	Percentage of children between 0 and 5 who had their teeth examined by a dentist in 2016	39.2%	30,5%
	Percentage of children between 0 and 5 who received dental treatment (cavity filled) in 2016	4.1%	5.4%
DEVELOPMENT	Rate of children who were recognized as living with a disability in 2015	12.0 out of every 1,000 children between 0 and 5	12.3 out of every 1,000 children between 0 and 5
	Proportion of children in kindergarten who were vulnerable in at least one domain of development in 2012	25.2%	25.6%
	Proportion of children in 5-year-old kindergarten with a disability or social maladjustment in 2015-2016	5.6%	5.6%
	Proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional at school in 2012	52.2%	49.7%

** These figures include all mothers of children between the ages of 0 and 5, with the exception of those who explained that they had not used breastfeeding support services because they did not breastfeed their child(ren).

SAGUENAY-LAC-SAINT-JEAN

In a nutshell

According to the most recent data available:

- The number of births in this region increased by 0.6% between 2006 and 2016, as compared to an increase of 5.4% for the whole of Quebec.
- ▶ The proportion of very young children living in low-income families (after taxes) is lower in the Saguenay-Lac-St-Jean region than in the rest of Quebec.
- Intrauterine growth restriction occurs less frequently in Saguenay-Lac-Saint-Jean than in the whole of Quebec.
- The rate of hospitalization for accidental injury is higher in the Saguenay-Lac-Saint-Jean than in the whole of Quebec. The hospitalization rates for asthma and epilepsy are also higher.
- The rate of juvenile mortality is generally higher in the Saguenay-Lac-Saint-Jean than in the rest of the province.
- The proportion of families who have a family doctor or pediatrician for all their children 5 and under is higher than in the rest of Quebec.
- The rate of children between the ages of 0 and 5 who have had their teeth examined by a dentist is higher in this region than in Quebec as a whole.
- The proportion of children in kindergarten with a disability or social maladjustment is higher in this region than in Quebec as a whole.
- The proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional at school is lower than that observed for the rest of Quebec.

The indicators mentioned in the "In a nutshell" section were selected because the region stood out clearly from the rest of Quebec or the province as a whole in those areas.

WHO ARE THESE 0-5 YEAR-OLDS?




In 2006, that figure was 15,012 or 5.5% of the total regional population.

In 2016, there were 2,628 recorded births.

That represents an increase of 0.6% over the 2006 figure of 2,612 recorded births in the region.

WHAT DID THEIR FAMILIES LOOK LIKE IN 2011?*



* Since certain percentages have been rounded up or down, the total may be slightly above or below 100%.

WHAT ARE THEIR LIVING CONDITIONS?


of very young children in the region were living in low-income families (after tax) in 2015.



That figure was 13.4% in 2004.

Sources: Institut de la statistique du Québec and Statistics Canada, Population estimates, adapted by the Institut de la statistique du Québec. Provisional data for 2016; Statistics Canada, 2011 *National Household Survey*, adapted by the Institut de la statistique du Québec, and Statistics Canada, *T1 Family File* (T1FF), adapted by the Institut de la statistique du Québec.

HOW ARE THEY FARING DURING PREGNANCY AND CHILDBIRTH?



HOW OLD WAS THEIR MOTHER AT BIRTH?

PRENATAL CLASSES

60.7% of parents of children between 0 and 5 in 2015 had already participated in prenatal classes.





INTRAUTERINE GROWTH RESTRICTION

7.9% of babies were born with intrauterine growth restriction in 2011-2013.

This figure was 14.5% in 1981-1983 and 7.7% in 2002-2004.



CAESAREAN BIRTHS




In 2002, the rate of Caesarean births in the region was 20.1%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015;* Ministère de la Santé et des Services sociaux, Fichier des naissances (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, May 29, 2017; Discharge Abstract Database, Canadian Institute for Health Information (CIHI); MED-ÉCHO hospitalization database, ministère de la Santé et des Services sociaux.




PREMATURE BIRTHS



LOW BIRTHWEIGHT

of babies born in the **0** Saguenay-Lac-St-Jean in 2013 had a low birthweight (under 2.5 kg or 5.5 lb).



STILLBIRTHS



3.4 of every 1,000 babies were stillborn in 2009-2013.

This rate was 3.3 out of 1,000 births in 2001-2005.

BREASTFEEDING

7% of mothers breastfed or tried to breastfeed their youngest child, according to 2013-2014 data.*

This figure was 73.1% in 2000-2001.

* Among women between 15 and 55 who had given birth over the previous five years. (N.B.: Potential for bias due to high partial non-response.)

of mothers of children between 0 and 5 in the Saguenay-Lac-St-Jean who breastfed their child(ren)* had already used breastfeeding support services in 2015.

* This figure includes all mothers of children between 0 and 5, with the exclusion of those did not use breastfeeding support services because they did not breastfeed their child(ren).

Sources: Institut de la statistique du Québec, Registre des événements démographiques; Statistics Canada, Canadian Community Health Survey (CCHS), 2000-2001 and 2013-2014, share files, adapted by the Institut de la statistique du Québec; Institut de la statistique du Québec, Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015.

HOW ARE THEY FARING AS THEY GROW UP? PHYSICAL HEALTH



ASTHMA

373 hospitalizations for every 100,000 children 4 and under in the region in 2013-2016.

In 2007-2010, this rate was 753.6 hospitalizations for every 100,000 children 4 and under.



88.5 hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 82.3 hospitalizations for every 100,000 children 4 and under.*

* Coefficient of variation greater than 16.66% and less than or equal to 33.33%: interpret with caution.

ACCIDENTAL INJURY



hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 511.8 hospitalizations for every 100,000 children 4 and under.

MORTALITY

6.7 children out of 1,000: the average annual number of children who died before their first birthday in 2009-2013.

In 1999-2003, that rate was 5.0 children out of 1,000.

0.13 children out of 1,000: the average annual number of children who died between the ages of 1 and 4 in 2009-2013.

In 1999-2003, that rate was 0.38 children out of 1,000.

Sources: Source: Ministère de la Santé et des Services sociaux, MED-ÉCHO hospitalization database (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, April 5, 2017; Institut de la statistique du Québec, *Registre des événements démographiques*.



FAMILY DOCTOR OR PEDIATRICIAN

92.4% of families had a family doctor or pediatrician for all their children 5 and under in 2015.



DENTAL EXAMS

61.0% of children between 3 and 5 and 10.9% of children between 0 and 2 had had their teeth examined by a dentist in 2016.

In 2011, these figures were 62.4% and 7.7%.



TRAITEMENTS DENTAIRES (ex.: traitement de carie)

10.2% of children between 3 and 5 received dental treatment.

The rate for children between 0 and 2 was 0.2%

In 2011, those rates were 14.7% and 0.1%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015;* Régie de l'assurance-maladie du Québec (RAMQ), Direction de l'analyse et de la gestion de l'information.

HOW ARE THEY FARING AS THEY GROW UP? DEVELOPMENT



DISABILITIES

12.9 out of 1,000 children between 0 and 5 were recognized as living with a disability in 2015.

In 2005, this rate was 14.6 out of 1,000 children between 0 and 5.

1.7% of families in the region with at least one child between 0 and 5 were receiving the Quebec supplement for handicapped children in 2015.

53.3%

This figure was 2.1% in 2007.




VULNERABILITY IN KINDERGARTEN

24.2% of children in kindergarten in the Saguenay-Lac-St-Jean were vulnerable in at least one domain of development in 2012.

Among these vulnerable children, **53.3% were vulnerable in two** or more domains.

At the provincial level, certain groups of children are more likely to be developmentally vulnerable. Below are the **proportions of children in the region who were vulnerable in at least one domain of development:**



Sources: Retraite Québec, Fichier administratif des enfants handicapés (containing information transmitted by the Directeur de l'état civil, Revenu Québec and parents of children with disabilities); Institut de la statistique du Québec, 2012 Quebec Survey of Child Development in Kindergarten.



CHILDREN WITH A DISABILITY OR SOCIAL MALADJUSTMENT IN KINDERGARTEN


7.0% of children in 5-year-old kindergarten had a disability or social maladjustment in 2015-2016.

This figure was 5.4% of all children in kindergarten in 2011-2012.



USE OF THE SERVICES OF A NON-TEACHING PROFESSIONAL BY CHILDREN WHO WERE VULNERABLE IN AT LEAST ONE DOMAIN OF THEIR DEVELOPMENT

43.3% of children in kindergarten in the region benefited from the services of a non-teaching professional at school in 2012.



* Social worker: coefficient of variation between 15% and 25% for regional data: interpret with caution. Dental hygienist/dentist: coefficient of variation greater than 25% for regional data: imprecise estimate provided for information purposes only.

N.B.: Certain types of professionals were frequently mentioned in the "Other" category: resource teachers and dental care professionals. These two categories were therefore added to the indicator based on data compiled. It is important to note, however, that the number of professionals in these two categories may be underestimated, as they were initially not offered as a response option for the question.

Sources: Ministère de l'Éducation et de l'Enseignement supérieur (MEES), Territoires, statistiques et enquêtes (TSE), Direction générale des Statistiques, des Études et de la Géomatique (DGSEG), Direction des Indicateurs et des Statistiques (DIS), Portail informationnel, Système Charlemagne; Institut de la statistique du Québec, Quebec Survey of Child Development in Kindergarten, 2012.

THE REGION AT A GLANCE

	Caution must be exercised in interpreting these data. Certain differences between the region and all of Quebec may not be significant or due to random fluctuations.	Saguenay- Lac-Saint-Jean	All of Quebec
HESE LDS?	Number of children between the ages of 0 and 5 in 2016	16,446	534,939
WHO ARE THESE 0-5 YEAR-OLDS?	Proportion of children between the ages of 0 and 5 in 2016	5.9%	6.4%
≷ ò	Number of newborns in 2016	2,628	86,400
	Proportion of parents with children between O and 5 in 2015 who had already attended prenatal classes	60.7 %	59.8%
	Proportion of babies born with intrauterine growth restriction in 2011-2013	7.9%	8.7%
	Proportion of premature births (< 37 full weeks of gestation) in 2013	7.7%	7.3%
PREGNANCY AND CHILDBIRTH	Proportion of low birthweight babies (< 2,500 g) in 2013	6.0%	5.9%
ANCY AND	Rate of Caesarean births in 2015	24.2%	24.9%
	Average annual rate of stillbirths in 2009-2013	3.4 deaths for every 1,000 births	4.2 deaths for every 1,000 births
	Proportion of women between the ages of 15 and 55 who gave birth during the five years preceding the 2013-2014 survey who breastfed or tried to breastfeed their youngest child	75.7%	89.0%
	Proportion of mothers of children between the ages of 0 and 5 who breastfed their child(ren)** and used breastfeeding support services in 2015	50.0%	51.6%

	Average annual number of hospitalizations for asthma in 2013-2016	373 hospitalizations for every 100,000 children between 0 and 4	162.4 hospitalizations for every 100,000 children between 0 and 4
	Average annual number of hospitalizations for epilepsy 2013-2016	88.5 hospitalizations for every 100,000 children between 0 and 4	57.1 hospitalizations for every 100,000 children between 0 and 4
IEALTH	Average annual number of hospitalizations for accidental injuries in 2013-2016	468.6 hospitalizations for every 100,000 children between 0 and 4	346.3 hospitalizations for every 100,000 children between 0 and 4
PHYSICAL HEALTH	Average annual rate of infant mortality (before 1 year of age) in 2009-2013	6.7 deaths for every 1,000 births	4.8 deaths for every 1,000 births
	Average annual rate of juvenile mortality (between 1 and 4 years of age) in 2009-2013	0,13 deaths for every 1,000 births	0,15 deaths for every 1,000 births
	Proportion of families who had a family doctor or pediatrician for all their children between O and 5 in 2015	92.4%	88.8%
	Percentage of children between 0 and 5 who had their teeth examined by a dentist in 2016	36.5%	30.5%
	Percentage of children between 0 and 5 who received dental treatment (cavity filled) in 2016	5.3%	5.4%
	Rate of children who were recognized as living with a disability in 2015	12.9 out of every 1,000 children between 0 and 5	12.3 out of every 1,000 children between 0 and 5
DEVELOPMENT	Proportion of children in kindergarten who were vulnerable in at least one domain of development in 2012	24.2%	25.6%
	Proportion of children in 5-year-old kindergarten with a disability or social maladjustment in 2015-2016	7.0%	5.6%
	Proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional at school in 2012	43.3%	49.7%

** These figures include all mothers of children between the ages of 0 and 5, with the exception of those who explained that they had not used breastfeeding support services because they did not breastfeed their child(ren).

CAPITALE-NATIONALE


In a nutshell

According to the most recent data available:

- The number of births in this region increased by 13.7% between 2006 and 2016, as compared to an increase of 5.4% for the whole of Quebec.
- The proportion of very young children living in low-income families (after taxes) is lower in the Capitale-Nationale region than in the rest of Quebec.
- The Caesarean birth rate is higher in the Capitale-Nationale than in the province as a whole, while the proportion of parents of children between 0 and 5 who attended prenatal classes is higher than in the rest of Quebec.
- ▶ The hospitalization rate for asthma is lower in the region than in Quebec as a whole, while that for epilepsy is higher.
- The rate of juvenile mortality is lower in the Capitale-Nationale than in the rest of the province.
- The proportion of children in kindergarten who are vulnerable in at least one domain of development is lower in this region than in the rest of Quebec.

The indicators mentioned in the "In a nutshell" section were selected because the region stood out clearly from the rest of Quebec or the province as a whole in those areas.

WHO ARE THESE 0-5 YEAR-OLDS?



In 2006, that figure was 34,304 or 5.1% of the total regional population.

In 2016, there were 7,321 recorded births.

That represents an increase of 13.7% over the 2006 figure of 6,437 recorded births in the region.

WHAT DID THEIR FAMILIES LOOK LIKE IN 2011?*



* Since certain percentages have been rounded up or down, the total may be slightly above or below 100%.


WHAT ARE THEIR LIVING CONDITIONS?

of very young children in the region were living in low-income families (after tax) in 2015.

That figure was 11.9 in 2004.

Sources: Institut de la statistique du Québec and Statistics Canada, Population estimates, adapted by the Institut de la statistique du Québec. Provisional data for 2016; Statistics Canada, 2011 *National Household Survey*, adapted by the Institut de la statistique du Québec, and Statistics Canada, *T1 Family File* (T1FF), adapted by the Institut de la statistique du Québec.

HOW ARE THEY FARING DURING PREGNANCY AND CHILDBIRTH?



HOW OLD WAS THEIR MOTHER AT BIRTH?

PRENATAL CLASSES

64.5% of parents of children between 0 and 5 in 2015 had already participated in prenatal classes.





INTRAUTERINE GROWTH RESTRICTION

8.6% of babies were born with intrauterine growth restriction in 2011-2013.

This figure was 15.4% in 1981-1983 and 7.3 in 2002-2004.



CAESAREAN BIRTHS




In 2002, the rate of Caesarean births in the region was 20.4%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015;* Ministère de la Santé et des Services sociaux, Fichier des naissances (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, May 29, 2017; Discharge Abstract Database, Canadian Institute for Health Information (CIHI); MED-ÉCHO hospitalization database, ministère de la Santé et des Services sociaux.



PREMATURE BIRTHS



LOW BIRTHWEIGHT

5.5% of babies born in the Capitale-Nationale region in 2013 had a low birthweight (under 2.5 kg or 5.5 lb).

 5.6%	5.4%	5.5%	
 1997	2003	2013	

STILLBIRTHS

<u>4.1</u> 1,000

4.1 of every 1,000 babies were stillborn in 2009-2013.

This rate was 3.4 out of 1,000 births in 2001-2005.

BREASTFEEDING

86.8% of mothers breastfed or tried to breastfeed their youngest child, according to 2013-2014 data.*

This figure was 61.4% in 2000-2001.

* Among women between 15 and 55 who had given birth over the previous five years. (N.B.: Potential for bias due to high partial non-response.) **51.7%** of mothers of children between 0 and 5 in the Capitale-Nationale region who breastfed their child(ren)* had already used breastfeeding support services in 2015.

*This figure includes all mothers of children between 0 and 5, with the exclusion of those did not use breastfeeding support services because they did not breastfeed their child(ren).

Sources: Institut de la statistique du Québec, *Registre des événements démographiques*; Statistics Canada, *Canadian Community Health Survey* (CCHS), 2000-2001 and 2013-2014, share files, adapted by the Institut de la statistique du Québec; Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015.*

HOW ARE THEY FARING AS THEY GROW UP? PHYSICAL HEALTH



ASTHMA

76.4 hospitalizations for every 100,000 children 4 and under in the region in 2013-2016.

In 2007-2010, this rate was 263.3 hospitalizations for every 100,000 children 4 and under.



80.9 hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 45.1 hospitalizations for every 100,000 children 4 and under.

ACCIDENTAL INJURY



4.6 hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 320.3 hospitalizations for every 100,000 children 4 and under.

MORTALITY

4.4 children out of 1,000: the average annual number of children who died before their first birthday in 2009-2013.

In 1999-2003, that rate was 5.5 children out of 1,000.

0.17 children out of 1,000: the average annual number of children who died between the ages of 1 and 4 in 2009-2013.

In 1999-2003, that rate was 0.22 children out of 1,000.

Sources: Ministère de la Santé et des Services sociaux, MED-ÉCHO hospitalization database (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, April 5, 2017; Institut de la statistique du Québec, *Registre des événements démographiques*.



FAMILY DOCTOR OR PEDIATRICIAN

86.7% of families had a family doctor or pediatrician for all their children 5 and under in 2015.



DENTAL EXAMS

58.5% of children between 3 and 5 and

5.0% of children between 0 and 2 had had their teeth examined by a dentist in 2016.

In 2011, these rates were 57.8% and 3.7%.



DENTAL TREATMENTS (cavities filled)

9.2% of children between 3 and 5 received dental treatment.

The rate for children between 0 and 2 was 0.1 %.

In 2011, those rates were 9.1% and 0.1%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5ans 2015*; Régie de l'assurance-maladie du Québec (RAMQ), Direction de l'analyse et de la gestion de l'information, Fichier des services rémunérés à l'acte.

HOW ARE THEY FARING AS THEY GROW UP? DEVELOPMENT



DISABILITIES

11.3 out of 1,000 children between 0 and 5 were recognized as living with a disability in 2015.

In 2005, this rate was 14.6 out of 1,000 children between 0 and 5.

1.5% of families in the region with at least one child between 0 and 5 were receiving the Quebec supplement for handicapped children in 2015.

This figure was 1.8% in 2007.




VULNERABILITY IN KINDERGARTEN

22.5% of children in kindergarten in the Capitale-Nationale region were vulnerable in at least one domain of development in 2012.

Among these vulnerable children, **48.6% were vulnerable in two or more domains.***

48.6%

At the provincial level, certain groups of children are more likely to be developmentally vulnerable. Below are the **proportions of children in the region who were vulnerable in at least one domain of development:**



* This proportion is significantly lower than in the rest of Quebec.

Sources: Retraite Québec, Fichier administratif des enfants handicapés (containing information transmitted by the Directeur de l'état civil, Revenu Québec and parents of children with disabilities); Institut de la statistique du Québec, 2012 Quebec Survey of Child Development in Kindergarten.



CHILDREN WITH A DISABILITY OR SOCIAL MALADJUSTMENT IN KINDERGARTEN


6.0// of children in 5-year-old kindergarten had a disability or social maladjustment in 2015-2016.

This figure was 6.8% of all children in kindergarten in 2011-2012.



USE OF THE SERVICES OF A NON-TEACHING PROFESSIONAL BY CHILDREN WHO WERE VULNERABLE IN AT LEAST ONE DOMAIN OF THEIR DEVELOPMENT

55.4% of vulnerable children in kindergarten in the region benefited from the services of a non-teaching professional in 2012.



N.B.: Certain types of professionals were frequently mentioned in the "Other" category: resource teachers and dental care professionals. These two categories were therefore added to the indicator based on data compiled. It is important to note, however, that the number of professionals in these two categories may be underestimated, as they were initially not offered as a response option for the question.

Sources: Ministère de l'Éducation et de l'Enseignement supérieur (MEES), Territoires, statistiques et enquêtes (TSE), Direction générale des Statistiques, des Études et de la Géomatique (DGSEG), Direction des Indicateurs et des Statistiques (DIS), Portail informationnel, Système Charlemagne; Institut de la statistique du Québec, Quebec Survey of Child Development in Kindergarten, 2012.

THE REGION AT A GLANCE

	Caution must be exercised in interpreting these data. Certain differences between the region and all of Quebec may not be significant or due to random fluctuations.	ω Capitale-Nationale	All of Quebec
HESE LDS?	Number of children between the ages of 0 and 5 in 2016	45,418	534,939
WHO ARE THESE 0-5 YEAR-OLDS?	Proportion of children between the ages of 0 and 5 in 2016	6.2%	6.4%
ĕŏ	Number of newborns in 2016	7,321	86,400
	Proportion of parents with children between O and 5 in 2015 who had already attended prenatal classes	64.5%	59.8%
	Proportion of babies born with intrauterine growth restriction in 2011-2013	8.6%	8.7%
	Proportion of premature births (< 37 full weeks of gestation) in 2013	6.9%	7.3%
PREGNANCY AND CHILDBIRTH	Proportion of low birthweight babies (< 2,500 g) in 2013	5.5%	5.9%
ANCY AND	Rate of Caesarean births in 2015	27.4%	24,9%
PREGNA	Average annual rate of stillbirths in 2009-2013	4.1 deaths for every 1,000 births	4.2 deaths for every 1,000 births
	Proportion of women between the ages of 15 and 55 who gave birth during the five years preceding the 2013-2014 survey who breastfed or tried to breastfeed their youngest child	86.8%	89.0%
	Proportion of mothers of children between the ages of 0 and 5 who breastfed their child(ren)** and used breastfeeding support services in 2015	51.7%	51.6%

HO ARE THESE

	Average annual number of hospitalizations for asthma in 2013-2016	76.4 hospitalizations for every 100,000 children between 0 and 4	162.4 hospitalizations for every 100,000 children between 0 and 4
	Average annual number of hospitalizations for epilepsy in 2013-2016	80.9 hospitalizations for every 100,000 children between 0 and 4	57.1 hospitalizations for every 100,000 children between 0 and 4
IEALTH	Average annual number of hospitalizations for accidental injuries in 2013-2016	354.6 hospitalizations for every 100,000 children between 0 and 4	346.3 hospitalizations for every 100,000 children between 0 and 4
PHYSICAL HEALTH	Average annual rate of infant mortality (before 1 year of age) in 2009-2013	4.4 deaths for every 1,000 births	4.8 deaths for every 1,000 births
	Average annual rate of juvenile mortality (between 1 and 4 years of age) in 2009-2013	0.17 deaths for every 1,000 births	0.15 deaths for every 1,000 births
	Proportion of families who had a family doctor or pediatrician for all their children between O and 5 in 2015	86.7%	88.8%
	Percentage of children between 0 and 5 who had their teeth examined by a dentist in 2016	31.9%	30.5%
	Percentage of children between 0 and 5 who received dental treatment (cavity filled) in 2016	4.7%	5.4%
	Rate of children who were recognized as living with a disability in 2015	11.3 out of every 1,000 children between 0 and 5	12.3 out of every 1,000 children between 0 and 5
DEVELOPMENT	Proportion of children in kindergarten who were vulnerable in at least one domain of development in 2012	22.5%	25.6%
	Proportion of children in 5-year-old kindergarten with a disability or social maladjustment in 2015-2016	6.8%	5.6%
	Proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional at school in 2012	55.4%	49.7%

** These figures include all mothers of children between the ages of 0 and 5, with the exception of those who explained that they had not used breastfeeding support services because they did not breastfeed their child(ren).

MAURICIE

In a nutshell

According to the most recent data available:


- The number of births in this region increased by 6.5% between 2006 and 2016, as compared to an increase of 5.4% for the whole of Quebec.
- The proportion of very young children living in low-income families (after taxes) is higher in the Mauricie than in the rest of Quebec.
- The Caesarean birth rate is lower in the Mauricie-Centredu-Québec region than in the province as a whole. The proportion of low-weight babies is higher in the Mauricie than in Quebec as a whole.
- The hospitalization rates for asthma and accidental injury are higher in Mauricie-Centre-du-Québec than in Quebec as a whole.
- The infantile mortality rate is higher in the Mauricie than in the rest of Quebec.
- The rate of children between the ages of 0 and 5 who are recognized as having a disability is lower in this region than in the province as a whole.
- The rate of families with at least one child between 0 and 5 receiving the Quebec supplement for handicapped children is lower in this region than in the province as a whole.

The indicators mentioned in the "In a nutshell" section were selected because the region stood out clearly from the rest of Quebec or the province as a whole.



In the case of data from certain sources, the Mauricie and the Centre-du-Québec constitute a single health region. When necessary, this symbol is used to indicate that the data in question applies to both regions combined.

WHO ARE THESE 0-5 YEAR-OLDS?



In 2006, that figure was 12,406 or 4.8% of the total regional population.

In 2016, there were 2,435 recorded births.

That represents an increase of 6.5% over the 2006 figure of 2,286 recorded births in the region.

WHAT DID THEIR FAMILIES LOOK LIKE IN 2011?*



* Since certain percentages have been rounded up or down, the total may be slightly above or below 100%.

WHAT ARE THEIR LIVING CONDITIONS?

of very young children in the region were living in low-income families (after tax) in 2015.




That figure was 22.3 in 2004.

Sources: Institut de la statistique du Québec and Statistics Canada, Population estimates, adapted by the Institut de la statistique du Québec. Provisional data for 2016; Statistics Canada, 2011 *National Household Survey*, adapted by the Institut de la statistique du Québec, and Statistics Canada, *T1 Family File* (T1FF), adapted by the Institut de la statistique du Québec.

HOW ARE THEY FARING DURING PREGNANCY AND CHILDBIRTH?

HOW OLD WAS THEIR MOTHER AT BIRTH?



PRENATAL CLASSES

63.5% of parents of children between 0 and 5 in 2015 had already participated in prenatal classes.





INTRAUTERINE GROWTH RESTRICTION 417

8.5% of babies were born with intrauterine growth restriction in 2011-2013.

This figure was 16.3% in 1981-1983 and 7.9% in 2002-2004.



CAESAREAN BIRTHS




In 2002, the rate of Caesarean births in the region was 19.4%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015;* Ministère de la Santé et des Services sociaux, Fichier des naissances (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, May 29, 2017; Discharge Abstract Database, Canadian Institute for Health Information (CIHI); MED-ÉCHO hospitalization database, ministère de la Santé et des Services sociaux.



PREMATURE BIRTHS



LOW BIRTHWEIGHT

6.8% of babies born in the Mauricie region in 2013 had a low birthweight (under 2.5 kg or 5.5 lb).

5.7%	5.9%	6.8%	
1997	2003	2013	

STILLBIRTHS



3.3 of every 1,000 babies were stillborn in 2009-2013.

This rate was 3.3 out of 1,000 births in 2001-2005.

BREASTFEEDING

79.9% of mothers breastfed or tried to breastfeed their youngest child, according to 2013-2014 data.*

This figure was 71.7% in 2000-2001.

* Among women between 15 and 55 who had given birth over the previous five years. (N.B.: Potential for bias due to high partial non-response.) **49.1%** of mothers of children between 0 and 5 in the Mauricie region who breastfed their child(ren)* had already used breastfeeding support services in 2015.

* This figure includes all mothers of children between 0 and 5, with the exclusion of those did not use breastfeeding support services because they did not breastfeed their child(ren).

Sources: Institut de la statistique du Québec, *Registre des événements démographiques*; Statistics Canada, *Canadian Community Health Survey* (CCHS), 2000-2001 and 2013-2014, share files, adapted by the Institut de la statistique du Québec; Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015.*

HOW ARE THEY FARING AS THEY GROW UP? PHYSICAL HEALTH



ASTHMA 417

203.2 hospitalizations for every 100,000 children 4 and under in the region in 2013-2016.

In 2007-2010, this rate was 339.9 hospitalizations for every 100,000 children 4 and under.



58.1 hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 73.3 hospitalizations for every 100,000 children 4 and under.

ACCIDENTAL INJURY 400



hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 550.9 hospitalizations for every 100,000 children 4 and under.

MORTALITY

5.2 children out of 1,000: the average annual number of children who died before their first birthday in 2009-2013.

In 1999-2003, that rate was 6.2 children out of 1,000.

0.11 children out of 1,000: the average annual number of children who died between the ages of 1 and 4 in 2009-2013.

In 1999-2003, that rate was 0.31 children out of 1,000.

Sources: Ministère de la Santé et des Services sociaux, MED-ÉCHO hospitalization database (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, April 5, 2017; Institut de la statistique du Québec, *Registre des événements démographiques*.



ACCESS TO HEALTHCARE

88.5% of families had a family doctor or pediatrician for all their children 5 and under in 2015.




DENTAL EXAMS 417

56.5% of children between 3 and 5 and

4.5% of children between 0 and 2 had had their teeth examined by a dentist in 2016.

In 2011, these rates were 52.8% and 4.5%.



between 0 and 2 was 0.1%

In 2011, those rates were 10.3% and 0.1%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015*; Régie de l'assurance-maladie du Québec (RAMQ), Direction de l'analyse et de la gestion de l'information, Fichier des services rémunérés à l'acte.

HOW ARE THEY FARING AS THEY GROW UP? DEVELOPMENT



DISABILITIES

10.3 out of 1,000 children between 0 and 5 were recognized as living with a disability in 2015.

In 2005, this rate was 12.0 out of 1,000 children between 0 and 5.

1.4% of families in the region with at least one child between 0 and 5 were receiving the Quebec supplement for handicapped children in 2015.

This figure was 1.4% in 2007.




VULNERABILITY IN KINDERGARTEN

25.7% of children in kindergarten in the Mauricie region were vulnerable in at least one domain of development in 2012.

Among these vulnerable children, **58.5% were vulnerable in two** or more domains.

58.5%

At the provincial level, certain groups of children are more likely to be developmentally vulnerable. Below are the **proportions of children in the region** who were vulnerable in at least one domain of development:



Sources: Retraite Québec, Fichier administratif des enfants handicapés (containing information transmitted by the Directeur de l'état civil, Revenu Québec and parents of children with disabilities); Institut de la statistique du Québec, 2012 Quebec Survey of Child Development in Kindergarten.



CHILDREN WITH A DISABILITY OR SOCIAL MALADJUSTMENT IN KINDERGARTEN


6.9% of children in 5-year-old kindergarten had a disability or social maladjustment in 2015-2016.

This figure was 9.1% of all children in kindergarten in 2011-2012.



USE OF THE SERVICES OF A NON-TEACHING PROFESSIONAL BY CHILDREN WHO WERE VULNERABLE IN AT LEAST ONE DOMAIN OF THEIR DEVELOPMENT

54.9% of vulnerable children in kindergarten in the region benefited from the services of a non-teaching professional in 2012.



* Social worker, nurse, dental hygienist/dentist: coefficient of variation between 15% and 25% for regional data: interpret with caution.

N.B.: Certain types of professionals were frequently mentioned in the "Other" category: resource teachers and dental care professionals. These two categories were therefore added to the indicator based on data compiled. It is important to note, however, that the number of professionals in these two categories may be underestimated, as they were initially not offered as a response option for the question.

Sources: Ministère de l'Éducation et de l'Enseignement supérieur (MEES), Territoires, statistiques et enquêtes (TSE), Direction générale des Statistiques, des Études et de la Géomatique (DGSEG), Direction des Indicateurs et des Statistiques (DIS), Portail informationnel, Système Charlemagne; Institut de la statistique du Québec, Quebec Survey of Child Development in Kindergarten, 2012.

THE REGION

	Caution must be exercised in interpreting these data. Certain differences between the region and all of Quebec may not be significant or due to random fluctuations. INDICATORS	A Mauricie	All of Quebec
HESE LDS?	Number of children between the ages of 0 and 5 in 2016	14,656	534,939
WHO ARE THESE 0-5 YEAR-OLDS?	Proportion of children between the ages of 0 and 5 in 2016	5.5%	6.4%
80	Number of newborns in 2016	2,435	86,400
	Proportion of parents with children between O and 5 in 2015 who had already attended prenatal classes	63.5%	59.8%
	Proportion of babies born with intrauterine growth restriction in 2011-2013	417 8.5%	8.7%
	Proportion of premature births (< 37 full weeks of gestation) in 2013	7.8%	7.3%
PREGNANCY AND CHILDBIRTH	Proportion of low birthweight babies (< 2,500 g) in 2013	6.8%	5.9%
ANCY AND	Rate of Caesarean births in 2015	417 20.7%	24.9%
PREGN	Average annual rate of stillbirths in 2009-2013	3.3 deaths for every 1,000 births	4.2 deaths for every 1,000 births
	Proportion of women between the ages of 15 and 55 who gave birth during the five years preceding the 2013-2014 survey who breastfed or tried to breastfeed their youngest child	417 77.9%	89.0%
	Proportion of mothers of children between the ages of 0 and 5 who breastfed their child(ren)** and used breastfeeding support services in 2015	49.1%	51.6%

	Average annual number of hospitalizations for asthma in 2013-2016	4 17 203.2 hospitalizations for every 100,000 children between 0 and 4	162.4 hospitalizations for every 100,000 children between 0 and 4
	Average annual number of hospitalizations for epilepsy in 2013-2016	4 17 58.1 hospitalizations for every 100,000 children between 0 and 4	57.1 hospitalizations for every 100,000 children between 0 and 4
НЕАLTH	Average annual number of hospitalizations for accidental injuries in 2013-2016	4 17 423.6 hospitalizations for every 100,000 children between 0 and 4	346.3 hospitalizations for every 100,000 children between 0 and 4
PHVSICAL HEALTH	Average annual rate of infant mortality (before 1 year of age) in 2009-2013	5.2 deaths for every 1,000 births	4.8 deaths for every 1,000 births
	Average annual rate of juvenile mortality (between 1 and 4 years of age) in 2009-2013	0.11 deaths for every 1,000 births	0.15 deaths for every 1,000 births
	Proportion of families who had a family doctor or pediatrician for all their children between O and 5 in 2015	88.5%	88.8%
	Percentage of children between 0 and 5 who had their teeth examined by a dentist in 2016	417 31.2%	30.5%
	Percentage of children between 0 and 5 who received dental treatment (cavity filled) in 2016	417 4.8%	5.4%
	Rate of children who were recognized as living with a disability in 2015	10.3 out of every 1,000 children between 0 and 5	12.3 out of every 1,000 children between 0 and 5
DEVELOPMENT	Proportion of children in kindergarten who were vulnerable in at least one domain of development in 2012	26%	25.6%
	Proportion of children in 5-year-old kindergarten with a disability or social maladjustment in 2015-2016	6.9%	5.6%
	Proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional at school in 2012	54.9%	49.7%

** Il s'agit, en fait, de l'ensemble des mères d'enfants de 0 à 5 ans à l'exclusion de celles ayant mentionné n'avoir pas eu recours à des services de soutien à l'allaitement parce qu'elles n'avaient pas allaité.

ESTRIE^{**}


In a nutshell

According to the most recent data available:

- The number of births in this region increased by 0.5% between 2006 and 2016, as compared to an increase of 5.4% for the whole of Quebec.
- The proportion of very young children living in low-income families (after taxes) is lower in the Estrie than in the rest of Quebec.
- The Caesarean birth rate is lower in the Estrie than in the province as a whole, and the proportion of parents of children between 0 and 5 who attended prenatal classes is higher than in the rest of Quebec.
- The hospitalization rates for accidental injury and asthma are lower in the Estrie than in Quebec as a whole.
- The proportion of families that have a family doctor or pediatrician for all their children 5 and under is higher in the Estrie than in the rest of Quebec.
- The proportion of children in kindergarten who benefited from the services of a non-teaching professional at school is lower in this region than in the rest of Quebec.

The indicators mentioned in the "In a nutshell" section were selected because the region stood out clearly from the rest of Ouebec or the province as a whole in those areas.

WHO ARE THESE 0-5 YEAR-OLDS?



In 2006, that figure was 17,791 or 5.9% of the total regional population.

In 2016, there were 3,148 recorded births.

That represents an increase of 0.5% over the 2006 figure of 3,132 recorded births in the region.

WHAT DID THEIR FAMILIES LOOK LIKE IN 2011?*



* Since certain percentages have been rounded up or down, the total may be slightly above or below 100%.

WHAT ARE THEIR LIVING CONDITIONS?

50/0 of very young children in the region were living in low-income families (after tax) in 2015.



That figure was 16.0 in 2004.

Sources: Institut de la statistique du Québec and Statistics Canada, Population estimates, adapted by the Institut de la statistique du Québec. Provisional data for 2016; Statistics Canada, 2011 *National Household Survey*, adapted by the Institut de la statistique du Québec, and Statistics Canada, *T1 Family File* (T1FF), adapted by the Institut de la statistique du Québec.

HOW ARE THEY FARING DURING PREGNANCY AND CHILDBIRTH?

50 2006 2016 25 19.5% 17.1% 41.0% 36.5% 3.0% 1.7% 26.3% 29.1% 8.2% 2.0% 2.7% 0 19 or under 20-24 25-29 30-34 35-39 40 or over

HOW OLD WAS THEIR MOTHER AT BIRTH?

PRENATAL CLASSES

66.2% of parents of children between 0 and 5 in 2015 had already participated in prenatal classes.





INTRAUTERINE GROWTH RESTRICTION

00/0 of babies were born with intrauterine growth restriction in 2011-2013.

This figure was 17.2% in 1981-1983 and 7.9% in 2002-2004.



CAESAREAN BIRTHS




In 2002, the rate of Caesarean births in the region was 15.1%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015;* Ministère de la Santé et des Services sociaux, Fichier des naissances (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, May 29, 2017; Discharge Abstract Database, Canadian Institute for Health Information (CIHI); MED-ÉCHO hospitalization database, ministère de la Santé et des Services sociaux.



PREMATURE BIRTHS



LOW BIRTHWEIGHT

5.9% of babies born in the Estrie region in 2013 had a low birthweight (under 2.5 kg or 5.5 lb).

6.7%	5.9%	5.9%	
1997	2003	2013	

STILLBIRTHS



3.6 of every 1,000 babies were stillborn in 2009-2013.

This rate was 4.4 out of 1,000 births in 2001-2005.

BREASTFEEDING

90.9% of mothers breastfed or tried to breastfeed their youngest child, according to 2013-2014 data.*

This figure was 84.1% in 2000-2001.

* Among women between 15 and 55 who had given birth over the previous five years. (N.B.: Potential for bias due to high partial non-response.) **51.6%** of mothers of children between 0 and 5 in Estrie region who breastfed their child(ren)* had already used breastfeeding support services in 2015.

* This figure includes all mothers of children between 0 and 5, with the exclusion of those did not use breastfeeding support services because they did not breastfeed their child(ren).

Sources: Institut de la statistique du Québec, *Registre des événements démographiques*; Statistics Canada, *Canadian Community Health Survey* (CCHS), 2000-2001 and 2013-2014, share files, adapted by the Institut de la statistique du Québec; Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015.*

HOW ARE THEY FARING AS THEY GROW UP? PHYSICAL HEALTH



ASTHMA

111.5 hospitalizations for every 100,000 children 4 and under in the region in 2013-2016.

In 2007-2010, this rate was 299.9 hospitalizations for every 100,000 children 4 and under.



77.9 hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 64.4 hospitalizations for every 100,000 children 4 and under.

ACCIDENTAL INJURY



hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 340.9 hospitalizations for every 100,000 children 4 and under.

MORTALITY

4.5 children out of 1,000: the average annual number of children who died before their first birthday in 2009-2013.

In 1999-2003, that rate was 4.8 children out of 1,000.

0.12 children out of 1,000: the average annual number of children who died between the ages of 1 and 4 in 2009-2013.

In 1999-2003, that rate was 0.24 children out of 1,000.

Sources: Ministère de la Santé et des Services sociaux, MED-ÉCHO hospitalization database (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, April 5, 2017; Institut de la statistique du Québec, *Registre des événements démographiques*.



FAMILY DOCTOR OR PEDIATRICIAN

84.6% of families had a family doctor or pediatrician for all their children 5 and under in 2015.



DENTAL EXAMS

54.0% of children between 3 and 5 and

4.9% of children between 0 and 2 had had their teeth examined by a dentist in 2016.

In 2011, these rates were 50.8% and 2.8%.



DENTAL TREATMENTS (cavities filled)

9.6% of children between 3 and 5 received dental treatment.

The rate for children between 0 and 2 was 0.2%.

In 2011, those rates were 10.6% and 0.2%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015*; Régie de l'assurance-maladie du Québec (RAMQ), Direction de l'analyse et de la gestion de l'information, Fichier des services rémunérés à l'acte.

HOW ARE THEY FARING AS THEY GROW UP? DEVELOPMENT



DISABILITIES

11.3 out of 1,000 children between 0 and 5 were recognized as living with a disability in 2015.

In 2005, this rate was 13.7 out of 1,000 children between 0 and 5.

1.6% of families in the region with at least one child between 0 and 5 were receiving the Quebec supplement for handicapped children in 2015.

This figure was 2.0% in 2007.




VULNERABILITY IN KINDERGARTEN

26.3% of children in kindergarten in the Estrie region were vulnerable in at least one domain of development in 2012.

Among these vulnerable children, **47.0% were vulnerable in two** or more domains.

47.0%

At the provincial level, certain groups of children are more likely to be developmentally vulnerable. Below are the **proportions of children in the region who were vulnerable in at least one domain of development:**



Sources: Retraite Québec, Fichier administratif des enfants handicapés (containing information transmitted by the Directeur de l'état civil, Revenu Québec and parents of children with disabilities); Institut de la statistique du Québec, 2012 Quebec Survey of Child Development in Kindergarten.



CHILDREN WITH A DISABILITY OR SOCIAL MALADJUSTMENT IN KINDERGARTEN


6.4% of children in 5-year-old kindergarten had a disability or social maladjustment in 2015-2016.

This figure was 4.7% of all children in kindergarten in 2011-2012.



USE OF THE SERVICES OF A NON-TEACHING PROFESSIONAL BY CHILDREN WHO WERE VULNERABLE IN AT LEAST ONE DOMAIN OF THEIR DEVELOPMENT

37.3% of vulnerable children in kindergarten in the region benefited from the services of a non-teaching professional in 2012.



* Nurse, social worker, psychologist, dental hygienist/dentist: coefficient of variation between 15% and 25% for regional data: interpret with caution.

N.B.: Certain types of professionals were frequently mentioned in the "Other" category: resource teachers and dental care professionals. These two categories were therefore added to the indicator based on data compiled. It is important to note, however, that the number of professionals in these two categories may be underestimated, as they were initially not offered as a response option for the question.

Sources: Ministère de l'Éducation et de l'Enseignement supérieur (MEES), Territoires, statistiques et enquêtes (TSE), Direction générale des Statistiques, des Études et de la Géomatique (DGSEG), Direction des Indicateurs et des Statistiques (DIS), Portail informationnel, Système Charlemagne; Institut de la statistique du Québec, Quebec Survey of Child Development in Kindergarten, 2012.

THE REGION AT A GLANCE

	Caution must be exercised in interpreting these data. Certain differences between the region and all of Quebec may not be significant or due to random fluctuations.	5 Estrie	All of Quebec
HESE LDS?	Number of children between the ages of 0 and 5 in 2016	19,840	534,939
WHO ARE THESE 0-5 YEAR-OLDS?	Proportion of children between the ages of 0 and 5 in 2016	6.1%	6.4%
ĕŏ	Number of newborns in 2016	3,148	86,400
	Proportion of parents with children between O and 5 in 2015 who had already attended prenatal classes	66.2%	59.8%
	Proportion of babies born with intrauterine growth restriction in 2011-2013	8.8%	8.7%
	Proportion of premature births (< 37 full weeks of gestation) in 2013	6.9%	7.3%
PREGNANCY AND CHILDBIRTH	Proportion of low birthweight babies (< 2,500 g) in 2013	5.9%	5.9%
ANCY AND	Rate of Caesarean births in 2015	22.1%	24.9%
PREGN	Average annual rate of stillbirths in 2009-2013	3.6 deaths for every 1,000 births	4.2 deaths for every 1,000 births
	Proportion of women between the ages of 15 and 55 who gave birth during the five years preceding the 2013-2014 survey who breastfed or tried to breastfeed their youngest child	90.9%	89.0%
	Proportion of mothers of children between the ages of 0 and 5 who breastfed their child(ren)** and used breastfeeding support services in 2015	51.6%	51.6%

I

	Average annual number of hospitalizations for asthma in 2013-2016	111.5 hospitalizations for every 100,000 children between 0 and 4	162.4 hospitalizations for every 100,000 children between 0 and 4
	Average annual number of hospitalizations for epilepsy in 2013-2016	77.9 hospitalizations for every 100,000 children between 0 and 4	57.1 hospitalizations for every 100,000 children between 0 and 4
IEALTH	Average annual number of hospitalizations for accidental injuries in 2013-2016	282.1 hospitalizations for every 100,000 children between 0 and 4	346.3 hospitalizations for every 100,000 children between 0 and 4
PHVSICAL HEALTH	Average annual rate of infant mortality (before 1 year of age) in 2009-2013	4.5 deaths for every 1,000 births	4.8 deaths for every 1,000 births
	Average annual rate of juvenile mortality (between 1 and 4 years of age) in 2009-2013	0.12 deaths for every 1,000 births	0.15 deaths for every 1,000 births
	Proportion of families who had a family doctor or pediatrician for all their children between O and 5 in 2015	84.6%	88.8%
	Percentage of children between 0 and 5 who had their teeth examined by a dentist in 2016	30.1%	30.5%
	Percentage of children between 0 and 5 who received dental treatment (cavity filled) in 2016	5.0%	5.4%
DEVELOPMENT	Rate of children who were recognized as living with a disability in 2015	11.3 out of every 1,000 children between 0 and 5	12.3 out of every 1,000 children between 0 and 5
	Proportion of children in kindergarten who were vulnerable in at least one domain of development in 2012	26.3%	25.6%
	Proportion of children in 5-year-old kindergarten with a disability or social maladjustment in 2015-2016	6.4%	5.6%
	Proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional at school in 2012	37.3%	49.7%

** These figures include all mothers of children between the ages of 0 and 5, with the exception of those who explained that they had not used breastfeeding support services because they did not breastfeed their child(ren).

MONTRÉAL

In a nutshell

According to the most recent data available:

- The number of births in this region increased by 5.6% between 2006 and 2016, as compared to an increase of 5.4% for the whole of Quebec.
- The proportion of very young children living in low-income families (after taxes) is higher in Montréal than in the rest of Quebec.
- The Caesarean birth rate is higher in Montréal than in the province as a whole, as is the proportion of incidences of intrauterine growth restriction.
- The proportion of parents of children between 0 and 5 who already attended prenatal classes is lower than in the rest of Quebec.
- ▶ The hospitalization rates for accidental injury, asthma and epilepsy are lower in Montréal than in Quebec as a whole.
- The juvenile mortality rate is generally lower in Montréal than in the rest of Quebec.
- The rate of children between 0 and 5 who have had their teeth examined by a dentist is lower in this region than in Quebec as a whole.
- The proportion of children in kindergarten who are vulnerable in at least one domain of development is higher in Montréal than in the rest of the province.
- The proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional at school is lower than in the rest of Quebec.

The indicators mentioned in the "In a nutshell" section were selected because the region stood out clearly from the rest of Quebec or the province as a whole in those areas.

WHO ARE THESE 0-5 YEAR-OLDS?




In 2006, that figure was 112,161 or 6.0% of the total regional population.

In 2016, there were 23,026 recorded births.

That represents an increase of 5.6% over the 2006 figure of 21,808 recorded births in the region.

WHAT DID THEIR FAMILIES LOOK LIKE IN 2011?*



* Since certain percentages have been rounded up or down, the total may be slightly above or below 100%.

WHAT ARE THEIR LIVING CONDITIONS?

0.5% of very young children in the region were living in low-income families (after tax) in 2015.




That figure was 31.6% in 2004.

Sources: Institut de la statistique du Québec and Statistics Canada, Population estimates, adapted by the Institut de la statistique du Québec. Provisional data for 2016; Statistics Canada, 2011 *National Household Survey*, adapted by the Institut de la statistique du Québec, and Statistics Canada, *T1 Family File* (T1FF), adapted by the Institut de la statistique du Québec.

HOW ARE THEY FARING DURING PREGNANCY AND CHILDBIRTH?

HOW OLD WAS THEIR MOTHER AT BIRTH?



PRENATAL CLASSES

51.2% of parents of children between 0 and 5 in 2015 had already participated in prenatal classes.





INTRAUTERINE GROWTH RESTRICTION

9.6% of babies were born with intrauterine growth restriction in 2011-2013.

This figure was 16.3% in 1981-1983 and 8.9% in 2002-2004.



CAESAREAN BIRTHS




In 2002, the rate of Caesarean births in the region was 21.9%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015;* Ministère de la Santé et des Services sociaux, Fichier des naissances (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, May 29, 2017; Discharge Abstract Database, Canadian Institute for Health Information (CIHI); MED-ÉCHO hospitalization database, ministère de la Santé et des Services sociaux.




PREMATURE BIRTHS



LOW BIRTHWEIGHT

5.6% of babies born in Montréal region in 2013 had a low birthweight (under 2.5 kg or 5.5 lb).



STILLBIRTHS



5.2 of every 1,000 babies were stillborn in 2009-2013.

This rate was 4.6 out of 1,000 births in 2001-2005.

BREASTFEEDING

95.9% of mothers breastfed or tried to breastfeed their youngest child, according to 2013-2014 data.*

This figure was 79.3% in 2000-2001.

* Among women between 15 and 55 who had given birth over the previous five years. (N.B.: Potential for bias due to high partial non-response.) **51.2%** of mothers of children between 0 and 5 in the Montréal region who breastfed their child(ren)* had already used breastfeeding support services in 2015.

* This figure includes all mothers of children between 0 and 5, with the exclusion of those did not use breastfeeding support services because they did not breastfeed their child(ren).

Sources: Institut de la statistique du Québec, *Registre des événements démographiques*; Statistics Canada, *Canadian Community Health Survey* (CCHS), 2000-2001 and 2013-2014, share files, adapted by the Institut de la statistique du Québec; Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015.*

HOW ARE THEY FARING AS THEY GROW UP? PHYSICAL HEALTH



ASTHMA

91.4 hospitalizations for every 100,000 children 4 and under in the region in 2013-2016.

In 2007-2010, this rate was 309.2 hospitalizations for every 100,000 children 4 and under.



34.2 hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 53.4 hospitalizations for every 100,000 children 4 and under.

ACCIDENTAL INJURY



hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 290.5 hospitalizations for every 100,000 children 4 and under.

MORTALITY

5.1 children out of 1,000: the average annual number of children who died before their first birthday in 2009-2013.

In 1999-2003, that rate was 4.6 children out of 1,000.

0.14 children out of 1,000: the average annual number of children who died between the ages of 1 and 4 in 2009-2013.

In 1999-2003, that rate was 0.20 children out of 1,000.

Sources: Ministère de la Santé et des Services sociaux, MED-ÉCHO hospitalization database (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, April 5, 2017; Institut de la statistique du Québec, *Registre des événements démographiques*.



FAMILY DOCTOR OR PEDIATRICIAN

88.2% of families had a family doctor or pediatrician for all their children 5 and under in 2015.



DENTAL EXAMS

46.4% of children between 3 and 5 and

7.4% of children between O and 2 had had their teeth examined by a dentist in 2016.

In 2011, these rates were 44.6% and 4.7%.



DENTAL TREATMENTS (cavities filled)

12.3% of children between 3 and 5 received dental treatment.

The rate for children between 0 and 2 was 0.50%

In 2011, those rates were 12.1% and 0.4%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5ans 2015*; Régie de l'assurance-maladie du Québec (RAMQ), Direction de l'analyse et de la gestion de l'information, Fichier des services rémunérés à l'acte.

HOW ARE THEY FARING AS THEY GROW UP? DEVELOPMENT



DISABILITIES

12.9 out of 1,000 children between 0 and 5 were recognized as living with a disability in 2015.

In 2005, this rate was 13.1 out of 1,000 children between 0 and 5.

1.7% of families in the region with at least one child between 0 and 5 were receiving the Quebec supplement for handicapped children in 2015.

This figure was 1.9% in 2007.




VULNERABILITY IN KINDERGARTEN

28.9% of children in kindergarten in the Montréal region were vulnerable in at least one domain of development in 2012.

Among these vulnerable children, **50.9% were vulnerable in two or more domains.**

50.9%

At the provincial level, certain groups of children are more likely to be developmentally vulnerable. Below are the **proportions of children in the region who were vulnerable in at least one domain of development:**



Sources: Retraite Québec, Fichier administratif des enfants handicapés (containing information transmitted by the Directeur de l'état civil, Revenu Québec and parents of children with disabilities); Institut de la statistique du Québec, 2012 Quebec Survey of Child Development in Kindergarten.



CHILDREN WITH A DISABILITY OR SOCIAL MALADJUSTMENT IN KINDERGARTEN


5.4% of children in 5-year-old kindergarten had a disability or social maladjustment in 2015-2016.

This figure was 5.5% of all children in kindergarten in 2011-2012.



USE OF THE SERVICES OF A NON-TEACHING PROFESSIONAL BY CHILDREN WHO WERE VULNERABLE IN AT LEAST ONE DOMAIN OF THEIR DEVELOPMENT

45.3% of vulnerable children in kindergarten in the region benefited from the services of a non-teaching professional in 2012.



N.B.: Certain types of professionals were frequently mentioned in the "Other" category: resource teachers and dental care professionals. These two categories were therefore added to the indicator based on data compiled. It is important to note, however, that the number of professionals in these two categories may be underestimated, as they were initially not offered as a response option for the question.

Sources: Ministère de l'Éducation et de l'Enseignement supérieur (MEES), Territoires, statistiques et enquêtes (TSE), Direction générale des Statistiques, des Études et de la Géomatique (DGSEG), Direction des Indicateurs et des Statistiques (DIS), Portail informationnel, Système Charlemagne; Institut de la statistique du Québec, Quebec Survey of Child Development in Kindergarten, 2012.

THE REGION

	Caution must be exercised in interpreting these data. Certain differences between the region and all of Quebec may not be significant or due to random fluctuations.	9 Montréal	All of Quebec
HESE LDS?	Number of children between the ages of 0 and 5 in 2016	134,098	534,939
WHO ARE THESE 0-5 YEAR-OLDS?	Proportion of children between the ages of 0 and 5 in 2016	6.7%	6.4%
≥ ŏ	Number of newborns in 2016	23,026	86,400
	Proportion of parents with children between O and 5 in 2015 who had already attended prenatal classes	51.2%	59.8%
	Proportion of babies born with intrauterine growth restriction in 2011-2013	9.6%	8.7%
	Proportion of premature births (< 37 full weeks of gestation) in 2013	6.7%	7.3%
PREGNANCY AND CHILDBIRTH	Proportion of low birthweight babies (< 2,500 g) in 2013	5.6%	5.9%
ANCY AND	Rate of Caesarean births in 2015	26.0%	24.9%
	Average annual rate of stillbirths in 2009-2013	5.2 deaths for every 1,000 births	4.2 deaths for every 1,000 births
	Proportion of women between the ages of 15 and 55 who gave birth during the five years preceding the 2013-2014 survey who breastfed or tried to breastfeed their youngest child	95.9%	89.0%
	Proportion of mothers of children between the ages of 0 and 5 who breastfed their child(ren)** and used breastfeeding support services in 2015	51.2%	51.6%

	Average annual number of hospitalizations for asthma in 2013-2016	91.4 hospitalizations for every 100,000 children between 0 and 4	162.4 hospitalizations for every 100,000 children between 0 and 4
	Average annual number of hospitalizations for epilepsy in 2013-2016	34.2 hospitalizations for every 100,000 children between 0 and 4	57.1 hospitalizations for every 100,000 children between 0 and 4
IEALTH	Average annual number of hospitalizations for accidental injuries in 2013-2016	229.9 hospitalizations for every 100,000 children between 0 and 4	346.3 hospitalizations for every 100,000 children between 0 and 4
PHVSICAL HEALTH	Average annual rate of infant mortality (before 1 year of age) in 2009-2013	5.1 deaths for every 1,000 births	4.8 deaths for every 1,000 births
	Average annual rate of juvenile mortality (between 1 and 4 years of age) in 2009-2013	0.14 deaths for every 1,000 births	0.15 deaths for every 1,000 births
	Proportion of families who had a family doctor or pediatrician for all their children between O and 5 in 2015	88.2%	88.8%
	Percentage of children between 0 and 5 who had their teeth examined by a dentist in 2016	26.7%	30.5%
	Percentage of children between 0 and 5 who received dental treatment (cavity filled) in 2016	6.3%	5.4%
	Rate of children who were recognized as living with a disability in 2015	12.9 out of every 1,000 children between 0 and 5	12.3 out of every 1,000 children between 0 and 5
DEVELOPMENT	Proportion of children in kindergarten who were vulnerable in at least one domain of development in 2012	28.9%	25.6%
	Proportion of children in 5-year-old kindergarten with a disability or social maladjustment in 2015-2016	5.4%	5.6%
	Proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional at school in 2012	45.3%	49.7%

** These figures include all mothers of children between the ages of 0 and 5, with the exception of those who explained that they had not used breastfeeding support services because they did not breastfeed their child(ren).

OUTAOUAIS

In a nutshell

According to the most recent data available:

- The number of births in this region increased by 14.8% between 2006 and 2016, as compared to an increase of 5.4% for the whole of Quebec.
- The proportion of very young children living in low-income families (after taxes) is higher in the Outaouais than in the rest of Quebec.
- ▶ The Caesarean birth rate is higher in the Outaouais than in the province as a whole, but the proportion of babies born with intrauterine growth restriction is lower.
- The proportion of parents of children between 0 and 5 who already attended prenatal classes is higher than in the rest of Quebec.
- The hospitalization rates for accidental injury and asthma are higher in the Outaouais than in Quebec as a whole.
- > The infantile mortality rate is lower in the Outaouais than in the rest of Quebec.
- ▶ The proportion of families that have a family doctor or pediatrician for all their children 5 and under is higher than in the rest of Quebec.
- The rate of children between 0 and 5 who have had their teeth examined by a dentist is lower in this region than in Quebec as a whole.
- The rate of children who are recognized as having a disability is similar to the rate for the whole of Quebec.
- The rate of families with at least one child between 0 and 5 receiving the Quebec supplement for handicapped children is lower in this region than in the province as a whole.
- The proportion of children in kindergarten who are vulnerable in at least one domain of development is higher in the Outaouais than in the rest of the province.
- The proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional at school is lower than in the rest of Quebec.

The indicators mentioned in the "In a nutshell" section were selected because the region stood out clearly from the rest of Quebec or the province as a whole in those areas.

WHO ARE THESE 0-5 YEAR-OLDS?



In 2006, that figure was 21,737 or 6.3% of the total regional population.

In 2016, there were 4,387 recorded births.

That represents an increase of 14.8% over the 2006 figure of 3,820 recorded births in the region.

WHAT DID THEIR FAMILIES LOOK LIKE IN 2011?*



* Since certain percentages have been rounded up or down, the total may be slightly above or below 100%.

WHAT ARE THEIR LIVING CONDITIONS?

of very young children in the region were living in low-income families (after tax) in 2015.



That figure was 17.4% in 2004.

Sources: Institut de la statistique du Québec and Statistics Canada, Population estimates, adapted by the Institut de la statistique du Québec. Provisional data for 2016; Statistics Canada, 2011 *National Household Survey*, adapted by the Institut de la statistique du Québec, and Statistics Canada, *T1 Family File* (T1FF), adapted by the Institut de la statistique du Québec.

HOW ARE THEY FARING DURING PREGNANCY AND CHILDBIRTH?

50 2006 2016 25 **3.9**% 17.0% 14.4% 35.3% 32.7% 30.8% 31.5% 10.9% 16.3% 2.6% 2.1% 2.6% 19 or under 20-24 25-29 30-34 35-39 40 or over

HOW OLD WAS THEIR MOTHER AT BIRTH?

PRENATAL CLASSES

66.9% of parents of children between 0 and 5 in 2015 had already participated in prenatal classes.





INTRAUTERINE GROWTH RESTRICTION

8.0% of babies were born with intrauterine growth restriction in 2011-2013.

This figure was 18.6% in 1981-1983 and 8.5% in 2002-2004.



CAESAREAN BIRTHS




In 2002, the rate of Caesarean births in the region was 20.4%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015;* Ministère de la Santé et des Services sociaux, Fichier des naissances (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, May 29, 2017; Discharge Abstract Database, Canadian Institute for Health Information (CIHI); MED-ÉCHO hospitalization database, ministère de la Santé et des Services sociaux.



PREMATURE BIRTHS



LOW BIRTHWEIGHT

6.0% of babies born in the Outaouais region in 2013 had a low birthweight (under 2.5 kg or 5.5 lb).

 6.0%	6.1%	6.0%	
1997	2003	2013	

STILLBIRTHS



3.8 of every 1,000 babies were stillborn in 2009-2013.

This rate was 3.7 out of 1,000 births in 2001-2005.

BREASTFEEDING

84.5% of mothers breastfed or tried to breastfeed their youngest child, according to 2013-2014 data.*

This figure was 64.4% in 2000-2001.

 * Among women between 15 and 55 who had given birth over the previous five years.
 (N.B.: Potential for bias due to high partial non-response.) 54.4% of mothers of children between 0 and 5 in the Outaouais region who breastfed their child(ren)* had already used breastfeeding support services in 2015.

* This figure includes all mothers of children between 0 and 5, with the exclusion of those did not use breastfeeding support services because they did not breastfeed their child(ren).

Sources: Institut de la statistique du Québec, *Registre des événements démographiques*; Statistics Canada, *Canadian Community Health Survey* (CCHS), 2000-2001 and 2013-2014, share files, adapted by the Institut de la statistique du Québec; Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015.*

HOW ARE THEY FARING AS THEY GROW UP? PHYSICAL HEALTH



ASTHMA

224.0 hospitalizations for every 100,000 children 4 and under in the region in 2013-2016.

In 2007-2010, this rate was 252.6 hospitalizations for every 100,000 children 4 and under.



59.0 hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 72.2 hospitalizations for every 100,000 children 4 and under.

ACCIDENTAL INJURY



9.3 hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 419.3 hospitalizations for every 100,000 children 4 and under.

MORTALITY

4.4 children out of 1,000: the average annual number of children who died before their first birthday in 2009-2013.

In 1999-2003, that rate was 6.3 children out of 1,000.

0.23 children out of 1,000: the average annual number of children who died between the ages of 1 and 4 in 2009-2013.

In 1999-2003, that rate was 0.18 children out of 1,000.

Sources: Ministère de la Santé et des Services sociaux, MED-ÉCHO hospitalization database (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, April 5, 2017; Institut de la statistique du Québec, *Registre des événements démographiques*.



FAMILY DOCTOR OR PEDIATRICIAN

85.2% of families had a family doctor or pediatrician for all their children 5 and under in 2015.



DENTAL EXAMS

42.2% of children between 3 and 5 and

4.4% of children between O and 2 had had their teeth examined by a dentist in 2016.

In 2011, these rates were 41.8% and 3.3%.



DENTAL TREATMENTS (cavities filled)

7.5% of children between 3 and 5 received dental treatment.

The rate for children between 0 and 2 was 0.10/0.

In 2011, those rates were 8.6% and 0.2%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5ans 2015*; Régie de l'assurance-maladie du Québec (RAMQ), Direction de l'analyse et de la gestion de l'information, Fichier des services rémunérés à l'acte.

HOW ARE THEY FARING AS THEY GROW UP? DEVELOPMENT



DISABILITIES

10.4 out of 1,000 children between 0 and 5 were recognized as living with a disability in 2015.

In 2005, this rate was 9.4 out of 1,000 children between 0 and 5.

1.5% of families in the region with at least one child between 0 and 5 were receiving the Quebec supplement for handicapped children in 2015.

This figure was 1.2% in 2007.




VULNERABILITY IN KINDERGARTEN

28.0% of children in kindergarten in the Outaouais region were vulnerable in at least one domain of development in 2012.

Among these vulnerable children, **49.4% were vulnerable in two** or more domains.

49.4%

At the provincial level, certain groups of children are more likely to be developmentally vulnerable. Below are the **proportions of children in the region who were vulnerable in at least one domain of development:**



Sources: Retraite Québec, Fichier administratif des enfants handicapés (containing information transmitted by the Directeur de l'état civil, Revenu Québec and parents of children with disabilities); Institut de la statistique du Québec, 2012 Quebec Survey of Child Development in Kindergarten.



CHILDREN WITH A DISABILITY OR SOCIAL MALADJUSTMENT IN KINDERGARTEN


6.5% of children in 5-year-old kindergarten had a disability or social maladjustment in 2015-2016.

This figure was 6.3% of all children in kindergarten in 2011-2012.



USE OF THE SERVICES OF A NON-TEACHING PROFESSIONAL BY CHILDREN WHO WERE VULNERABLE IN AT LEAST ONE DOMAIN OF THEIR DEVELOPMENT

 $\begin{array}{c} \textbf{44.0\%} \\ \textbf{10\%} \\ \textbf{1$



* Nurse, social worker, psychologist, dental hygienist/dentist: coefficient of variation between 15% and 25% for regional data: interpret with caution.

N.B.: Certain types of professionals were frequently mentioned in the "Other" category: resource teachers and dental care professionals. These two categories were therefore added to the indicator based on data compiled. It is important to note, however, that the number of professionals in these two categories may be underestimated, as they were initially not offered as a response option for the question.

Sources: Ministère de l'Éducation et de l'Enseignement supérieur (MEES), Territoires, statistiques et enquêtes (TSE), Direction générale des Statistiques, des Études et de la Géomatique (DGSEG), Direction des Indicateurs et des Statistiques (DIS), Portail informationnel, Système Charlemagne; Institut de la statistique du Québec, Quebec Survey of Child Development in Kindergarten, 2012.

THE REGION AT A GLANCE

	Caution must be exercised in interpreting these data. Certain differences between the region and all of Ouebec may not be significant or due to random fluctuations.	d Outaouais	All of Quebec
HESE LDS?	Number of children between the ages of 0 and 5 in 2016	26,022	534,939
WHO ARE THESE 0-5 YEAR-OLDS?	Proportion of children between the ages of 0 and 5 in 2016	6.7%	6.4%
≷ ó	Number of newborns in 2016	4,387	86,400
	Proportion of parents with children between O and 5 in 2015 who had already attended prenatal classes	66.9%	59.8%
	Proportion of babies born with intrauterine growth restriction in 2011-2013	8.0%	8.7%
	Proportion of premature births (< 37 full weeks of gestation) in 2013	8.7 %	7.3%
PREGNANCY AND CHILDBIRTH	Proportion of low birthweight babies (< 2,500 g) in 2013	6.0%	5.9%
ANCY AND	Rate of Caesarean births in 2015	26.7%	24.9%
	Average annual rate of stillbirths in 2009-2013	3.8 deaths for every 1,000 births	4.2 deaths for every 1,000 births
	Proportion of women between the ages of 15 and 55 who gave birth during the five years preceding the 2013-2014 survey who breastfed or tried to breastfeed their youngest child	84.5%	89.0%
	Proportion of mothers of children between the ages of 0 and 5 who breastfed their child(ren)** and used breastfeeding support services in 2015	54.4%	51.6%

	Average annual number of hospitalizations for asthma in 2013-2016	224.0 hospitalizations for every 100,000 children between 0 and 4	162.4 hospitalizations for every 100,000 children between 0 and 4
	Average annual number of hospitalizations for epilepsy in 2013-2016	59.0 hospitalizations for every 100,000 children between 0 and 4	57.1 hospitalizations for every 100,000 children between 0 and 4
IEALTH	Average annual number of hospitalizations for accidental injuries in 2013-2016	469.3 hospitalizations for every 100,000 children between 0 and 4	346.3 hospitalizations for every 100,000 children between 0 and 4
PHYSICAL HEALTH	Average annual rate of infant mortality (before 1 year of age) in 2009-2013	4.4 deaths for every 1,000 births	4.8 deaths for every 1,000 births
	Average annual rate of juvenile mortality (between 1 and 4 years of age) in 2009-2013	0.23 deaths for every 1,000 births	0.15 deaths for every 1,000 births
	Proportion of families who had a family doctor or pediatrician for all their children between O and 5 in 2015	85.2%	88.8%
	Percentage of children between 0 and 5 who had their teeth examined by a dentist in 2016	24.0%	30.5%
	Percentage of children between 0 and 5 who received dental treatment (cavity filled) in 2016	3.9%	5.4%
	Rate of children who were recognized as living with a disability in 2015	10.4 out of every 1,000 children between 0 and 5	12.3 out of every 1,000 children between 0 and 5
DEVELOPMENT	Proportion of children in kindergarten who were vulnerable in at least one domain of development in 2012	28.0%	25.6%
	Proportion of children in 5-year-old kindergarten with a disability or social maladjustment in 2015-2016	6.5%	5.6%
	Proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional at school in 2012	44.0%	49.7%

** These figures include all mothers of children between the ages of 0 and 5, with the exception of those who explained that they had not used breastfeeding support services because they did not breastfeed their child(ren).

ABITIBI-TÉMISCAMINGUE


In a nutshell

According to the most recent data available:

- The number of births in this region increased by 8.4% between 2006 and 2016, as compared to an increase of 5.4% for the whole of Quebec.
- The proportion of very young children living in low-income families (after taxes) is lower in Abitibi-Témiscamingue than in the rest of Quebec.
- ▶ The Caesarean birth rate is higher in Abitibi-Témiscamingue than in the province as a whole, and the proportions of low birthweight babies and premature births are also higher as compared to the rest of Quebec.
- ▶ The proportion of parents of children between 0 and 5 who already attended prenatal classes is higher than in the rest of Quebec.
- The proportion of mothers of children between 0 and 5 who breastfed their child(ren)* and used breastfeeding support services is lower in Abitibi-Témiscamingue than in Quebec as a whole.
- The hospitalization rates for accidental injury, asthma and epilepsy are higher in Abitibi-Témiscamingue than in Quebec as a whole.
- The proportion of families that have a family doctor or pediatrician for all their children 5 and under is higher than in the rest of Quebec.
- The rate of children between 0 and 5 who have had their teeth examined by a dentist is higher in this region than in Quebec as a whole.
- In 2012, the proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional in school was higher than in the rest of Quebec.
- * This includes all mothers of children between 0 and 5, with the exclusion of those did not use breastfeeding support services because they did not breastfeed their child(ren).

The indicators mentioned in the "In a nutshell" section were selected because the region stood out clearly from the rest of Quebec or the province as a whole in those areas.

WHO ARE THESE 0-5 YEAR-OLDS?



In 2006, that figure was 8,958 or 6.2% of the total regional population.

In 2016, there were 1,667 recorded births.

That represents an increase of 8.4% over the 2006 figure of 1,538 recorded births in the region.

WHAT DID THEIR FAMILIES LOOK LIKE IN 2011?*



* Since certain percentages have been rounded up or down, the total may be slightly above or below 100%.

WHAT ARE THEIR LIVING CONDITIONS?

of very young children in the region were living in low-income families (after tax) in 2015.



That figure was 18.2% in 2004.

Sources: Institut de la statistique du Québec and Statistics Canada, Population estimates, adapted by the Institut de la statistique du Québec. Provisional data for 2016; Statistics Canada, 2011 *National Household Survey*, adapted by the Institut de la statistique du Québec, and Statistics Canada, *T1 Family File* (T1FF), adapted by the Institut de la statistique du Québec.

HOW ARE THEY FARING DURING PREGNANCY AND CHILDBIRTH?

50 2006 2016 25 4.1% 3.5% 25.5% 19.4% 41.3% 40.5% 21.9% 26.8% 6.1% 9.1% **1.1% 0.7%** Π 19 or under 20-24 25-29 30-34 35-39 40 or over

HOW OLD WAS THEIR MOTHER AT BIRTH?

PRENATAL CLASSES

68.3% of parents of children between 0 and 5 in 2015 had already participated in prenatal classes.





INTRAUTERINE GROWTH RESTRICTION

8.7% of babies were born with intrauterine growth restriction in 2011-2013.

This figure was 17.4% in 1981-1983 and 8.0% in 2002-2004.



CAESAREAN BIRTHS




In 2002, the rate of Caesarean births in the region was 18.7%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015;* Ministère de la Santé et des Services sociaux, Fichier des naissances (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, May 29, 2017; Discharge Abstract Database, Canadian Institute for Health Information (CIHI); MED-ÉCHO hospitalization database, ministère de la Santé et des Services sociaux.



PREMATURE BIRTHS



LOW BIRTHWEIGHT

7.7% of babies born in Abitibi-Témiscamingue region in 2013 had a low birthweight (under 2.5 kg or 5.5 lb).

5.6%	6.9%	7.7%	
 1997	2003	2013	

STILLBIRTHS



2.8 of every 1,000 babies were stillborn in 2009-2013.

This rate was 4,1 out of 1,000 births in 2001-2005.

BREASTFEEDING

88.2% of mothers breastfed or tried to breastfeed their youngest child, according to 2013-2014 data.*

This figure was 67.8% in 2000-2001.

* Among women between 15 and 55 who had given birth over the previous five years. (N.B.: Potential for bias due to high partial non-response.) **38.9%** of mothers of children between 0 and 5 in the Abitibi-Témiscamingue region who breastfed their child(ren)* had already used breastfeeding support services in 2015.

* This figure includes all mothers of children between 0 and 5, with the exclusion of those did not use breastfeeding support services because they did not breastfeed their child(ren).

Sources: Institut de la statistique du Québec, *Registre des événements démographiques*; Statistics Canada, *Canadian Community Health Survey* (CCHS), 2000-2001 and 2013-2014, share files, adapted by the Institut de la statistique du Québec; Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015.*

HOW ARE THEY FARING AS THEY GROW UP? PHYSICAL HEALTH



ASTHMA

226.9 hospitalizations for every 100,000 children 4 and under in the region in 2013-2016.

In 2007-2010, this rate was 388.5 hospitalizations for every 100,000 children 4 and under.



160.2 hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 112.2 hospitalizations for every 100,000 children 4 and under.*

* Coefficient of variation greater than 16.66% and less than or equal to 33.33%: interpret with caution.

ACCIDENTAL INJURY



hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 695.0 hospitalizations for every 100,000 children 4 and under.

MORTALITY

5.8 children out of 1,000: the average annual number of children who died before their first birthday in 2009-2013.

In 1999-2003, that rate was 4,0 children out of 1,000.

0.15 children out of 1,000: the average annual number of children who died between the ages of 1 and 4 in 2009-2013.

In 1999-2003, that rate was 0,12 children out of 1,000.

Sources: Ministère de la Santé et des Services sociaux, MED-ÉCHO hospitalization database (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, April 5, 2017; Institut de la statistique du Québec, *Registre des événements démographiques*.



FAMILY DOCTOR OR PEDIATRICIAN

80.7% of families had a family doctor or pediatrician for all their children 5 and under in 2015.



DENTAL EXAMS

62.5% of children between 3 and 5 and

18.8% of children between 0 and 2 had had their teeth examined by a dentist in 2016.

In 2011, these rates were 51.8% and 11.9%.



DENTAL TREATMENTS (cavities filled)

9.40/ of children between 3 and 5 received dental treatment.

The rate for children between 0 and 2 was 0.3%

In 2011, these rates were 10.8% and 0.3%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5ans 2015*; Régie de l'assurance-maladie du Québec (RAMQ), Direction de l'analyse et de la gestion de l'information, Fichier des services rémunérés à l'acte.

HOW ARE THEY FARING AS THEY GROW UP? DEVELOPMENT



DISABILITIES

12.4 out of 1,000 children between 0 and 5 were recognized as living with a disability in 2015.

In 2005, this rate was 11.7 out of 1,000 children between 0 and 5.

1.7% of families in the region with at least one child between 0 and 5 were receiving the Quebec supplement for handicapped children in 2015.

This figure was 1.5% in 2007.




VULNERABILITY IN KINDERGARTEN

25.7% of children in kindergarten in the Outaouais region were vulnerable in at least one domain of development in 2012.

Among these vulnerable children, **50.1% were vulnerable in two or more domains.**

50.1%

At the provincial level, certain groups of children are more likely to be developmentally vulnerable. Below are the **proportions of children in the region who were vulnerable in at least one domain of development:**



Sources: Retraite Québec, Fichier administratif des enfants handicapés (containing information transmitted by the Directeur de l'état civil, Revenu Québec and parents of children with disabilities); Institut de la statistique du Québec, 2012 Quebec Survey of Child Development in Kindergarten.



CHILDREN WITH A DISABILITY OR SOCIAL MALADJUSTMENT IN KINDERGARTEN


5.1% of children in 5-year-old kindergarten had a disability or social maladjustment in 2015-2016.

This figure was 7.4% of all children in kindergarten in 2011-2012.



USE OF THE SERVICES OF A NON-TEACHING PROFESSIONAL BY CHILDREN WHO WERE VULNERABLE IN AT LEAST ONE DOMAIN OF THEIR DEVELOPMENT

61.8% of vulnerable children in kindergarten in the region benefited from the services of a non-teaching professional in 2012.



* Social worker, resource teacher: coefficient of variation between 15% and 25% for regional data: interpret with caution.

Psychologist, dental hygienist/dentist: coefficient of variation greater than 25% for regional data: imprecise estimate provided for information purposes only.

N.B.: Certain types of professionals were frequently mentioned in the "Other" category: resource teachers and dental care professionals. These two categories were therefore added to the indicator based on data compiled. It is important to note, however, that the number of professionals in these two categories may be underestimated, as they were initially not offered as a response option for the question.

Sources: Ministère de l'Éducation et de l'Enseignement supérieur (MEES), Territoires, statistiques et enquêtes (TSE), Direction générale des Statistiques, des Études et de la Géomatique (DGSEG), Direction des Indicateurs et des Statistiques (DIS), Portail informationnel, Système Charlemagne; Institut de la statistique du Québec, Quebec Survey of Child Development in Kindergarten, 2012.

THE REGION AT A GLANCE

	Caution must be exercised in interpreting these data. Certain differences between the region and all of Ouebec may not be significant or due to random fluctuations.	Abitibi- Témiscamingue	All of Québec
HESE LDS?	Number of children between the ages of 0 and 5 in 2016	10,044	534,939
WHO ARE THESE 0-5 YEAR-OLDS?	Proportion of children between the ages of 0 and 5 in 2016	6.8%	6.4%
≷ò	Number of newborns in 2016	1,667	86,400
	Proportion of parents with children between O and 5 in 2015 who had already attended prenatal classes	68.3%	59.8%
	Proportion of babies born with intrauterine growth restriction in 2011-2013	8.7%	8.7%
	Proportion of premature births (< 37 full weeks of gestation) in 2013	9.4%	7.3%
PREGNANCY AND CHILDBIRTH	Proportion of low birthweight babies (< 2,500 g) in 2013	7.7%	5.9%
ANCY AND	Rate of Caesarean births in 2015	27.5%	24.9%
	Average annual rate of stillbirths in 2009-2013	2.8 deaths for every 1,000 births	4.2 deaths for every 1,000 births
	Proportion of women between the ages of 15 and 55 who gave birth during the five years preceding the 2013-2014 survey who breastfed or tried to breastfeed their youngest child	88.2%	89.0%
	Proportion of mothers of children between the ages of 0 and 5 who breastfed their child(ren)** and used breastfeeding support services in 2015	38.9%	51.6%

	Average annual number of hospitalizations for asthma in 2013-2016	226.6 hospitalizations for every 100,000 children between 0 and 4	162.4 hospitalizations for every 100,000 children between 0 and 4
	Average annual number of hospitalizations for epilepsy in 2013-2016	160.2 hospitalizations for every 100,000 children between 0 and 4	57.1 hospitalizations for every 100,000 children between 0 and 4
IEALTH	Average annual number of hospitalizations for accidental injuries in 2013-2016	629.0 hospitalizations for every 100,000 children between 0 and 4	346.3 hospitalizations for every 100,000 children between 0 and 4
PHVSICAL HEALTH	Average annual rate of infant mortality (before 1 year of age) in 2009-2013	5.8 deaths for every 1,000 births	4.8 deaths for every 1,000 births
	Average annual rate of juvenile mortality (between 1 and 4 years of age) in 2009-2013	0.15 deaths for every 1,000 births	0.15 deaths for every 1,000 births
	Proportion of families who had a family doctor or pediatrician for all their children between O and 5 in 2015	80.7%	88.8%
	Percentage of children between 0 and 5 who had their teeth examined by a dentist in 2016	41.0%	30.5%
	Percentage of children between 0 and 5 who received dental treatment (cavity filled) in 2016	4.9%	5.4%
	Rate of children who were recognized as living with a disability in 2015	12.4 out of every 1,000 children between 0 and 5	12.3 out of every 1,000 children between 0 and 5
DEVELOPMENT	Proportion of children in kindergarten who were vulnerable in at least one domain of development in 2012	25.7%	25.6%
	Proportion of children in 5-year-old kindergarten with a disability or social maladjustment in 2015-2016	5.1%	5.6%
	Proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional at school in 2012	61.8%	49.7%


** These figures include all mothers of children between the ages of 0 and 5, with the exception of those who explained that they had not used breastfeeding support services because they did not breastfeed their child(ren).

CÔTE-NORD

In a nutshell

According to the most recent data available:

- The number of births in this region decreased by 12.7% between 2006 and 2016, as compared to an increase of 5.4% for the whole of Quebec.
- The proportion of very young children living in low-income families (after taxes) is higher on the Côte-Nord than in the rest of Quebec.
- The proportion of babies born with intrauterine growth restriction is lower than for the whole of Quebec.
- The proportion of women between the ages of 15 and 55 who gave birth to a child during the five years preceding the 2013-2014 survey and who breastfed or attempted to breastfeed their baby is lower on the Côte-Nord than in the whole of Quebec.
- The proportion of mothers of children between 0 and 5 who breastfed their child(ren)* and used breastfeeding support services is higher on the Côte-Nord than in Quebec as a whole.
- The proportion of parents of children between 0 and 5 who already attended prenatal classes is higher than in the rest of Quebec.
- The hospitalization rates for accidental injury and epilepsy are higher on the Côte-Nord than in Quebec as a whole.
- The infantile mortality rate on the Côte-Nord is higher than for the rest of the province.
- The proportion of families that do not have a family doctor or pediatrician for all their children 5 and under is higher than in the rest of Quebec.
- The rate of children with a disability or social maladjustment in kindergarten on the Côte-Nord is lower that for the province as a whole.
- The proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching profession at school is lower than in the rest of Quebec.



^{*} This includes all mothers of children between 0 and 5, with the exclusion of those did not use breastfeeding support services because they did not breastfeed their child(ren).

The indicators mentioned in the "In a nutshell" section were selected because the region stood out clearly from the rest of Quebec or the province as a whole in those areas.

WHO ARE THESE 0-5 YEAR-OLDS?

In the Côte-Nord region in 2016, there were **5,926** children between the ages of 0 and 5, accounting for 6.4% of the total regional population.

In 2006, that figure was 6,060 or 6.3% of the total regional population.

In 2016, there were 926 recorded births.

That represents an increase of 12.7% over the 2006 figure of 1,061 recorded births in the region.

WHAT DID THEIR FAMILIES LOOK LIKE IN 2011?*



* Since certain percentages have been rounded up or down, the total may be slightly above or below 100%.

WHAT ARE THEIR LIVING CONDITIONS?

8.2% of very young children in the region were living in low-income families (after tax) in 2015.




That figure was 22.9% in 2004.

Sources: Institut de la statistique du Québec and Statistics Canada, Population estimates, adapted by the Institut de la statistique du Québec. Provisional data for 2016; Statistics Canada, 2011 *National Household Survey*, adapted by the Institut de la statistique du Québec, and Statistics Canada, *T1 Family File* (T1FF), adapted by the Institut de la statistique du Québec.

HOW ARE THEY FARING DURING PREGNANCY AND CHILDBIRTH?

HOW OLD WAS THEIR MOTHER AT BIRTH?



PRENATAL CLASSES

69.2% of parents of children between 0 and 5 in 2015 had already participated in prenatal classes.





INTRAUTERINE GROWTH RESTRICTION

7.2% of babies were born with intrauterine growth restriction in 2011-2013.

This figure was 16.9% in 1981-1983 and 6.8% in 2002-2004.



CAESAREAN BIRTHS




In 2002, the rate of Caesarean births in the region was 25.4%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015;* Ministère de la Santé et des Services sociaux, Fichier des naissances (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, May 29, 2017; Discharge Abstract Database, Canadian Institute for Health Information (CIHI); MED-ÉCHO hospitalization database, ministère de la Santé et des Services sociaux.




PREMATURE BIRTHS



LOW BIRTHWEIGHT

6.4% of babies born in the Côte-Nord region in 2013 had a low birthweight (under 2.5 kg or 5.5 lb).



STILLBIRTHS



4.5 of every 1,000 babies were stillborn in 2009-2013.

This rate was 5.0 out of 1,000 births in 2001-2005.

BREASTFEEDING

67.9% of mothers breastfed or tried to breastfeed their youngest child, according to 2013-2014 data.*

This figure was 50.3% in 2000-2001.

* Among women between 15 and 55 who had given birth over the previous five years. (N.B.: Potential for bias due to high partial non-response.) **59.7%** of mothers of children between 0 and 5 in the Côte-Nord region who breastfed their child(ren)* had already used breastfeeding support services in 2015.

* This figure includes all mothers of children between 0 and 5, with the exclusion of those did not use breastfeeding support services because they did not breastfeed their child(ren).

Sources: Institut de la statistique du Québec, *Registre des événements démographiques*; Statistics Canada, *Canadian Community Health Survey* (CCHS), 2000-2001 and 2013-2014, share files, adapted by the Institut de la statistique du Québec; Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015.*

HOW ARE THEY FARING AS THEY GROW UP? PHYSICAL HEALTH



ASTHMA

153.1 hospitalizations for every 100,000 children 4 and under in the region in 2013-2016.*

In 2007-2010, this rate was 608.7 hospitalizations for every 100,000 children 4 and under.



121.2 hospitalizations for every 100,000 children 4 and under in 2013-2016.*

In 2007-2010, this rate was 64.8 hospitalizations for every 100,000 children 4 and under.*

* Coefficient of variation greater than 16.66% and less than or equal to 33.33%: interpret with caution.

ACCIDENTAL INJURY



hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 518.1 hospitalizations for every 100,000 children 4 and under.

MORTALITY

6.3 children out of 1,000: the average annual number of children who died before their first birthday in 2009-2013.

In 1999-2003, that rate was 6.3 children out of 1,000.

0.24 children out of 1,000: the average annual number of children who died between the ages of 1 and 4 in 2009-2013.

In 1999-2003, that rate was 0.22 children out of 1,000.

Sources: Ministère de la Santé et des Services sociaux, MED-ÉCHO hospitalization database (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, April 5, 2017; Institut de la statistique du Québec, *Registre des événements démographiques*.



FAMILY DOCTOR OR PEDIATRICIAN

83.6% of families had a family doctor or pediatrician for all their children 5 and under in 2015.



DENTAL EXAMS

51.4% of children between 3 and 5 and

0 0 0 of children between 0 and 2 had had their teeth examined by a dentist in 2016.

In 2011, these rates were 46.6% and 8.3%.



DENTAL TREATMENTS (cavities filled)

11.0% of children between 3 and 5 received dental treatment.

The rate for children between 0 and 2 was $0.3^{0/0}$.

In 2011, these rates were 13.1% and 0.4%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5ans 2015*; Régie de l'assurance-maladie du Québec (RAMQ), Direction de l'analyse et de la gestion de l'information, Fichier des services rémunérés à l'acte.

HOW ARE THEY FARING AS THEY GROW UP? DEVELOPMENT



DISABILITIES

11.9 out of 1,000 children between 0 and 5 were recognized as living with a disability in 2015.

In 2005, this rate was 8.4 out of 1,000 children between 0 and 5.

1.5% of families in the region with at least one child between 0 and 5 were receiving the Quebec supplement for handicapped children in 2015.

This figure was 1.5% in 2007.




VULNERABILITY IN KINDERGARTEN

25.5% of children in kindergarten in the Côte-Nord region were vulnerable in at least one domain of development in 2012.

Among these vulnerable children, **54.6% were vulnerable in two** or more domains.

54.6%

At the provincial level, certain groups of children are more likely to be developmentally vulnerable. Below are the **proportions of children in the region who were vulnerable in at least one domain of development:**



* Coefficient of variation between 15% and 25% for regional data: interpret with caution.

Sources: Retraite Québec, Fichier administratif des enfants handicapés (containing information transmitted by the Directeur de l'état civil, Revenu Québec and parents of children with disabilities); Institut de la statistique du Québec, 2012 Quebec Survey of Child Development in Kindergarten.



CHILDREN WITH A DISABILITY OR SOCIAL MALADJUSTMENT IN KINDERGARTEN


3.1% of children in 5-year-old kindergarten had a disability or social maladjustment in 2015-2016.

This figure was 3.3% of all children in kindergarten in 2011-2012.



USE OF THE SERVICES OF A NON-TEACHING PROFESSIONAL BY CHILDREN WHO WERE VULNERABLE IN AT LEAST ONE DOMAIN OF THEIR DEVELOPMENT

37.5% of vulnerable children in kindergarten in the region benefited from the services of a non-teaching professional in 2012.



*Speech therapist, social worker: coefficient of variation between 15% and 25% for regional data: interpret with caution. Psycho-educator, psychologist, resource teacher, dental hygienist/dentist: coefficient of variation greater than 25% for regional data: imprecise estimate provided for information purposes only.

Only data on the use of the services of a speech therapist are available for the Côte-Nord region.

N.B.: Certain types of professionals were frequently mentioned in the "Other" category: resource teachers and dental care professionals. These two categories were therefore added to the indicator based on data compiled. It is important to note, however, that the number of professionals in these two categories may be underestimated, as they were initially not offered as a response option for the question.

Sources: Ministère de l'Éducation et de l'Enseignement supérieur (MEES), Territoires, statistiques et enquêtes (TSE), Direction générale des Statistiques, des Études et de la Géomatique (DGSEG), Direction des Indicateurs et des Statistiques (DIS), Portail informationnel, Système Charlemagne; Institut de la statistique du Québec, Quebec Survey of Child Development in Kindergarten, 2012.

THE REGION AT A GLANCE

	Caution must be exercised in interpreting these data. Certain differences between the region and all of Ouebec may not be significant or due to random fluctuations.	6 Côte-Nord	All of Quebec
HESE LDS?	Number of children between the ages of 0 and 5 in 2016	5,926	534,939
WHO ARE THESE 0-5 YEAR-OLDS?	Proportion of children between the ages of 0 and 5 in 2016	6.4%	6.4%
≶ŏ	Number of newborns in 2016	926	86,400
	Proportion of parents with children between O and 5 in 2015 who had already attended prenatal classes	69.2%	59.8%
	Proportion of babies born with intrauterine growth restriction in 2011-2013	7.2%	8.7%
	Proportion of premature births (< 37 full weeks of gestation) in 2013	7.1%	7.3%
PREGNANCY AND CHILDBIRTH	Proportion of low birthweight babies (< 2,500 g) in 2013	6.4%	5.9%
ANCY AND	Rate of Caesarean births in 2015	23.5%	24.9%
	Average annual rate of stillbirths in 2009-2013	4.5 deaths for every 1,000 births	4.2 deaths for every 1,000 births
	Proportion of women between the ages of 15 and 55 who gave birth during the five years preceding the 2013-2014 survey who breastfed or tried to breastfeed their youngest child	67.9%	89.0%
	Proportion of mothers of children between the ages of 0 and 5 who breastfed their child(ren)** and used breastfeeding support services in 2015	59.7%	51.6%

	Average annual number of hospitalizations for asthma in 2013-2016	153.1 hospitalizations for every 100,000 children between 0 and 4	162.4 hospitalizations for every 100,000 children between 0 and 4
	Average annual number of hospitalizations for epilepsy in 2013-2016	121.2 hospitalizations for every 100,000 children between 0 and 4	57.1 hospitalizations for every 100,000 children between 0 and 4
IEALTH	Average annual number of hospitalizations for accidental injuries in 2013-2016	523.0 hospitalizations for every 100,000 children between 0 and 4	346.3 hospitalizations for every 100,000 children between 0 and 4
PHYSICAL HEALTH	Average annual rate of infant mortality (before 1 year of age) in 2009-2013	6.3 deaths for every 1,000 births	4.8 deaths for every 1,000 births
	Average annual rate of juvenile mortality (between 1 and 4 years of age) in 2009-2013	0.24 deaths for every 1,000 births	0.15 deaths for every 1,000 births
	Proportion of families who had a family doctor or pediatrician for all their children between O and 5 in 2015	83.6%	88.8%
	Percentage of children between 0 and 5 who had their teeth examined by a dentist in 2016	30.2%	30.5%
	Percentage of children between 0 and 5 who received dental treatment (cavity filled) in 2016	6.1%	5.4%
	Rate of children who were recognized as living with a disability in 2015	11.9 out of every 1,000 children between 0 and 5	12.3 out of every 1,000 children between 0 and 5
DEVELOPMENT	Proportion of children in kindergarten who were vulnerable in at least one domain of development in 2012	25.5%	25.6%
	Proportion of children in 5-year-old kindergarten with a disability or social maladjustment in 2015-2016	3.1%	5.6%
	Proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional at school in 2012	37.5%	49.7%

** These figures include all mothers of children between the ages of 0 and 5, with the exception of those who explained that they had not used breastfeeding support services because they did not breastfeed their child(ren).

NORD-DU-QUÉBEC

In a nutshell

According to the most recent data available:

- The number of births in this region increased by 2.1% between 2006 and 2016, as compared to an increase of 5.4% for the whole of Quebec.
- The proportion of very young children living in low-income families (after taxes) is higher in the Nord-du-Québec than in the rest of Quebec.
- The proportion of premature births and low-birthweight babies is generally higher in the Nord-du-Québec than in the rest of Quebec.
- ► The infantile mortality rate in the Nord-du-Québec is approximately three times higher than in the rest of the province. The juvenile mortality rate is also higher.
- The rate of children between 0 and 5 who have had their teeth examined by a dentist is lower in this region than in Quebec as a whole.
- The rate of children between 0 and 5 who are recognized as living with a disability is lower in the Nord-du-Québec than in the whole of Quebec.
- ▶ The rate of families with at least one child between 0 and 5 receiving the Quebec supplement for handicapped children is lower in this region than in the province as a whole.
- The proportion of children in kindergarten who are vulnerable in at least one domain of their development is lower in the Nord-du-Québec than in the rest of the province.
- The rate of children with a disability or social maladjustment in kindergarten in the Nord-du-Québec is lower than for Quebec as a whole.

The indicators mentioned in the "In a nutshell" section were selected because the region stood out clearly from the rest of Quebec or the province as a whole in those areas.

WHO ARE THESE 0-5 YEAR-OLDS?

In the Nord-du-Québec region in 2016, there were children between the ages of 0 and 5, accounting for 10.7% of the total regional population.

In 2006, that figure was 4,731 or 11.7% of the total regional population.

In 2016, there were 856 recorded births.

That represents an increase of 2.1% over the 2006 figure of 838 recorded births in the region.

WHAT DID THEIR FAMILIES LOOK LIKE IN 2011?*



* Since certain percentages have been rounded up or down, the total may be slightly above or below 100%.

WHAT ARE THEIR LIVING CONDITIONS?

of very young children in the region
were living in low-income families
(after tax) in 2015.





That figure was 26.4% in 2004.

Sources: Institut de la statistique du Québec and Statistics Canada, Population estimates, adapted by the Institut de la statistique du Québec. Provisional data for 2016; Statistics Canada, 2011 *National Household Survey*, adapted by the Institut de la statistique du Québec, and Statistics Canada, *T1 Family File* (T1FF), adapted by the Institut de la statistique du Québec.

HOW ARE THEY FARING DURING PREGNANCY AND CHILDBIRTH?

HOW OLD WAS THEIR MOTHER AT BIRTH?






Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015;* Ministère de la Santé et des Services sociaux, Fichier des naissances (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, May 29, 2017; Discharge Abstract Database, Canadian Institute for Health Information (CIHI); MED-ÉCHO hospitalization database, ministère de la Santé et des Services sociaux.



PREMATURE BIRTHS



LOW BIRTHWEIGHT

7.0% of babies born in the Nord-du-Québec region in 2013 had a low birthweight (under 2.5 kg or 5.5 lb).

4.1 %	3.8%	7.0%	
1997	2003	2013	

STILLBIRTHS



4.1 of every 1,000 babies were stillborn in 2009-2013.

This rate was 5.5 out of 1,000 births in 2001-2005.

BREASTFEEDING



78.6% of mothers breastfed or tried to breastfeed their youngest child, according to 2013-2014 data.*

This figure was 75.0% in 2000-2001.

* Among women between 15 and 55 who had given birth over the previous five years. (N.B.: Potential for bias due to high partial non-response.)

Sources: Institut de la statistique du Québec, Registre des événements démographiques; Statistics Canada, Canadian Community Health Survey (CCHS), 2000-2001 and 2013-2014, share files, adapted by the Institut de la statistique du Québec; Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015.

HOW ARE THEY FARING AS THEY GROW UP? PHYSICAL HEALTH

ACCIDENTAL INJURY



hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 398.1 hospitalizations for every 100,000 children 4 and under.

MORTALITY

17.1 children out of 1,000: the average annual number of children who died before their first birthday in 2009-2013.

In 1999-2003, that rate was 9.1 children out of 1,000.

0.24 children out of 1,000: the average annual number of children who died between the ages of 1 and 4 in 2009-2013.

In 1999-2003, that rate was 1.46 children out of 1,000.



DENTAL EXAMS

18.5% of children between 3 and 5 and

2.6% of children between 0 and 2 had had their teeth examined by a dentist in 2016.

In 2011, these rates were 14.6% and 3.0%.



TRAITEMENTS DENTAIRES (ex.: traitement de carie)

7.7% of children between 3 and 5 received dental treatment.

The rate for children between 0 and 2 was 0.40%.

In 2011, these rates were 13.1% and 0.0%.

* Data on dental care in the Nord-du-Québec also include data for Nunavik and the Terres-Cries-de-la-Baie-James.

Sources : Ministère de la Santé et des Services sociaux, Fichier des hospitalisations MED-ÉCHO (produit électronique). Rapport de l'onglet Plan national de surveillance produit par l'Infocentre de santé publique à l'Institut national de santé publique du Québec, le 5 avril 2017; Institut de la statistique du Québec, Registre des événements démographiques. Régie de l'assurance-maladie du Québec (RAMQ), Direction de l'analyse et de la gestion de l'information, Fichier des services rémunérés à l'acte.

HOW ARE THEY FARING AS THEY GROW UP? DEVELOPMENT



DISABILITIES

7.8 out of 1,000 children between 0 and 5 were recognized as living with a disability in 2015.

In 2005, this rate was 8,1 out of 1,000 children between 0 and 5.

1.2% of families in the region with at least one child between 0 and 5 were receiving the Quebec supplement for handicapped children in 2015.

This figure was 1.1% in 2007.




VULNERABILITY IN KINDERGARTEN

17.9% of children in kindergarten in the Nord-du-Québec were vulnerable in at least one domain of development in 2012.

Among these vulnerable children, **52.0% were vulnerable in two** or more domains.



At the provincial level, certain groups of children are more likely to be developmentally vulnerable. Below are the **proportions of children** in the region who were vulnerable in at least one domain of development:



* Coefficient of variation between 15% and 25%: interpret with caution.

** Coefficient of variation greater than 25%: imprecise estimate provided for information purposes only.

Sources: Retraite Québec, Fichier administratif des enfants handicapés (containing information transmitted by the Directeur de l'état civil, Revenu Québec and parents of children with disabilities); Institut de la statistique du Québec, 2012 Quebec Survey of Child Development in Kindergarten.



CHILDREN WITH A DISABILITY OR SOCIAL MALADJUSTMENT IN KINDERGARTEN




1.4% of children in 5-year-old kindergarten had a disability or social maladjustment in 2015-2016.

This figure was 1.3% of all children in kindergarten in 2011-2012.



USE OF THE SERVICES OF A NON-TEACHING PROFESSIONAL BY CHILDREN WHO WERE VULNERABLE IN AT LEAST **ONE DOMAIN OF THEIR DEVELOPMENT**

59.2% of vulnerable children in kindergarten in the region benefited from the services of a non-teaching professional at school in 2012.



Sources: Ministère de l'Éducation et de l'Enseignement supérieur (MEES), Territoires, statistiques et enquêtes (TSE), Direction générale des Statistiques, des Études et de la Géomatique (DGSEG), Direction des Indicateurs et des Statistiques (DIS), Portail informationnel, Système Charlemagne; Institut de la statistique du Québec, Quebec Survey of Child Development in Kindergarten, 2012.

THE REGION AT A GLANCE

Caution must be exercised in interpreting these data. Certain differences between the region and all of Quebec may not be significant or due to random fluctuations.

	INDICATORS	10	Ŷ
RE DS?	Number of children between the ages of 0 and 5 in 2016	4,815	534,939
WHO ARE THESE 0-5 YEAR-OLDS?	Proportion of children between the ages of 0 and 5 in 2016	10.7%	6.4%
≥∓⊉	Number of newborns in 2016	856	86,400
E	Proportion of parents with children between 0 and 5 in 2015 who had already attended prenatal classes	11.1%	8.7%
DBIR	Proportion of premature births (< 37 full weeks of gestation) in 2013	11.9%	7.3%
CHIL	Proportion of low birthweight babies (< 2,500 g) in 2013	7.0%	5.9%
QN	Rate of Caesarean births in 2015	25.0%	24.9%
PREGNANCY AND CHILDBIRTH	Average annual rate of stillbirths in 2009-2013	4.1 deaths for every 1,000 births	4.2 deaths for every 1,000 births
PREGN	Proportion of women between the ages of 15 and 55 who gave birth during the five years preceding the 2013-2014 survey who breastfed or tried to breastfeed their youngest child	78.6%	89.0%
	Average annual number of hospitalizations for accidental injuries in 2013-2016	401.9 hospitalizations for every 100,000 children between 0 and 4*	346.3 hospitalizations for every 100,000 children between 0 and 4
IEALTH	Average annual rate of infant mortality (before 1 year of age) in 2009-2013	17.1 deaths for every 1,000 births	4.8 deaths for every 1,000 births
PHVSICAL HEALTH	Proportion of families who had a family doctor or pediatrician for all their children between 0 and 5 in 2015	0.24 deaths for every 1,000 births	0.15 deaths for every 1,000 births
Н	Percentage of children between 0 and 5 who had their teeth examined by a dentist in 2016**	10.6%	30.5%
	Percentage of children between 0 and 5 who received dental treatment (cavity filled) in 2016**	4.1%	5.4%
DEVELOPMENT	Rate of children who were recognized as living with a disability in 2015	7.8 out of every 1,000 children between 0 and 5	12.3 out of every 1,000 children between 0 and 5
	Proportion of children in kindergarten who were vulnerable in at least one domain of development in 2012	17.9%*	25.6%
	Proportion of children in 5-year-old kindergarten with a disability or social maladjustment in 2015-2016	1.4%	5.6%
	Proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional at school in 2012	59.2%*	49.7%

Nord-du-Québec

All of Quebec

* Coefficient of variation between 15% and 25%: interpret with caution.

** Data on dental care in the Nord-du-Québec also include data for Nunavik and the Terre-Cries-de-la-Baie-James

GASPÉSIE – ÎLES-DE-LA-MADELEINE

In a nutshell

According to the most recent data available:

- The number of births in this region decreased by 12.9% between 2006 and 2016, as compared to an increase of 5.4% for the whole of Quebec.
- The proportion of very young children living in low-income families (after taxes) is higher in Gaspésie-Îles-de-la-Madeleine than in the rest of Quebec.
- The Caesarean birth rate is higher in Gaspésie-Îles-de-la-Madeleine than in Quebec as a whole. The proportion of premature births and low-birthweight babies is also higher than in the rest of the province.
- The proportion of mothers of children between 0 and 5 who breastfed their childr(ren)* and used breastfeeding support services is higher in Gaspésie-Îles-de-la-Madeleine than in Quebec as a whole.
- The hospitalization rate for epilepsy is higher in Gaspésie-Îles-de-la-Madeleine than in Quebec as a whole.
- In 2015, the proportion of families that had a family doctor or pediatrician for their children 5 and under was higher than in the rest of Quebec.

* This includes all mothers of children between 0 and 5, with the exclusion of those did not use breastfeeding support services because they did not breastfeed their child(ren).

The indicators mentioned in the "In a nutshell" section were selected because the region stood out clearly from the rest of Quebec or the province as a whole in those areas.

WHO ARE THESE 0-5 YEAR-OLDS?

In the Gaspésie-Îles-de-la-Madeleine region in 2016, there were children between the ages of 0 and 5, accounting for 4.7% of the total regional population.

In 2006, that figure was 4,250 or 4.5% of the total regional population.

In 2016, there were 642 recorded births.

That represents an increase of 12.9% over the 2006 figure of 737 recorded births in the region.

WHAT DID THEIR FAMILIES LOOK LIKE IN 2011?*



* Since certain percentages have been rounded up or down, the total may be slightly above or below 100%.

WHAT ARE THEIR LIVING CONDITIONS?

of very young children in the region
were living in low-income families
(after tax) in 2015.




That figure was 20.8% in 2004.

Sources: Institut de la statistique du Québec and Statistics Canada, Population estimates, adapted by the Institut de la statistique du Québec. Provisional data for 2016; Statistics Canada, 2011 *National Household Survey*, adapted by the Institut de la statistique du Québec, and Statistics Canada, *T1 Family File* (T1FF), adapted by the Institut de la statistique du Québec.

HOW ARE THEY FARING DURING PREGNANCY AND CHILDBIRTH?

HOW OLD WAS THEIR MOTHER AT BIRTH?



PRENATAL CLASSES

57.6% of parents of children between 0 and 5 in 2015 had already participated in prenatal classes.





INTRAUTERINE GROWTH RESTRICTION

8.6% of babies were born with intrauterine growth restriction in 2011-2013.

This figure was 18.3% in 1981-1983 and 8.5% in 2002-2004.



CAESAREAN BIRTHS




In 2002, the rate of Caesarean births in the region was 24.3%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015;* Ministère de la Santé et des Services sociaux, Fichier des naissances (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, May 29, 2017; Discharge Abstract Database, Canadian Institute for Health Information (CIHI); MED-ÉCHO hospitalization database, ministère de la Santé et des Services sociaux.



PREMATURE BIRTHS



LOW BIRTHWEIGHT

6.5% of babies born in the Gaspésie-Îles-de-la-Madeleine region in 2013 had a low birthweight (under 2.5 kg or 5.5 lb).

8.1%	5.8%	6.5%
1997	2003	2013

STILLBIRTHS



4.8 of every 1,000 babies were stillborn in 2009-2013.

This rate was 4.1 out of 1,000 births in 2001-2005.

BREASTFEEDING

80.0% of mothers breastfed or tried to breastfeed their youngest child, according to 2013-2014 data.*

This figure was 48.0%** in 2000-2001.

- * Among women between 15 and 55 who had given birth over the previous five years. (N.B.: Potential for bias due to high partial non-response.)
- ** Coefficient of variation between 15% and 25%: interpret with caution.

60.0% of mothers of children between O and 5 in the Gaspésie-Îles-dela-Madeleine region who breastfed their child(ren)* had already used breastfeeding support services in 2015.

* This figure includes all mothers of children between 0 and 5, with the exclusion of those did not use breastfeeding support services because they did not breastfeed their child(ren).

Sources: Institut de la statistique du Québec, Registre des événements démographiques; Statistics Canada, Canadian Community Health Survey (CCHS), 2000-2001 and 2013-2014, share files, adapted by the Institut de la statistique du Québec; Institut de la statistique du Québec, Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015.

HOW ARE THEY FARING AS THEY GROW UP? PHYSICAL HEALTH



ASTHMA

179.0 hospitalizations for every 100,000 children 4 and under in the region in 2013-2016.*

In 2007-2010, this rate was 218.2 hospitalizations for every 100,000 children 4 and under.*



179.0 hospitalizations for every 100,000 children 4 and under in 2013-2016.*

In 2007-2010, this rate was 136.4 hospitalizations for every 100,000 children 4 and under.*

* Coefficient of variation greater than 16.66% and less than or equal to 33.33%: interpret with caution.

ACCIDENTAL INJURY



5 hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 372.7 hospitalizations for every 100,000 children 4 and under.

MORTALITY

4.6 children out of 1,000: the average annual number of children who died before their first birthday in 2009-2013.

In 1999-2003, that rate was 5.8 children out of 1,000.

0.13 children out of 1,000: the average annual number of children who died between the ages of 1 and 4 in 2009-2013.

In 1999-2003, that rate was 0.23 children out of 1,000.

Sources: Ministère de la Santé et des Services sociaux, MED-ÉCHO hospitalization database (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, April 5, 2017; Institut de la statistique du Québec, *Registre des événements démographiques*.



FAMILY DOCTOR OR PEDIATRICIAN

91.9% of families had a family doctor or pediatrician for all their children 5 and under in 2015.



DENTAL EXAMS

52.5% of children between 3 and 5 and

5.4% of children between 0 and 2 had had their teeth examined by a dentist in 2016.

In 2011, these rates were 46.4% and 8.0%.



7.2% of children between 3 and 5 received dental treatment.

In 2006, these rates were 10.2%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5ans 2015*; Régie de l'assurance-maladie du Québec (RAMQ), Direction de l'analyse et de la gestion de l'information, Fichier des services rémunérés à l'acte.

HOW ARE THEY FARING AS THEY GROW UP? DEVELOPMENT



DISABILITIES

13.3 out of 1,000 children between 0 and 5 were recognized as living with a disability in 2015.

In 2005, this rate was 13.4 out of 1,000 children between 0 and 5

1.6% of families in the region with at least one child between 0 and 5 were receiving the Quebec supplement for handicapped children in 2015.

This figure was 1.7% in 2007.




VULNERABILITY IN KINDERGARTEN

24.8% of children in kindergarten in the Gaspésie–Îles-de-la-Madeleine region were vulnerable in at least one domain of development in 2012.

Among these vulnerable children, **47.7% were vulnerable** in two or more domains.

47.7%

At the provincial level, certain groups of children are more likely to be developmentally vulnerable. Below are the **proportions of children in the region who were vulnerable in at least one domain of development:**



Sources: Retraite Québec, Fichier administratif des enfants handicapés (containing information transmitted by the Directeur de l'état civil, Revenu Québec and parents of children with disabilities); Institut de la statistique du Québec, 2012 Quebec Survey of Child Development in Kindergarten.



CHILDREN WITH A DISABILITY OR SOCIAL MALADJUSTMENT IN KINDERGARTEN


5.2% of children in 5-year-old kindergarten had a disability or social maladjustment in 2015-2016.

This figure was 5.1% of all children in kindergarten in 2011-2012.



USE OF THE SERVICES OF A NON-TEACHING PROFESSIONAL BY CHILDREN WHO WERE VULNERABLE IN AT LEAST ONE DOMAIN OF THEIR DEVELOPMENT

50.3% of vulnerable children in kindergarten in the region benefited from the services of a non-teaching professional in 2012.



* Social worker, dental hygienist/dentist: coefficient of variation between 15% and 25% for regional data: interpret with caution.

Nurse, speech therapist, psycho-educator, psychologist, resource teacher: coefficient of variation greater than 25% for regional data: imprecise estimate provided for information purposes only.

N.B.: Certain types of professionals were frequently mentioned in the "Other" category: resource teachers and dental care professionals. These two categories were therefore added to the indicator based on data compiled. It is important to note, however, that the number of professionals in these two categories may be underestimated, as they were initially not offered as a response option for the question.

Sources: Ministère de l'Éducation et de l'Enseignement supérieur (MEES), Territoires, statistiques et enquêtes (TSE), Direction générale des Statistiques, des Études et de la Géomatique (DGSEG), Direction des Indicateurs et des Statistiques (DIS), Portail informationnel, Système Charlemagne; Institut de la statistique du Québec, Quebec Survey of Child Development in Kindergarten, 2012.

THE REGION AT A GLANCE

	Caution must be exercised in interpreting these data. Certain differences between the region and all of Quebec may not be significant or due to random fluctuations.	Gaspésie- Îles-de-la-Madeleine	All of Quebec
HESE LDS?	Number of children between the ages of 0 and 5 in 2016	4,291	534,939
WHO ARE THESE 0-5 YEAR-OLDS?	Proportion of children between the ages of 0 and 5 in 2016	4.7%	6.4%
₿ò	Number of newborns in 2016	642	86,400
	Proportion of parents with children between O and 5 in 2015 who had already attended prenatal classes	57.6%	59.8%
	Proportion of babies born with intrauterine growth restriction in 2011-2013	8.6%	8.7%
	Proportion of premature births (< 37 full weeks of gestation) in 2013	8.3%	7.3%
PREGNANCY AND CHILDBIRTH	Proportion of low birthweight babies (< 2,500 g) in 2013	6.5%	5.9%
ANCY AND	Rate of Caesarean births in 2015	31.6%	24.9%
PREGN	Average annual rate of stillbirths in 2009-2013	4.8 deaths for every 1,000 births	4.2 deaths for every 1,000 births
	Proportion of women between the ages of 15 and 55 who gave birth during the five years preceding the 2013-2014 survey who breastfed or tried to breastfeed their youngest child	80.0%	89.0%
	Proportion of mothers of children between the ages of 0 and 5 who breastfed their child(ren)** and used breastfeeding support services in 2015	60.0%	51.6%

PHYSICAL HEALTH	Average annual number of hospitalizations for asthma in 2013-2016	179.0 hospitalizations for every 100,000 children between 0 and 4*	162.4 hospitalizations for every 100,000 children between 0 and 4
	Average annual number of hospitalizations for epilepsy in 2013-2016	179.0 hospitalizations for every 100,000 children between 0 and 4 *	57.1 hospitalizations for every 100,000 children between 0 and 4
	Average annual number of hospitalizations for accidental injuries in 2013-2016	429.5 hospitalizations for every 100,000 children between 0 and 4	346.3 hospitalizations for every 100,000 children between 0 and 4
	Average annual rate of infant mortality (before 1 year of age) in 2009-2013	4.6 deaths for every 1,000 births	4.8 deaths for every 1,000 births
	Average annual rate of juvenile mortality (between 1 and 4 years of age) in 2009-2013	0.13 deaths for every 1,000 births	0.15 deaths for every 1,000 births
	Proportion of families who had a family doctor or pediatrician for all their children between O and 5 in 2015	91.9%	88.8%
	Percentage of children between 0 and 5 who had their teeth examined by a dentist in 2016	29.5%	30.5%
	Percentage of children between 0 and 5 who received dental treatment (cavity filled) in 2016	3.7%	5.4%
DEVELOPMENT	Rate of children who were recognized as living with a disability in 2015	13.3 out of every 1,000 children between 0 and 5	12.3 out of every 1,000 children between 0 and 5
	Proportion of children in kindergarten who were vulnerable in at least one domain of development in 2012	24.8%	25.6%
	Proportion of children in 5-year-old kindergarten with a disability or social maladjustment in 2015-2016	5.2%	5.6%
	Proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional at school in 2012	50.3%	49.7%

 \ast Coefficient of variation greater than 16.66% and less than or equal to 33.33% interpret with caution.

** These figures include all mothers of children between the ages of 0 and 5, with the exception of those who explained that they had not used breastfeeding support services because they did not breastfeed their child(ren).

CHAUDIÈRE-APPALACHES

In a nutshell

According to the most recent data available:

- The number of births in this region increased by 0.4% between 2006 and 2016, as compared to an increase of 5.4% for the whole of Quebec during the same period.
- The proportion of very young children living in low-income families (after taxes) is lower in Chaudière-Appalaches than in the rest of Quebec.
- Although the Caesarean birth rate is higher in Chaudière-Appalaches than in the province as a whole, the proportion of incidences of intrauterine growth restriction is lower than in the rest of Quebec, as is the proportion of low-birthweight babies.
- The proportion of parents of children between 0 and 5 who already attended prenatal classes is higher than in the rest of Quebec.
- The rate of children between 0 and 5 who have had their teech examined by a dentist is higher in this region than in Quebec as a whole.
- The proportion of families that have a family doctor or pediatrician for all their children 5 and under is higher in Chaudière-Appalaches than in the rest of Quebec.
- The proportion of children in kindergarten who are vulnerable in at least one domain of development is higher than in Quebec as a whole.

The indicators mentioned in the "In a nutshell" section were selected because the region stood out clearly from the rest of Quebec or the province as a whole in those areas.

WHO ARE THESE 0-5 YEAR-OLDS?



In 2006, that figure was 23,996 or 6.0% of the total regional population.

In 2016, there were 4,369 recorded births.

That represents an increase of 0.4% over the 2006 figure of 4,353 recorded births in the region.

WHAT DID THEIR FAMILIES LOOK LIKE IN 2011?*



* Since certain percentages have been rounded up or down, the total may be slightly above or below 100%.


WHAT ARE THEIR LIVING CONDITIONS?



That figure was 8.8% in 2004.

Sources: Institut de la statistique du Québec and Statistics Canada, Population estimates, adapted by the Institut de la statistique du Québec. Provisional data for 2016; Statistics Canada, 2011 *National Household Survey*, adapted by the Institut de la statistique du Québec, and Statistics Canada, *T1 Family File* (T1FF), adapted by the Institut de la statistique du Québec.

HOW ARE THEY FARING DURING PREGNANCY AND CHILDBIRTH?



HOW OLD WAS THEIR MOTHER AT BIRTH?

PRENATAL CLASSES

69.2% of parents of children between 0 and 5 in 2015 had already participated in prenatal classes.





INTRAUTERINE GROWTH RESTRICTION

7.8% of babies were born with intrauterine growth restriction in 2011-2013.

This figure was 15.0% in 1981-1983 and 7.0% in 2002-2004.




CAESAREAN BIRTHS



In 2002, the rate of Caesarean births in the region was 24.1%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015;* Ministère de la Santé et des Services sociaux, Fichier des naissances (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, May 29, 2017; Discharge Abstract Database, Canadian Institute for Health Information (CIHI); MED-ÉCHO hospitalization database, ministère de la Santé et des Services sociaux.



STILLBIRTHS



3.3 of every 1,000 babies were stillborn in 2009-2013.

This rate was 3.4 out of 1,000 births in 2001-2005.

BREASTFEEDING

86.5% of mothers breastfed or tried to breastfeed their youngest child, according to 2013-2014 data.*

This figure was 72.5% in 2000-2001.

* Among women between 15 and 55 who had given birth over the previous five years. (N.B.: Potential for bias due to high partial non-response.) **45.4%** of mothers of children between 0 and 5 in the Chaudière-Appalaches region who breastfed their child(ren)* had already used breastfeeding support services in 2015.

* This figure includes all mothers of children between 0 and 5, with the exclusion of those did not use breastfeeding support services because they did not breastfeed their child(ren).

Sources: Institut de la statistique du Québec, Registre des événements démographiques; Statistics Canada, Canadian Community Health Survey (CCHS), 2000-2001 and 2013-2014, share files, adapted by the Institut de la statistique du Québec; Institut de la statistique du Québec, Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015.

HOW ARE THEY FARING AS THEY GROW UP? PHYSICAL HEALTH



ASTHMA

146.6 hospitalizations for every 100,000 children 4 and under in the region in 2013-2016.

In 2007-2010, this rate was 237.2 hospitalizations for every 100,000 children 4 and under.



71.1 hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 59.7 hospitalizations for every 100,000 children 4 and under.

ACCIDENTAL INJURY



hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 372.3 hospitalizations for every 100,000 children 4 and under.

MORTALITY

5.2 children out of 1,000: the average annual number of children who died before their first birthday in 2009-2013.

In 1999-2003, that rate was 4.7 children out of 1,000.

0.11 children out of 1,000: the average annual number of children who died between the ages of 1 and 4 in 2009-2013.

In 1999-2003, that rate was 0.28 children out of 1,000.

Sources: Ministère de la Santé et des Services sociaux, MED-ÉCHO hospitalization database (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, April 5, 2017; Institut de la statistique du Québec, *Registre des événements démographiques*.



FAMILY DOCTOR OR PEDIATRICIAN

92.5% of families had a family doctor or pediatrician for all their children 5 and under in 2015.



DENTAL EXAMS

62.1% of children between 3 and 5 and

5.8% of children between 0 and 2 had had their teeth examined by a dentist in 2016.

In 2011, these rates were 61.8% and 5.9%.



DENTAL TREATMENTS (cavities filled)

9.2% of children between 3 and 5 received dental treatment.

The rate for children between 0 and 2 was $0.1^{0/0}$.

In 2011, these rates were 11.4% and 0.1%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5ans 2015*; Régie de l'assurance-maladie du Québec (RAMQ), Direction de l'analyse et de la gestion de l'information, Fichier des services rémunérés à l'acte.

HOW ARE THEY FARING AS THEY GROW UP? DEVELOPMENT



DISABILITIES

11.7 out of 1,000 children between 0 and 5 were recognized as living with a disability in 2015.

In 2005, this rate was 13,0 out of 1,000 children between 0 and 5.

1.6% of families in the region with at least one child between 0 and 5 were receiving the Quebec supplement for handicapped children in 2015.

This figure was 1.6% in 2007.




VULNERABILITY IN KINDERGARTEN

22.1% of children in kindergarten in the Chaudière-Appalaches region were vulnerable in at least one domain of development in 2012.

Among these vulnerable children, **46.9% were vulnerable in two** or more domains.

46.9%

At the provincial level, certain groups of children are more likely to be developmentally vulnerable. Below are the **proportions of children in the region who were vulnerable in at least one domain of development:**



Sources: Retraite Québec, Fichier administratif des enfants handicapés (containing information transmitted by the Directeur de l'état civil, Revenu Québec and parents of children with disabilities); Institut de la statistique du Québec, 2012 Quebec Survey of Child Development in Kindergarten.



CHILDREN WITH A DISABILITY OR SOCIAL MALADJUSTMENT IN KINDERGARTEN


4.4% of children in 5-year-old kindergarten had a disability or social maladjustment in 2015-2016.

This figure was 3.9% of all children in kindergarten in 2011-2012.



USE OF THE SERVICES OF A NON-TEACHING PROFESSIONAL BY CHILDREN WHO WERE VULNERABLE IN AT LEAST ONE DOMAIN OF THEIR DEVELOPMENT

52.7% of vulnerable children in kindergarten in the region benefited from the services of a non-teaching professional in 2012.



* Dental hygienist/dentist: coefficient of variation between 15% and 25% for regional data: interpret with caution.

N.B.: Certain types of professionals were frequently mentioned in the "Other" category: resource teachers and dental care professionals. These two categories were therefore added to the indicator based on data compiled. It is important to note, however, that the number of professionals in these two categories may be underestimated, as they were initially not offered as a response option for the question.

Sources: Ministère de l'Éducation et de l'Enseignement supérieur (MEES), Territoires, statistiques et enquêtes (TSE), Direction générale des Statistiques, des Études et de la Géomatique (DGSEG), Direction des Indicateurs et des Statistiques (DIS), Portail informationnel, Système Charlemagne; Institut de la statistique du Québec, Quebec Survey of Child Development in Kindergarten, 2012.

THE REGION AT A GLANCE

	Caution must be exercised in interpreting these data. Certain differences between the region and all of Quebec may not be significant or due to random fluctuations.	Chaudière- Appalaches	All of Quebec
HESE LDS?	Number of children between the ages of 0 and 5 in 2016	27,549	534,939
WHO ARE THESE 0-5 YEAR-OLDS?	Proportion of children between the ages of 0 and 5 in 2016	6.5%	6.4%
≷ò	Number of newborns in 2016	4,369	86,400
	Proportion of parents with children between O and 5 in 2015 who had already attended prenatal classes	69.2%	59.8%
	Proportion of babies born with intrauterine growth restriction in 2011-2013	7.8%	8.7%
	Proportion of premature births (< 37 full weeks of gestation) in 2013	6.5%	7.3%
CHILDBIRT	Proportion of low birthweight babies (< 2,500 g) in 2013	5.8%	5,9%
PREGNANCY AND CHILDBIRTH	Rate of Caesarean births in 2015	29.1%	24.9%
	Average annual rate of stillbirths in 2009-2013	3.3 deaths for every 1,000 births	4.2 deaths for every 1,000 births
	Proportion of women between the ages of 15 and 55 who gave birth during the five years preceding the 2013-2014 survey who breastfed or tried to breastfeed their youngest child	86.5%	89.0%
	Proportion of mothers of children between the ages of 0 and 5 who breastfed their child(ren)** and used breastfeeding support services in 2015	45.4%	51.6%

	Average annual number of hospitalizations for asthma in 2013-2016	146.6 hospitalizations for every 100,000 children between 0 and 4	162.4 hospitalizations for every 100,000 children between 0 and 4
	Average annual number of hospitalizations for epilepsy in 2013-2016	71.1 hospitalizations for every 100,000 children between 0 and 4	57.1 hospitalizations for every 100,000 children between 0 and 4
ацтн	Average annual number of hospitalizations for accidental injuries in 2013-2016	360.0 hospitalizations for every 100,000 children between 0 and 4	346.3 hospitalizations for every 100,000 children between 0 and 4
PHYSICAL HEALTH	Average annual rate of infant mortality (before 1 year of age) in 2009-2013	5.2 deaths for every 1,000 births	4.8 deaths for every 1,000 births
-	Average annual rate of juvenile mortality (between 1 and 4 years of age) in 2009-2013	0.11 deaths for every 1,000 births	0.15 deaths for every 1,000 births
	Proportion of families who had a family doctor or pediatrician for all their children between O and 5 in 2015	92.5%	88.8%
	Percentage of children between 0 and 5 who had their teeth examined by a dentist in 2016	34.8%	30.5%
	Percentage of children between 0 and 5 who received dental treatment (cavity filled) in 2016	4.8%	5.4%
	Rate of children who were recognized as living with a disability in 2015	11.7 out of every 1,000 children between 0 and 5	12.3 out of every 1,000 children between 0 and 5
DEVELOPMENT	Proportion of children in kindergarten who were vulnerable in at least one domain of development in 2012	22.1%	25.6%
	Proportion of children in 5-year-old kindergarten with a disability or social maladjustment in 2015-2016	4.4%	5.6%
	Proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional at school in 2012	52.7%	49.7%

** These figures include all mothers of children between the ages of 0 and 5, with the exception of those who explained that they had not used breastfeeding support services because they did not breastfeed their child(ren).

LAVAL


In a nutshell

According to the most recent data available:

- The number of births in this region increased by 4.5% between 2006 and 2016, as compared to an increase of 5.4% for the whole of Quebec.
- The proportion of very young children living in low-income families (after taxes) is lower in Laval than in the rest of Quebec.
- The proportion of parents of children between 0 and 5 who had partiticipated in prenatal classes is lower in Laval than in the rest of Quebec.
- The hospitalization rate for accidental injury is lower in Laval than in Quebec as a whole.
- The juvenile mortality rate is lower in Laval than in the rest of Quebec.
- The rate of children between 0 and 5 who are recognized as living with a disability is higher in Laval than in Quebec as a whole.
- The proportion of children in kindergarten who are vulnerable in at least one domain of development is higher in Laval than in the rest of Quebec.
- The proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional at school is lower than that for the rest of Quebec.

The indicators mentioned in the "In a nutshell" section were selected because the region stood out clearly from the rest of Quebec or the province as a whole in those areas.

WHO ARE THESE 0-5 YEAR-OLDS?



In 2006, that figure was 23,042 or 6.2% of the total regional population.

In 2016, there were 4,263 recorded births.

That represents an increase of 4.5% over the 2006 figure of 4,081 recorded births in the region.

WHAT DID THEIR FAMILIES LOOK LIKE IN 2011?*



* Since certain percentages have been rounded up or down, the total may be slightly above or below 100%.

WHAT ARE THEIR LIVING CONDITIONS?

of very young children in the region were living in low-income families (after tax) in 2015.



That figure was 13.8% in 2004.

Sources: Institut de la statistique du Québec and Statistics Canada, Population estimates, adapted by the Institut de la statistique du Québec. Provisional data for 2016; Statistics Canada, 2011 *National Household Survey*, adapted by the Institut de la statistique du Québec, and Statistics Canada, *T1 Family File* (T1FF), adapted by the Institut de la statistique du Québec.

HOW ARE THEY FARING DURING PREGNANCY AND CHILDBIRTH?

50 2006 2016 25 10.5% 30.3% 25.1% 38.6% 39.2% 16.1% 22.0% 2.9% 5.5% 1.5% 0.7% 0 19 or under 20-24 25-29 30-34 35-39 40 or over

HOW OLD WAS THEIR MOTHER AT BIRTH?

PRENATAL CLASSES

45.5% of parents of children between 0 and 5 in 2015 had already participated in prenatal classes.





INTRAUTERINE GROWTH RESTRICTION

9.0% of babies were born with intrauterine growth restriction in 2011-2013.

This figure was 15.3% in 1981-1983 and 8,0% in 2002-2004.



CAESAREAN BIRTHS




In 2002, the rate of Caesarean births in the region was 21.4%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015;* Ministère de la Santé et des Services sociaux, Fichier des naissances (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, May 29, 2017; Discharge Abstract Database, Canadian Institute for Health Information (CIHI); MED-ÉCHO hospitalization database, ministère de la Santé et des Services sociaux.




PREMATURE BIRTHS



LOW BIRTHWEIGHT

6.0% of babies born in the Laval region in 2013 had a low birthweight (under 2.5 kg or 5.5 lb).



STILLBIRTHS

<u>5.0</u> 1,000

5.0 of every 1,000 babies were stillborn in 2009-2013.

This rate was 3.9 out of 1,000 births in 2001-2005.

BREASTFEEDING

91.8% of mothers breastfed or tried to breastfeed their youngest child, according to 2013-2014 data.*

This figure was 67.2% in 2000-2001.

 * Among women between 15 and 55 who had given birth over the previous five years.
 (N.B.: Potential for bias due to high partial non-response.) **47.6%** of mothers of children between 0 and 5 in the Laval region who breastfed their child(ren)* had already used breastfeeding support services in 2015.

* This figure includes all mothers of children between 0 and 5, with the exclusion of those did not use breastfeeding support services because they did not breastfeed their child(ren).

Sources: Institut de la statistique du Québec, Registre des événements démographiques; Statistics Canada, Canadian Community Health Survey (CCHS), 2000-2001 and 2013-2014, share files, adapted by the Institut de la statistique du Québec; Institut de la statistique du Québec, Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015.

HOW ARE THEY FARING AS THEY GROW UP? PHYSICAL HEALTH



ASTHMA

167.4 hospitalizations for every 100,000 children 4 and under in the region in 2013-2016.

In 2007-2010, this rate was 435.0 hospitalizations for every 100,000 children 4 and under.



ACCIDENTAL INJURY

278.1 hospitalizations for every 100,000 children 4 and under.

In 2007-2010, this rate was 231.2 hospitalizations for every 100,000 children 4 and under.

MORTALITY

5.1 children out of 1,000: the average annual number of children who died before their first birthday in 2009-2013.

In 1999-2003, that rate was 3.7 children out of 1,000.

0.10 children out of 1,000: the average annual number of children who died between the ages of 1 and 4 in 2009-2013.

In 1999-2003, that rate was 0.25 children out of 1,000.

Sources: Ministère de la Santé et des Services sociaux, MED-ÉCHO hospitalization database (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, April 5, 2017; Institut de la statistique du Québec, *Registre des événements démographiques*.



FAMILY DOCTOR OR PEDIATRICIAN

88.5% of families had a family doctor or pediatrician for all their children 5 and under in 2015.



DENTAL EXAMS

49.6% of children between 3 and 5 and

6.1% of children between 0 and 2 had had their teeth examined by a dentist in 2016.

In 2011, these rates were 52.5% and 4.0%.



DENTAL TREATMENTS (cavities filled)

12.5% of children between 3 and 5 received dental treatment.

The rate for children between 0 and 2 was %

In 2011, these rates were 12.2% and 0.1%.

Sources: Institut de la statistique du Québec, Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015; Régie de l'assurance-maladie du Québec (RAMQ), Direction de l'analyse et de la gestion de l'information, Fichier des services rémunérés à l'acte.

HOW ARE THEY FARING AS THEY GROW UP? DEVELOPMENT



DISABILITIES

13.9 out of 1,000 children between 0 and 5 were recognized as living with a disability in 2015.

In 2005, this rate was 13.0 out of 1,000 children between 0 and 5.

1.8% of families in the region with at least one child between 0 and 5 were receiving the Quebec supplement for handicapped children in 2015.

This figure was 1.7% in 2007.




VULNERABILITY IN KINDERGARTEN

29.7% of children in kindergarten in the Laval region were vulnerable in at least one domain of development in 2012.

Among these vulnerable children,**50.8% were vulnerable in two or more domains.**

50.8%

At the provincial level, certain groups of children are more likely to be developmentally vulnerable. Below are the **proportions of children in the region who were vulnerable in at least one domain of development:**



Sources: Retraite Québec, Fichier administratif des enfants handicapés (containing information transmitted by the Directeur de l'état civil, Revenu Québec and parents of children with disabilities); Institut de la statistique du Québec, 2012 Quebec Survey of Child Development in Kindergarten.



CHILDREN WITH A DISABILITY OR SOCIAL MALADJUSTMENT IN KINDERGARTEN


6.6% of children in 5-year-old kindergarten had a disability or social maladjustment in 2015-2016.

This figure was 9.1% of all children in kindergarten in 2011-2012.



USE OF THE SERVICES OF A NON-TEACHING PROFESSIONAL BY CHILDREN WHO WERE VULNERABLE IN AT LEAST ONE DOMAIN OF THEIR DEVELOPMENT

43.0% of vulnerable children in kindergarten in the region benefited from the services of a non-teaching professional in 2012.



*Nurse, psycho-educator, social worker, dental hygienist/dentist: coefficient of variation between 15% and 25% for regional data: interpret with caution.

N.B.: Certain types of professionals were frequently mentioned in the "Other" category: resource teachers and dental care professionals. These two categories were therefore added to the indicator based on data compiled. It is important to note, however, that the number of professionals in these two categories may be underestimated, as they were initially not offered as a response option for the question.

Sources: Ministère de l'Éducation et de l'Enseignement supérieur (MEES), Territoires, statistiques et enquêtes (TSE), Direction générale des Statistiques, des Études et de la Géomatique (DGSEG), Direction des Indicateurs et des Statistiques (DIS), Portail informationnel, Système Charlemagne; Institut de la statistique du Québec, Quebec Survey of Child Development in Kindergarten, 2012.

THE REGION

	Caution must be exercised in interpreting these data. Certain differences between the region and all of Ouebec may not be significant or due to random fluctuations.	Laval	All of Quebec
HESE LDS?	Number of children between the ages of 0 and 5 in 2016	27,719	534,939
WHO ARE THESE 0-5 YEAR-OLDS:	Proportion of children between the ages of 0 and 5 in 2016	6.5%	6.4%
≷ö	Number of newborns in 2016	4,263	86,400
	Proportion of parents with children between O and 5 in 2015 who had already attended prenatal classes	45.5%	59.8%
	Proportion of babies born with intrauterine growth restriction in 2011-2013	9.0%	8.7%
	Proportion of premature births (< 37 full weeks of gestation) in 2013	7.0%	7.3%
PREGNANCY AND CHILDBIRTH	Proportion of low birthweight babies (< 2,500 g) in 2013	6.0%	5.9%
ANCY AND	Rate of Caesarean births in 2015	25.2%	24.9%
	Average annual rate of stillbirths in 2009-2013	5.0 deaths for every 1,000 births	4.2 deaths for every 1,000 births
	Proportion of women between the ages of 15 and 55 who gave birth during the five years preceding the 2013-2014 survey who breastfed or tried to breastfeed their youngest child	91.8%	89.0%
	Proportion of mothers of children between the ages of 0 and 5 who breastfed their child(ren)** and used breastfeeding support services in 2015	47.6%	51.6%

L

	Average annual number of hospitalizations for asthma in 2013-2016		
	Average annual number of hospitalizations for accidental injuries in 2013-2016	0 and 4 278.1 hospitalizations for every 100,000 children between 0 and 4	0 and 4 346.3 hospitalizations for every 100,000 children between 0 and 4
LA SANTÉ PHYSIQUE	Average annual rate of infant mortality (before 1 year of age) in 2009-2013	5.1 deaths for every 1,000 births	4.8 deaths for every 1,000 births
LA SANTÉ	Average annual rate of juvenile mortality (between 1 and 4 years of age) in 2009-2013	0.10 deaths for every 1,000 births	0.15 deaths for every 1,000 births
	Proportion of families who had a family doctor or pediatrician for all their children between O and 5 in 2015	88.5%	88.8%
	Percentage of children between 0 and 5 who had their teeth examined by a dentist in 2016	29.0%	30.5%
	Percentage of children between 0 and 5 who received dental treatment (cavity filled) in 2016	6.7%	5.4%
	Rate of children who were recognized as living with a disability in 2015	13.9 out of every 1,000 children between 0 and 5	12.3 out of every 1,000 children between 0 and 5
LE DÉVELOPPEMENT	Proportion of children in kindergarten who were vulnerable in at least one domain of development in 2012	29.7%	25.6%
	Proportion of children in 5-year-old kindergarten with a disability or social maladjustment in 2015-2016	6.6%	5.6%
	Proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional at school in 2012	43.0%	49.7%

** These figures include all mothers of children between the ages of 0 and 5, with the exception of those who explained that they had not used breastfeeding support services because they did not breastfeed their child(ren).

LANAUDIÈRE

In a nutshell

According to the most recent data:

- ▶ The number of births in this region increased by 15.4% between 2006 and 2016, as compared to an increase of 5.4% for the whole of Quebec.
- The proportion of very young children living in low-income families (after taxes) is lower in Lanaudière than in the rest of Quebec.
- Although the Caesarean birth rate is lower in Lanaudière than in the province as a whole, the proportion of premature births is higher than in the rest of Quebec.
- ▶ The hospitalization rates for accidental injury and asthma are higher in Lanaudière than in the whole of Quebec, while that for epilepsy is lower.
- The proportion of children in kindergarten who are vulnerable in at least one domain of their development is lower in Lanaudière than in the rest of Quebec.

The indicators mentioned in the "In a nutshell" section were selected because the region stood out clearly from the rest of Quebec or the province as a whole in those areas.

WHO ARE THESE 0-5 YEAR-OLDS?



In 2006, that figure was 25,557 or 5.9% of the total regional population.

In 2016, there were 5,139 recorded births.

That represents an increase of 15.4% over the 2006 figure of 4.454 recorded births in the region.

WHAT DID THEIR FAMILIES LOOK LIKE IN 2011?*



* Since certain percentages have been rounded up or down, the total may be slightly above or below 100%.

WHAT ARE THEIR LIVING CONDITIONS?


of very young children in the region were living in low-income families (after tax) in 2015.



That figure was 14.1% in 2004.

Sources: Institut de la statistique du Québec and Statistics Canada, Population estimates, adapted by the Institut de la statistique du Québec. Provisional data for 2016; Statistics Canada, 2011 *National Household Survey*, adapted by the Institut de la statistique du Québec, and Statistics Canada, *T1 Family File* (T1FF), adapted by the Institut de la statistique du Québec.

HOW ARE THEY FARING DURING PREGNANCY AND CHILDBIRTH?



HOW OLD WAS THEIR MOTHER AT BIRTH?

PRENATAL CLASSES

58.8% of parents of children between 0 and 5 in 2015 had already participated in prenatal classes.





INTRAUTERINE GROWTH RESTRICTION

8.2% of babies were born with intrauterine growth restriction in 2011-2013.

This figure was 16.9% in 1981-1983 and 7.6% in 2002-2004.



CAESAREAN BIRTHS




In 2002, the rate of Caesarean births in the region was 20.6%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015;* Ministère de la Santé et des Services sociaux, Fichier des naissances (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, May 29, 2017; Discharge Abstract Database, Canadian Institute for Health Information (CIHI); MED-ÉCHO hospitalization database, ministère de la Santé et des Services sociaux.



PREMATURE BIRTHS



LOW BIRTHWEIGHT

6.4% of babies born in the Lanaudière region in 2013 had a low birthweight (under 2.5 kg or 5.5 lb).

	5.6%	5.9%	6.4%	
-	1997	2003	2013	

STILLBIRTHS



3.4 of every 1,000 babies were stillborn in 2009-2013.

This rate was 3.1 out of 1,000 births in 2001-2005.

BREASTFEEDING

84.3% of mothers breastfed or tried to breastfeed their youngest child, according to 2013-2014 data.*

This figure was 69.5% in 2000-2001.

 * Among women between 15 and 55 who had given birth over the previous five years.
 (N.B.: Potential for bias due to high partial non-response.) **51.2%** of mothers of children between 0 and 5 in the Lanaudière region who breastfed their child(ren)* had already used breastfeeding support services in 2015.

* This figure includes all mothers of children between 0 and 5, with the exclusion of those did not use breastfeeding support services because they did not breastfeed their child(ren).

Sources: Institut de la statistique du Québec, Registre des événements démographiques; Statistics Canada, Canadian Community Health Survey (CCHS), 2000-2001 and 2013-2014, share files, adapted by the Institut de la statistique du Québec; Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015.

HOW ARE THEY FARING AS THEY GROW UP? PHYSICAL HEALTH



ASTHMA

237.7 hospitalizations for every 100,000 children 4 and under in the region in 2013-2016.

In 2007-2010, this rate was 568.5 hospitalizations for every 100,000 children 4 and under.



32.3 hospitalizations for every 100,000 children 4 and under in 2013-2016.*

In 2007-2010, this rate was 69.7 hospitalizations for every 100,000 children 4 and under.

* Coefficient of variation greater than 16.66% and less than or equal to 33.33%: interpret with caution.

ACCIDENTAL INJURY



hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 465.3 hospitalizations for every 100,000 children 4 and under.

MORTALITY

3.6 children out of 1,000: the average annual number of children who died before their first birthday in 2009-2013.

In 1999-2003, that rate was 4.8 children out of 1,000.

0.21 children out of 1,000: the average annual number of children who died between the ages of 1 and 4 in 2009-2013.

In 1999-2003, that rate was 0.22 children out of 1,000.

Sources: Ministère de la Santé et des Services sociaux, MED-ÉCHO hospitalization database (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, April 5, 2017; Institut de la statistique du Québec, *Registre des événements démographiques*.



FAMILY DOCTOR OR PEDIATRICIAN

89.4% of families had a family doctor or pediatrician for all their children 5 and under in 2015.



DENTAL EXAMS

56.0% of children between 3 and 5 and

5.8% of children between 0 and 2 had had their teeth examined by a dentist in 2016.

In 2011, these rates were 56.7% and 4.2%.



DENTAL TREATMENTS (cavities filled)

9.3% of children between 3 and 5 received dental treatment.

The rate for children between 0 and 2 was $0.2^{0/0}$.

In 2011, these rates were 11.1% and 0.2%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5ans 2015*; Régie de l'assurance-maladie du Québec (RAMQ), Direction de l'analyse et de la gestion de l'information, Fichier des services rémunérés à l'acte.

HOW ARE THEY FARING AS THEY GROW UP? DEVELOPMENT



DISABILITIES

13.0 out of 1,000 children between 0 and 5 were recognized as living with a disability in 2015.

In 2005, this rate was 15.1 out of 1,000 children between 0 and 5.

1.8% of families in the region with at least one child between 0 and 5 were receiving the Quebec supplement for handicapped children in 2015

This figure was 1.9% in 2007.




VULNERABILITY IN KINDERGARTEN

23,2 % of children in kindergarten in the Lanaudière region were vulnerable in at least one domain of development in 2012.

Among these vulnerable children, **50.1% were vulnerable in two or more domains.**

50.1%

At the provincial level, certain groups of children are more likely to be developmentally vulnerable. Below are the **proportions of children in the region** who were vulnerable in at least one domain of development:



Sources: Retraite Québec, Fichier administratif des enfants handicapés (containing information transmitted by the Directeur de l'état civil, Revenu Québec and parents of children with disabilities); Institut de la statistique du Québec, 2012 Quebec Survey of Child Development in Kindergarten.



CHILDREN WITH A DISABILITY OR SOCIAL MALADJUSTMENT IN KINDERGARTEN


6.2% of children in 5-year-old kindergarten had a disability or social maladjustment in 2015-2016.

This figure was 4.8% of all children in kindergarten in 2011-2012.



USE OF THE SERVICES OF A NON-TEACHING PROFESSIONAL BY CHILDREN WHO WERE VULNERABLE IN AT LEAST ONE DOMAIN OF THEIR DEVELOPMENT

52.7% of vulnerable children in kindergarten in the region benefited from the services of a non-teaching professional in 2012.



* Social worker, dental hygienist/dentist: coefficient of variation between 15% and 25% for regional data: interpret with caution.

N.B.: Certain types of professionals were frequently mentioned in the "Other" category: resource teachers and dental care professionals. These two categories were therefore added to the indicator based on data compiled. It is important to note, however, that the number of professionals in these two categories may be underestimated, as they were initially not offered as a response option for the question.

Sources: Ministère de l'Éducation et de l'Enseignement supérieur (MEES), Territoires, statistiques et enquêtes (TSE), Direction générale des Statistiques, des Études et de la Géomatique (DGSEG), Direction des Indicateurs et des Statistiques (DIS), Portail informationnel, Système Charlemagne; Institut de la statistique du Québec, Quebec Survey of Child Development in Kindergarten, 2012.

THE REGION AT A GLANCE

	Caution must be exercised in interpreting these data. Certain differences between the region and all of Ouebec may not be significant or due to random fluctuations.	14 Lanaudière	All of Quebec
HESE LDS?	Number of children between the ages of 0 and 5 in 2016	33,631	534,939
WHO ARE THESE 0-5 YEAR-OLDS?	Proportion of children between the ages of 0 and 5 in 2016	6.7%	6.4%
≷ò	Number of newborns in 2016	5,139	86,400
	Proportion of parents with children between O and 5 in 2015 who had already attended prenatal classes	58.8%	59.8%
	Proportion of babies born with intrauterine growth restriction in 2011-2013	8.2%	8.7%
	Proportion of premature births (< 37 full weeks of gestation) in 2013	7.8%	7.3%
PREGNANCY AND CHILDBIRTH	Proportion of low birthweight babies (< 2,500 g) in 2013	6.4%	5.9%
ANCY AND	Rate of Caesarean births in 2015	23.3%	24.9%
	Average annual rate of stillbirths in 2009-2013	3.4 deaths for every 1,000 births	4.2 deaths for every 1,000 births
	Proportion of women between the ages of 15 and 55 who gave birth during the five years preceding the 2013-2014 survey who breastfed or tried to breastfeed their youngest child	84.3%	89.0%
	Proportion of mothers of children between the ages of 0 and 5 who breastfed their child(ren)** and used breastfeeding support services in 2015	51.2%	51.6%

	Average annual number of hospitalizations for asthma in 2013-2016	237.7 hospitalizations for every 100,000 children between 0 and 4	162.4 hospitalizations for every 100,000 children between 0 and 4
	Average annual number of hospitalizations for epilepsy in 2013-2016	32.3 hospitalizations for every 100,000 children between 0 and 4*	57.1 hospitalizations for every 100,000 children between 0 and 4
IEALTH	Average annual number of hospitalizations for accidental injuries in 2013-2016	443.1 hospitalizations for every 100,000 children between 0 and 4	346.3 hospitalizations for every 100,000 children between 0 and 4
PHYSICAL HEALTH	Average annual rate of infant mortality (before 1 year of age) in 2009-2013	3.6 deaths for every 1,000 births	4.8 deaths for every 1,000 births
	Average annual rate of juvenile mortality (between 1 and 4 years of age) in 2009-2013	0.21 deaths for every 1,000 births	0.15 deaths for every 1,000 births
	Proportion of families who had a family doctor or pediatrician for all their children between O and 5 in 2015	89.4%	88.8%
	Percentage of children between 0 and 5 who had their teeth examined by a dentist in 2016	32.0%	30.5%
	Percentage of children between 0 and 5 who received dental treatment (cavity filled) in 2016	5.0%	5.4%
	Rate of children who were recognized as living with a disability in 2015	13.0 out of every 1,000 children between 0 and 5	12.3 out of every 1,000 children between 0 and 5
DEVELOPMENT	Proportion of children in kindergarten who were vulnerable in at least one domain of development in 2012	23.2%	25.6%
	Proportion of children in 5-year-old kindergarten with a disability or social maladjustment in 2015-2016	6.2%	5.6%
	Proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional at school in 2012	52.7%	49.7%

 * Coefficient of variation greater than 6.66% and less than or equal to 33.33%: interpret with caution.

** These figures include all mothers of children between the ages of 0 and 5, with the exception of those who explained that they had not used breastfeeding support services because they did not breastfeed their child(ren).

LAURENTIDES




According to the most recent data available:

- The number of births in this region increased by 4.0% between 2006 and 2016, as compared to an increase of 5.4% for the whole of Quebec.
- The proportion of very young children living in low-income families (after taxes) is lower in the Laurentides than in the rest of Quebec.
- The Caesarean birth rate is lower in the Laurentides than in Quebec as a whole.
- The hospitalization rate for accidental injury is higher in the Laurentides than in Quebec as a whole.
- The juvenile mortality rate is lower in the Laurentides than in the rest of Quebec.
- The proportion of families that have a family doctor or pediatrician for all their children 5 and under is higher than in the rest of Quebec.
- The proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional is higher than in the rest of Quebec.

The indicators mentioned in the "In a nutshell" section were selected because the region stood out clearly from the rest of Quebec or the province as a whole in those areas.

WHO ARE THESE 0-5 YEAR-OLDS?



In 2006, that figure was 32,341 or 6.2% of the total regional population.

In 2016, there were 5,874 recorded births.

That represents an increase of 4.0% over the 2006 figure of 5,650 recorded births in the region.

WHAT DID THEIR FAMILIES LOOK LIKE IN 2011?*



* Since certain percentages have been rounded up or down, the total may be slightly above or below 100%.

WHAT ARE THEIR LIVING CONDITIONS?



That figure was 13.1% in 2004.

Sources: Institut de la statistique du Québec and Statistics Canada, Population estimates, adapted by the Institut de la statistique du Québec. Provisional data for 2016; Statistics Canada, 2011 *National Household Survey*, adapted by the Institut de la statistique du Québec, and Statistics Canada, *T1 Family File* (T1FF), adapted by the Institut de la statistique du Québec.

HOW ARE THEY FARING DURING PREGNANCY AND CHILDBIRTH?

50 2006 2016 25 15.7% 37.8% 35.2% 31.0% 32.5% 11.1% 14.2% 2.6% 1.3% 1.8% 2.6% Π 19 or under 20-24 25-29 30-34 35-39 40 or over

HOW OLD WAS THEIR MOTHER AT BIRTH?

PRENATAL CLASSES

61.3% of parents of children between 0 and 5 in 2015 had already participated in prenatal classes.





INTRAUTERINE GROWTH RESTRICTION

9.0% of babies were born with intrauterine growth restriction in 2011-2013.

This figure was 16.5% in 1981-1983 and 8.1% in 2002-2004.



CAESAREAN BIRTHS




In 2002, the rate of Caesarean births in the region was 18.7%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015;* Ministère de la Santé et des Services sociaux, Fichier des naissances (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, May 29, 2017; Discharge Abstract Database, Canadian Institute for Health Information (CIHI); MED-ÉCHO hospitalization database, ministère de la Santé et des Services sociaux.



PREMATURE BIRTHS



LOW BIRTHWEIGHT

6.3% of babies born in the Laurentides region in 2013 had a low birthweight (under 2.5 kg or 5.5 lb).

6.0%	5.4%	6.	3%
1997	2003	20	013

STILLBIRTHS

<u>3.9</u> 1,000

3.9 of every 1,000 babies were stillborn in 2009-2013.

This rate was 3.4 out of 1,000 births in 2001-2005.

BREASTFEEDING

86.5% of mothers breastfed or tried to breastfeed their youngest child, according to 2013-2014 data.*

This figure was 68.5% in 2000-2001.

* Among women between 15 and 55 who had given birth over the previous five years. (N.B.: Potential for bias due to high partial non-response.) **51.8%** of mothers of children between 0 and 5 in the Laurentides region who breastfed their child(ren)* had already used breastfeeding support services in 2015.

* This figure includes all mothers of children between 0 and 5, with the exclusion of those did not use breastfeeding support services because they did not breastfeed their child(ren).

Sources: Institut de la statistique du Québec, Registre des événements démographiques; Statistics Canada, Canadian Community Health Survey (CCHS), 2000-2001 and 2013-2014, share files, adapted by the Institut de la statistique du Québec; Institut de la statistique du Québec, Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015.

HOW ARE THEY FARING AS THEY GROW UP? PHYSICAL HEALTH



ASTHMA

179.3 hospitalizations for every 100,000 children 4 and under in the region in 2013-2016.

In 2007-2010, this rate was 436.8 hospitalizations for every 100,000 children 4 and under.



44.6 hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 73.8 hospitalizations for every 100,000 children 4 and under.

ACCIDENTAL INJURY



hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 374.8 hospitalizations for every 100,000 children 4 and under.

MORTALITY

5.0 children out of 1,000: the average annual number of children who died before their first birthday in 2009-2013.

In 1999-2003, that rate was 4.4 children out of 1,000.

0.12 children out of 1,000: the average annual number of children who died between the ages of 1 and 4 in 2009-2013.

In 1999-2003, that rate was 0.15 children out of 1,000.

Sources: Ministère de la Santé et des Services sociaux, MED-ÉCHO hospitalization database (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, April 5, 2017; Institut de la statistique du Québec, *Registre des événements démographiques*.



FAMILY DOCTOR OR PEDIATRICIAN

93.4% of families had a family doctor or pediatrician for all their children 5 and under in 2015.



DENTAL EXAMS

57.0% of children between 3 and 5 and

6.4% of children between 0 and 2 had had their teeth examined by a dentist in 2016.

In 2011, these rates were 55.9% and 4.9%.



DENTAL TREATMENTS (cavities filled)

10.1% of children between 3 and 5 received dental treatment.

The rate for children between 0 and 2 was $0.2^{0/0}$.

In 2011, these rates were 10.2% and 0.1%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5ans 2015*; Régie de l'assurance-maladie du Québec (RAMQ), Direction de l'analyse et de la gestion de l'information, Fichier des services rémunérés à l'acte.

HOW ARE THEY FARING AS THEY GROW UP? DEVELOPMENT



DISABILITIES

11.6 out of 1,000 children between 0 and 5 were recognized as living with a disability in 2015.

In 2005, this rate was 13.5 out of 1,000 children between 0 and 5.

1.6% of families in the region with at least one child between 0 and 5 were receiving the Quebec supplement for handicapped children in 2015

This figure was 2.0% in 2007.




VULNERABILITY IN KINDERGARTEN

24.7% of children in kindergarten in the Laurentides region were vulnerable in at least one domain of development in 2012.

Among these vulnerable children, **46.0% were vulnerable** in two or more domains.

46.0%

At the provincial level, certain groups of children are more likely to be developmentally vulnerable. Below are the. **proportions of children in the region** who were vulnerable in at least one domain of development:



Sources: Retraite Québec, Fichier administratif des enfants handicapés (containing information transmitted by the Directeur de l'état civil, Revenu Québec and parents of children with disabilities); Institut de la statistique du Québec, 2012 Quebec Survey of Child Development in Kindergarten.



CHILDREN WITH A DISABILITY OR SOCIAL MALADJUSTMENT IN KINDERGARTEN


4.5% of children in 5-year-old kindergarten had a disability or social maladjustment in 2015-2016.

This figure was 6.6% of all children in kindergarten in 2011-2012.



USE OF THE SERVICES OF A NON-TEACHING PROFESSIONAL BY CHILDREN WHO WERE VULNERABLE IN AT LEAST ONE DOMAIN OF THEIR DEVELOPMENT

64.5% of vulnerable children in kindergarten in the region benefited from the services of a non-teaching professional in 2012.



* Nurse, social worker, dental hygienist/dentist: coefficient of variation between 15% and 25% for regional data: interpret with caution.

N.B.: Certain types of professionals were frequently mentioned in the "Other" category: resource teachers and dental care professionals. These two categories were therefore added to the indicator based on data compiled. It is important to note, however, that the number of professionals in these two categories may be underestimated, as they were initially not offered as a response option for the question.

Sources: Ministère de l'Éducation et de l'Enseignement supérieur (MEES), Territoires, statistiques et enquêtes (TSE), Direction générale des Statistiques, des Études et de la Géomatique (DGSEG), Direction des Indicateurs et des Statistiques (DIS), Portail informationnel, Système Charlemagne; Institut de la statistique du Québec, Quebec Survey of Child Development in Kindergarten, 2012.

THE REGION AT A GLANCE

	Caution must be exercised in interpreting these data. Certain differences between the region and all of Quebec may not be significant or due to random fluctuations.	Laurentides	All of Quebec
HESE LDS?	Number of children between the ages of 0 and 5 in 2016	37,460	534,939
WHO ARE THESE 0-5 YEAR-OLDS?	Proportion of children between the ages of 0 and 5 in 2016	6.2%	6.4%
≷ ċ	Number of newborns in 2016	5,874	86,400
	Proportion of parents with children between O and 5 in 2015 who had already attended prenatal classes	61.3% 5	
	Proportion of babies born with intrauterine growth restriction in 2011-2013	9.0%	8.7%
	Proportion of premature births (< 37 full weeks of gestation) in 2013	7.7%	7.3%
PREGNANCY AND CHILDBIRTH	Proportion of low birthweight babies (< 2,500 g) in 2013	6.3%	5.9%
ANCY AND	Rate of Caesarean births in 2015	21.9%	24.9%
	Average annual rate of stillbirths in 2009-2013	3.9 deaths for every 1,000 births	4.2 deaths for every 1,000 births
	Proportion of women between the ages of 15 and 55 who gave birth during the five years preceding the 2013-2014 survey who breastfed or tried to breastfeed their youngest child	86.5%	89.0%
	Proportion of mothers of children between the ages of 0 and 5 who breastfed their child(ren)** and used breastfeeding support services in 2015	51.8%	51.6%

	Average annual number of hospitalizations for asthma in 2013-2016	179.3 hospitalizations for every 100,000 children between 0 and 4	162.4 hospitalizations for every 100,000 children between 0 and 4
	Average annual number of hospitalizations for epilepsy in 2013-2016	44.6 hospitalizations for every 100,000 children between 0 and 4	57.1 hospitalizations for every 100,000 children between 0 and 4
IEALTH	Average annual number of hospitalizations for accidental injuries in 2013-2016	402.0 hospitalizations for every 100,000 children between 0 and 4	346.3 hospitalizations for every 100,000 children between 0 and 4
PHYSICAL HEALTH	Average annual rate of infant mortality (before 1 year of age) in 2009-2013	5.0 deaths for every 1,000 births	4.8 deaths for every 1,000 births
	Average annual rate of juvenile mortality (between 1 and 4 years of age) in 2009-2013	0.12 deaths for every 1,000 births	0.15 deaths for every 1,000 births
	Proportion of families who had a family doctor or pediatrician for all their children between O and 5 in 2015	93.4%	88.8%
	Percentage of children between 0 and 5 who had their teeth examined by a dentist in 2016	32.5%	30.5%
	Percentage of children between 0 and 5 who received dental treatment (cavity filled) in 2016	5.3%	5.4%
	Rate of children who were recognized as living with a disability in 2015	11.6 out of every 1,000 children between 0 and 5	12.3 out of every 1,000 children between 0 and 5
DEVELOPMENT	Proportion of children in kindergarten who were vulnerable in at least one domain of development in 2012	24.7%	25.6%
	Proportion of children in 5-year-old kindergarten with a disability or social maladjustment in 2015-2016	4.5%	5.6%
	Proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional at school in 2012	64.5%	49.7%

** These figures include all mothers of children between the ages of 0 and 5, with the exception of those who explained that they had not used breastfeeding support services because they did not breastfeed their child(ren).

MONTÉRÉGIE^{**}

In a nutshell

According to the most recent data:

- The number of births in this region increased by 4.3% between 2006 and 2016, as compared to an increase of 5.4% for the whole of Quebec.
- The proportion of very young children living in low-income families (after taxes) is lower in the Montérégie than in the rest of Quebec.
- The hospitalization rate for asthma is higher in the Montérégie than in Quebec as a whole.
- The infantile mortality rate is lower in the Montérégie than in the rest of Quebec.
- The proportion of children in kindergarten who are vulnerable in at least one domain of development is lower in the Montérégie than in the rest of the province.

The indicators mentioned in the "In a nutshell" section were selected because the region stood out clearly from the rest of Quebec or the province as a whole in those areas.

WHO ARE THESE 0-5 YEAR-OLDS?



In 2006, that figure was 85,895 or 6.2% of the total regional population.

In 2016, there were 15,583 recorded births.

That represents an increase of 4.3% over the 2006 figure of 14,944 recorded births in the region.

WHAT DID THEIR FAMILIES LOOK LIKE IN 2011?*



* Since certain percentages have been rounded up or down, the total may be slightly above or below 100%.

WHAT ARE THEIR LIVING CONDITIONS?

of very young children in the region were living in low-income families (after tax) in 2015.



That figure was 13.3% in 2004.

Sources: Institut de la statistique du Québec and Statistics Canada, Population estimates, adapted by the Institut de la statistique du Québec. Provisional data for 2016; Statistics Canada, 2011 *National Household Survey*, adapted by the Institut de la statistique du Québec, and Statistics Canada, *T1 Family File* (T1FF), adapted by the Institut de la statistique du Québec.

HOW ARE THEY FARING DURING PREGNANCY AND CHILDBIRTH?

50 2006 2016 25 15.0% 36.6% 32.8% 31.6% 34.5% 12.4% 16.5% 2.4% 1.5% 2.0% 3.1% Π 19 or under 20-24 25-29 30-34 35-39 40 or over

HOW OLD WAS THEIR MOTHER AT BIRTH?

PRENATAL CLASSES

62.3% of parents of children between 0 and 5 in 2015 had already participated in prenatal classes.





INTRAUTERINE GROWTH RESTRICTION

8.4% of babies were born with intrauterine growth restriction in 2011-2013.

This figure was 15.8% in 1981-1983 and 7.8% in 2002-2004.



CAESAREAN BIRTHS


23.9% of births in this region in 2015 were by Caesarean section.

In 2002, the rate of Caesarean births in the region was 21.0%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015;* Ministère de la Santé et des Services sociaux, Fichier des naissances (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, May 29, 2017; Discharge Abstract Database, Canadian Institute for Health Information (CIHI); MED-ÉCHO hospitalization database, ministère de la Santé et des Services sociaux.



PREMATURE BIRTHS



LOW BIRTHWEIGHT

5.7% of babies born in the Laurentides region in 2013 had a low birthweight (under 2.5 kg or 5.5 lb).

6.0%	5.7%	5.7%	
1997	2003	2013	

STILLBIRTHS



4.0 of every 1,000 babies were stillborn in 2009-2013.

This rate was 3.9 out of 1,000 births in 2001-2005.

BREASTFEEDING

88.2% of mothers breastfed or tried to breastfeed their youngest child, according to 2013-2014 data.*

This figure was 75.1% in 2000-2001.

 * Among women between 15 and 55 who had given birth over the previous five years.
 (N.B.: Potential for bias due to high partial non-response.) **55.7%** of mothers of children between 0 and 5 in the Montégérie region who breastfed their child(ren)* had already used breastfeeding support services in 2015.

* This figure includes all mothers of children between 0 and 5, with the exclusion of those did not use breastfeeding support services because they did not breastfeed their child(ren).

Sources: Institut de la statistique du Québec, Registre des événements démographiques; Statistics Canada, Canadian Community Health Survey (CCHS), 2000-2001 and 2013-2014, share files, adapted by the Institut de la statistique du Québec; Institut de la statistique du Québec, Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015.

HOW ARE THEY FARING AS THEY GROW UP? PHYSICAL HEALTH



ASTHMA

229.3 hospitalizations for every 100,000 children 4 and under in the region in 2013-2016.

In 2007-2010, this rate was 449.7 hospitalizations for every 100,000 children 4 and under.



61.0 hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 53.1 hospitalizations for every 100,000 children 4 and under.

ACCIDENTAL INJURY



hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 367.9 hospitalizations for every 100,000 children 4 and under.

MORTALITY

3.6 children out of 1,000: the average annual number of children who died before their first birthday in 2009-2013.

In 1999-2003, that rate was 3.8 children out of 1,000.

0.14 children out of 1,000: the average annual number of children who died between the ages of 1 and 4 in 2009-2013.

In 1999-2003, that rate was 0.16 children out of 1,000.

Sources: Ministère de la Santé et des Services sociaux, MED-ÉCHO hospitalization database (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, April 5, 2017; Institut de la statistique du Québec, *Registre des événements démographiques*.



FAMILY DOCTOR OR PEDIATRICIAN

88.5% of families had a family doctor or pediatrician for all their children 5 and under in 2015.



DENTAL EXAMS

56.1% of children between 3 and 5 and

6.4% of children between 0 and 2 had had their teeth examined by a dentist in 2016.

In 2011, these rates were 55.5% and 4.3%.



DENTAL TREATMENTS (cavities filled)

10.1% of children between 3 and 5 received dental treatment.

The rate for children between 0 and 2 was $0.3^{0/0}$.

In 2011, these rates were 10.3% and 0.2%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5ans 2015*; Régie de l'assurance-maladie du Québec (RAMQ), Direction de l'analyse et de la gestion de l'information, Fichier des services rémunérés à l'acte.

HOW ARE THEY FARING AS THEY GROW UP? DEVELOPMENT



DISABILITIES

13.1 out of 1,000 children between 0 and 5 were recognized as living with a disability in 2015.

In 2005, this rate was 13.5 out of 1,000 children between 0 and 5.

1.7% of families in the region with at least one child between 0 and 5 were receiving the Quebec supplement for handicapped children in 2015.

48.3%

This figure was 2.0% in 2007.




VULNERABILITY IN KINDERGARTEN

24.1% of children in kindergarten in the Montérégie region were vulnerable in at least one domain of development in 2012.

Among these vulnerable children, **48.3% were vulnerable** in two or more domains.

At the provincial level, certain groups of children are more likely to be developmentally vulnerable. Below are the **proportions of children in the region** who were vulnerable in at least one domain of development:



Sources: Retraite Québec, Fichier administratif des enfants handicapés (containing information transmitted by the Directeur de l'état civil, Revenu Québec and parents of children with disabilities); Institut de la statistique du Québec, 2012 Quebec Survey of Child Development in Kindergarten.



CHILDREN WITH A DISABILITY OR SOCIAL MALADJUSTMENT IN KINDERGARTEN


4.9% of children in 5-year-old kindergarten had a disability or social maladjustment in 2015-2016.

This figure was 5.1% of all children in kindergarten in 2011-2012.



USE OF THE SERVICES OF A NON-TEACHING PROFESSIONAL BY CHILDREN WHO WERE VULNERABLE IN AT LEAST ONE DOMAIN OF THEIR DEVELOPMENT

52.0% of vulnerable children in kindergarten in the region benefited from the services of a non-teaching professional in 2012.



N.B.: Certain types of professionals were frequently mentioned in the "Other" category: resource teachers and dental care professionals. These two categories were therefore added to the indicator based on data compiled. It is important to note, however, that the number of professionals in these two categories may be underestimated, as they were initially not offered as a response option for the question.

Sources: Ministère de l'Éducation et de l'Enseignement supérieur (MEES), Territoires, statistiques et enquêtes (TSE), Direction générale des Statistiques, des Études et de la Géomatique (DGSEG), Direction des Indicateurs et des Statistiques (DIS), Portail informationnel, Système Charlemagne; Institut de la statistique du Québec, Quebec Survey of Child Development in Kindergarten, 2012.

THE REGION

	Caution must be exercised in interpreting these data. Certain differences between the region and all of Quebec may not be significant or due to random fluctuations.	19 Montérégie	All of Québec
HESE LDS?	Number of children between the ages of 0 and 5 in 2016	100,426	534,939
WHO ARE THESE 0-5 YEAR-OLDS?	Proportion of children between the ages of 0 and 5 in 2016	6.5%	6.4%
≥ ċ	Number of newborns in 2016	15,583	86,400
	Proportion of parents with children between O and 5 in 2015 who had already attended prenatal classes	62.3%	59.8%
	Proportion of babies born with intrauterine growth restriction in 2011-2013	8.4%	8.7%
	Proportion of premature births (< 37 full weeks of gestation) in 2013	7.3%	7.3%
PREGNANCY AND CHILDBIRTH	Proportion of low birthweight babies (< 2,500 g) in 2013	5.7%	5.9%
ANCY AND	Rate of Caesarean births in 2015	23.9%	24.9%
	Average annual rate of stillbirths in 2009-2013	4.0 deaths for every 1,000 births	4.2 deaths for every 1,000 births
	Proportion of women between the ages of 15 and 55 who gave birth during the five years preceding the 2013-2014 survey who breastfed or tried to breastfeed their youngest child	88.2%	89.0%
	Proportion of mothers of children between the ages of 0 and 5 who breastfed their child(ren)** and used breastfeeding support services in 2015	55.7%	51.6%

PHYSICAL HEALTH	Average annual number of hospitalizations for asthma in 2013-2016	229.3 hospitalizations for every 100,000 children between 0 and 4	162.4 hospitalizations for every 100,000 children between 0 and 4
	Average annual number of hospitalizations for epilepsy in 2013-2016	61.0 hospitalizations for every 100,000 children between 0 and 4	57.1 hospitalizations for every 100,000 children between 0 and 4
	Average annual number of hospitalizations for accidental injuries in 2013-2016	314.7 hospitalizations for every 100,000 children between 0 and 4	346.3 hospitalizations for every 100,000 children between 0 and 4
	Average annual rate of infant mortality (before 1 year of age) in 2009-2013	3.6 deaths for every 1,000 births	4.8 deaths for every 1,000 births
	Average annual rate of juvenile mortality (between 1 and 4 years of age) in 2009-2013	0.14 deaths for every 1,000 births	0.15 deaths for every 1,000 births
	Proportion of families who had a family doctor or pediatrician for all their children between O and 5 in 2015	88.5%	88.8%
	Percentage of children between 0 and 5 who had their teeth examined by a dentist in 2016	32.1%	30.5%
	Percentage of children between 0 and 5 who received dental treatment (cavity filled) in 2016	5.3%	5.4%
DEVELOPMENT	Rate of children who were recognized as living with a disability in 2015	13.1 out of every 1,000 children between 0 and 5	12.3 out of every 1,000 children between 0 and 5
	Proportion of children in kindergarten who were vulnerable in at least one domain of development in 2012	24.1%	25.6%
	Proportion of children in 5-year-old kindergarten with a disability or social maladjustment in 2015-2016	4.9%	5.6%
	Proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional at school in 2012	52.0%	49.7%

** These figures include all mothers of children between 0 and 5, with the exclusion of those did not use breastfeeding support services because they did not breastfeed their child(ren).

CENTRE-DU-QUÉBEC

In a nutshell

According to the most recent data available:

- The number of births in this region remained stable between 2006 and 2016, as compared to an increase of 5.4% for the whole of Quebec.
- The proportion of very young children living in low-income families (after taxes) is lower in the Centre-du-Québec than in the rest of Quebec.
- Although the Caesarean birth rate is lower in the Mauricie-Centre-du-Québec region than in Quebec as a whole, the proportion of parents of children between 0 and 5 who had already participated in prenatal classes is higher in the Centre-du-Québec than in the rest of the province.
- ▶ The hospitalization rates for asthma and accidental injury are higher in Mauricie-Centre-du-Québec than in Quebec as a whole.
- ► The proportion of families that have a family doctor or pediatrician for all their children 5 and under is higher in the Centre-du-Québec than in the rest of the province.
- The proportion of children in kindergarten who are vulnerable in at least one domain of their development is lower in Centre-du-Québec than in the rest of the province.
- The rate of children in kindergarten with a disability, social maladjustment or learning difficulty is higher in the Centredu-Québec than in the rest of the province.

The indicators mentioned in the "In a nutshell" section were selected because the region stood out clearly from the rest of Quebec or the province as a whole.



In the case of data from certain sources, the Mauricie and the Centre-du-Québec constitute a single health region. When necessary, this symbol is used to indicate that the data in question applies to both regions combined.

WHO ARE THESE 0-5 YEAR-OLDS?


In the Centre-du-Québec region in 2016, there were children between the ages of 0 and 5, accounting for 6.4% of the total regional population.

In 2006, that figure was 13,663 or 6.0% of the total regional population.

In 2016, there were 2,407 recorded births.

The number of births has remained stable since 2006, when there were 2,408 recorded births in the region.

WHAT DID THEIR FAMILIES LOOK LIKE IN 2011? *



* Since certain percentages have been rounded up or down, the total may be slightly above or below 100%.

WHAT ARE THEIR LIVING CONDITIONS?


of very young children in the region were living in low-income families (after tax) in 2015.



That figure was 13.9% in 2004.

Sources: Institut de la statistique du Québec and Statistics Canada, Population estimates, adapted by the Institut de la statistique du Québec. Provisional data for 2016; Statistics Canada, 2011 *National Household Survey*, adapted by the Institut de la statistique du Québec, and Statistics Canada, *T1 Family File* (T1FF), adapted by the Institut de la statistique du Québec.

HOW ARE THEY FARING DURING PREGNANCY AND CHILDBIRTH?



HOW OLD WAS THEIR MOTHER AT BIRTH?

PRENATAL CLASSES

74.1% of parents of children between 0 and 5 in 2015 had already participated in prenatal classes.





INTRAUTERINE GROWTH RESTRICTION (4)17

8.5% of babies were born with intrauterine growth restriction in 2011-2013.

This figure was 16.3% in 1981-1983 and 7.9% in 2002-2004.




CAESAREAN BIRTHS (4)17



In 2002, the rate of Caesarean births in the region was 19.4%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015;* Ministère de la Santé et des Services sociaux, Fichier des naissances (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, May 29, 2017; Discharge Abstract Database, Canadian Institute for Health Information (CIHI); MED-ÉCHO hospitalization database, ministère de la Santé et des Services sociaux.



STILLBIRTHS



2.9 of every 1,000 babies were stillborn in 2009-2013.

This rate was 3.6 out of 1,000 births in 2001-2005.

BREASTFEEDING (4)17

77.9% of mothers breastfed or tried to breastfeed their youngest child, according to 2013-2014 data.*

This figure was 71.7% in 2000-2001.

* Among women between 15 and 55 who had given birth over the previous five years. (N.B.: Potential for bias due to high partial non-response.) **48.3%** of mothers of children between 0 and 5 in the Centre-du-Québec region who breastfed their child(ren)* had already used breastfeeding support services in 2015.*

* This figure includes all mothers of children between 0 and 5, with the exclusion of those did not use breastfeeding support services because they did not breastfeed their child(ren).

Sources: Institut de la statistique du Québec, Registre des événements démographiques; Statistics Canada, Canadian Community Health Survey (CCHS), 2000-2001 and 2013-2014, share files, adapted by the Institut de la statistique du Québec; Institut de la statistique du Québec, Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015.

HOW ARE THEY FARING AS THEY GROW UP? PHYSICAL HEALTH



ASTHMA (417)

203.2 hospitalizations for every 100,000 children 4 and under in the region in 2013-2016.

In 2007-2010, this rate was 339.9 hospitalizations for every 100,000 children 4 and under.



58.1 hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 73.3 hospitalizations for every 100,000 children 4 and under.

ACCIDENTAL INJURY 400



hospitalizations for every 100,000 children 4 and under in 2013-2016.

In 2007-2010, this rate was 550.9 hospitalizations for every 100,000 children 4 and under.

MORTALITY

3.8 children out of 1,000: the average annual number of children who died before their first birthday in 2009-2013.

In 1999-2003, that rate was 5.3 children out of 1,000.

0.16 children out of 1,000: the average annual number of children who died between the ages of 1 and 4 in 2009-2013.

In 1999-2003, that rate was 0.21 children out of 1,000.

Sources: Ministère de la Santé et des Services sociaux, MED-ÉCHO hospitalization database (electronic). Tab report Plan national de surveillance produced by the Infocentre de santé publique at the Institut national de santé publique du Québec, April 5, 2017; Institut de la statistique du Québec, *Registre des événements démographiques*.



FAMILY DOCTOR OR PEDIATRICIAN

93.2% of families had a family doctor or pediatrician for all their children 5 and under in 2015.




DENTAL EXAMS

56.5% of children between 3 and 5 and

4.5% of children between 0 and 2 had had their teeth examined by a dentist in 2016.

In 2011, these rates were 52.8% and 4.5%.



between 0 and 2 was 0.1%.

In 2011, these rates were 10.3% and 0.1%.

Sources: Institut de la statistique du Québec, *Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5ans 2015*; Régie de l'assurance-maladie du Québec (RAMQ), Direction de l'analyse et de la gestion de l'information, Fichier des services rémunérés à l'acte.

HOW ARE THEY FARING AS THEY GROW UP? DEVELOPMENT



DISABILITIES

11.1 out of 1,000 children between 0 and 5 were recognized as living with a disability in 2015.

In 2005, this rate was 12.5 out of 1,000 children between 0 and 5.

1.5% of families in the region with at least one child between 0 and 5 were receiving the Quebec supplement for handicapped children in 2015

This figure was 1.5% in 2007.



VULNERABILITY IN KINDERGARTEN

21.8% of children in kindergarten in the Centre-du-Québec region were vulnerable in at least one domain of development in 2012.

Among these vulnerable children, **45.1% were vulnerable** in two or more domains.

45.1%

At the provincial level, certain groups of children are more likely to be developmentally vulnerable. Below are the **proportions of children in the region** who were vulnerable in at least one domain of development:



Sources: Retraite Québec, Fichier administratif des enfants handicapés (containing information transmitted by the Directeur de l'état civil, Revenu Québec and parents of children with disabilities); Institut de la statistique du Québec, 2012 Quebec Survey of Child Development in Kindergarten.



CHILDREN WITH A DISABILITY OR SOCIAL MALADJUSTMENT IN KINDERGARTEN


7.0% of children in 5-year-old kindergarten had a disability or social maladjustment in 2015-2016.

This figure was 7.2% of all children in kindergarten in 2011-2012.



USE OF THE SERVICES OF A NON-TEACHING PROFESSIONAL BY CHILDREN WHO WERE VULNERABLE IN AT LEAST ONE DOMAIN OF THEIR DEVELOPMENT

51.3% of vulnerable children in kindergarten in the region benefited from the services of a non-teaching professional in 2012.



* Nurse, social worker, psychologist: coefficient of variation between 15% and 25% for regional data: interpret with caution.

Dental hygienist/dentist: coefficient of variation greater than 25% for regional data: imprecise estimate provided for information purposes only.

N.B.: Certain types of professionals were frequently mentioned in the "Other" category: resource teachers and dental care professionals. These two categories were therefore added to the indicator based on data compiled. It is important to note, however, that the number of professionals in these two categories may be underestimated, as they were initially not offered as a response option for the question.

Sources: Ministère de l'Éducation et de l'Enseignement supérieur (MEES), Territoires, statistiques et enquêtes (TSE), Direction générale des Statistiques, des Études et de la Géomatique (DGSEG), Direction des Indicateurs et des Statistiques (DIS), Portail informationnel, Système Charlemagne; Institut de la statistique du Québec, Quebec Survey of Child Development in Kindergarten, 2012.

THE REGION AT A GLANCE

	Caution must be exercised in interpreting these data. Certain differences between the region and all of Quebec may not be significant or due to random fluctuations.	Centre-du-Québec	All of Québec
WHO ARE THESE 0-5 YEAR-OLDS?	Number of children between the ages of 0 and 5 in 2016	15,503	534,939
	Proportion of children between the ages of 0 and 5 in 2016	6.4%	6.4%
	Number of newborns in 2016	2,407	86,400
PREGNANCY AND CHILDBIRTH	Proportion of parents with children between O and 5 in 2015 who had already attended prenatal classes	74.1%	59.8%
	Proportion of babies born with intrauterine growth restriction in 2011-2013	417 8.5%	8.7%
	Proportion of premature births (< 37 full weeks of gestation) in 2013	7.3%	7.3%
	Proportion of low birthweight babies (< 2,500 g) in 2013	6.3%	5.9%
	Rate of Caesarean births in 2015	417 20.7%	24.9%
	Average annual rate of stillbirths in 2009-2013	2.9 deaths for every 1,000 births	4.2 deaths for every 1,000 births
	Proportion of women between the ages of 15 and 55 who gave birth during the five years preceding the 2013-2014 survey who breastfed or tried to breastfeed their youngest child	417 77.9%	89.0%
	Proportion of mothers of children between the ages of 0 and 5 who breastfed their child(ren)** and used breastfeeding support services in 2015	48.3%	51.6%

1

	Average annual number of hospitalizations for asthma in 2013-2016	4 17 203.2 hospitalizations for every 100,000 children between 0 and 4	162.4 hospitalizations for every 100,000 children between 0 and 4
	Average annual number of hospitalizations for epilepsy in 2013-2016	4 17 58.1 hospitalizations for every 100,000 children between 0 and 4	57.1 hospitalizations for every 100,000 children between 0 and 4
.НЕАLTH	Average annual number of hospitalizations for accidental injuries in 2013-2016	4 17 423.6 hospitalizations for every 100,000 children between 0 and 4	346.3 hospitalizations for every 100,000 children between 0 and 4
PHYSICAL HEALTH	Average annual rate of infant mortality (before 1 year of age) in 2009-2013	3.8 deaths for every 1,000 births	4.8 deaths for every 1,000 births
	Average annual rate of juvenile mortality (between 1 and 4 years of age) in 2009-2013	0.16 deaths for every 1,000 births	0.15 deaths for every 1,000 births
	Proportion of families who had a family doctor or pediatrician for all their children between O and 5 in 2015	93.2%	88.8%
	Percentage of children between 0 and 5 who had their teeth examined by a dentist in 2016	417 31.2%	30.5%
	Percentage of children between 0 and 5 who received dental treatment (cavity filled) in 2016	417 4.8%	5.4%
	Rate of children who were recognized as living with a disability in 2015	11.1 out of every 1,000 children between 0 and 5	12.3 out of every 1,000 children between 0 and 5
DEVELOPMENT	Proportion of children in kindergarten who were vulnerable in at least one domain of development in 2012	21.8%	25.6%
	Proportion of children in 5-year-old kindergarten with a disability or social maladjustment in 2015-2016	7.0%	5.6%
	Proportion of developmentally vulnerable kindergartners who benefited from the services of a non-teaching professional at school in 2012	51.3%	49.7%

** These figures include all mothers of children between 0 and 5, with the exclusion of those did not use breastfeeding support services because they did not breastfeed their child(ren).

CONCLUSION

This portrait, a report on the state of health and development of Quebec's youngest children, helps us to know a little bit more about the well-being of children between the ages of 0 and 5 living in the province.

The situation described here includes both positive and negative points. Generally speaking, babies are coming into the world under better conditions. There has also been improvement in certain areas of young children's physical health, including asthma, accidental injury and infectious diseases. Some of the collective measures that have been implemented over the past several years may have contributed to these improvements, such as the OLO program (nutritional aid for pregnant women), SIPPE program (integrated perinatal and early childhood services) and EMMIE program (motivational interviewing in the maternity ward for the immunization of children).

Certain situations continue to give cause for concern, however: the rate of Caesarean births, outbreaks of measles, excess weight and obesity in children, mental health and early childhood development. Data in our portrait also show that obtaining access to a family doctor, pediatrician or even a non-teaching professional is difficult for certain children.

Something can be done, however. Change is possible. The scientific literature has documented the existence of collective drivers that we can use to take action in areas that affect young children's health, well-being and development—whether it be by improving the socioeconomic environment of the very young, providing better access to healthcare or quality daycare, ensuring better training for professionals, conducting awareness campaigns or offering more support to parents.

This portrait also reports on the situation of very young children in the different regions of Quebec. Although certain regions follow provincial trends, others stand out in the areas of pregnancy and childbirth, physical health or development. The data available to us on the mental health of the very young does not enable us to identify developments at the regional level, however.

The data—and their evolution—presented in this portrait remind us, more than ever, of the importance of ensuring that the development and well-being of the youngest Quebecers continues to be a priority for Quebec society. The Early Childhood Observatory has produced a series of documents to accompany the *2017 Portrait:*



A brochure presenting the highlights of the 2017 portrait.



Separate publications providing regional data on each of Quebec's 17 regions



Visuals for your presentations or social networks

These documents are all available on our website at tout-petits.org/portrait2017

The 2016 Portrait, entitled *What kind of environments are Quebec's youngest children growing up in?* is also available for consultation.



This report and the related documents are all available on our website at tout-petits.org/portrait2016

ABOUT THE DATA PRESENTED

Five key criteria were used to select the indicators used to produce this portrait: data had to be recurring, statistically robust, available at the regional level and based on a recent point of reference. Possible links to child development were also taken into consideration.

Any necessary reservations with respect to data interpretation are included in the text. Notes on the methodology used for each indicator are available on the Observatory's website at **tout-petits.org/donnees**.

AND NOTES

- AAP COUNCIL ON COMMUNITY PEDIATRICS. Poverty and Child Health in the United States. Pediatrics. 2016; 137(4):e20160339
- ² Aune, D., Saugstad, O. D. et al. (2014). Maternal body mass index and the risk of fetal death, stillbirth, and infant death: a systematic review and meta-analysis. *JAMA*, 311(15), 1536-1546. Flenady, V., Koopmans, L. et al. (2011). Major risk factors for stillbirth in high-income countries: a systematic review and meta-analysis. *Lancet*, 377(9774), 1331-1340. Huang, L., Sauve, R. et al. (2008). Maternal age and risk of stillbirth: a systematic review. *CMAJ*, 178(2), 165-172. Liu, L. C., Wang, Y. C. et al. (2014). Major risk factors for stillbirth in different trimesters of pregnancy-a systematic review. *Taiwan J Obstet Gynecol*, 53(2), 141-145. Marufu, T. C., Ahankari, A. et al. (2015). Maternal smoking and the risk of stillbirth: systematic review and meta-analysis. *BMC Public Health*, 15, 239. Sidebotham, P., Fraser, J. et al. (2014). Understanding why children die in high-income countries. *Lancet*, 384(9946), 915-927.
- ³ Ministère de la Santé et des Services sociaux du Québec. (2008) Politique de périnatalité (perinatal care policy) 2008-2018.
- ⁴ Tu, M.T & Poissant, J. (2015). Avis scientifique sur les effets des rencontres prénatales de groupe. Institut national de santé publique du Québec, 140 p.
- ⁵ Lavender, T., Hofmeyr, G. J. et al. (2012). Caesarean section for non-medical reasons at term. *The Cochrane database of systematic reviews3*: CD004660-CD004660. Kapellou, O. (2011). Effect of Caesarean section on brain maturation. *Acta Paediatr*, 100(11), 1416-1422. Chien, L. N., Lin H. C. et al. (2015). Risk of autism associated with general anesthesia during Caesarean delivery: a population-based birth-cohort analysis. *J Autism Dev Disord*, 45(4), 932-942. Moraitis, A. A., Oliver-Williams, C. et al. (2015). Previous Caesarean delivery and the risk of unexplained stillbirth: retrospective cohort study and meta-analysis. *BJOG*, 122(11), 1467-1474. O'Neill, S. M., Kearney, P. M. et al. (2013). Caesarean delivery and subsequent stillbirth or miscarriage: systematic review and meta-analysis. *PLoS One*, 8(1): e54588.
- ⁶ World Health Organization (WHO). (2014) WHO statement on Caesarean section rates.
- ⁷ Ministère de la Santé et des Services sociaux du Québec. (2008) Politique de périnatalité (perinatal care policy) 2008-2018.
- ⁸ Ministère de la Santé et des Services sociaux du Québec. (2008) Politique de périnatalité (perinatal care policy) 2008-2018.
- ⁹ Comité de nutrition de la Société française de pédiatrie, D. Turck, et al. (2013). Allaitement maternel : les bénéfices pour la santé de l'enfant et de sa mère. Arch Pediatr, 20(2), S29-48. Section on breastfeeding (2012). Breastfeeding and the use of human milk. Pediatrics, 129(3), e827-841. Anderson, J. W., Johnstone, B. M. et al. (1999). Breast-feeding and cognitive development: a meta-analysis. Am J Clin Nutr, 70(4), 525-535. Mahurin Smith, J. (2015). Breastfeeding and language outcomes: A review of the literature. J Commun Disord, 57, 29-40. Delgado, C. et Matijasevich, A. (2013). Breastfeeding up to two years of age or beyond and its influence on child growth and development: a systematic review. Cad Saude Publica, 29(2), 243-256.
- ¹⁰ Ministère de la Santé et des Services sociaux du Québec. (2008) Politique de périnatalité (perinatal care policy) 2008-2018.
- ¹¹ World Health Organization (WHO). (2014) WHO statement on Caesarean section rates.
- ¹² WHO. (2014) Every newborn, an action plan to end preventable deaths.
- ¹³ WHO. Infant and young child feeding, 2017.
- ¹⁴ Institute of Health Economics. (2008). Alberta, Canada. Determinants and prevention of low birth weight: a synopsis of the evidence. Alberta : Institute of health economics.
- ¹⁵ Haeck, C. et P. Lefebvre. (2016) A simple recipe : The effect of a prenatal nutrition program on child health at birth. *Labour Economics*, 41, 77-89.
- ¹⁶ Dubois, Nathalie et al. (2014) Évaluation de la mise en œuvre, des effets et de la valeur économique de La Maison Bleue. Évaluation de la mise en œuvre, des effets et de la valeur économique de La Maison Bleue.
- ¹⁷ Brownell, Marni D. et al. (2016) Unconditional Prenatal Income Supplement and Birth Outcomes. *Pediatrics*, 137 (6).

- ¹⁸ Chaillet, Nils et al. (2015) A Cluster-Randomized Trial to Reduce Cesarean Delivery Rates in Quebec. N Engl J Med, 372:1710-21.
- ¹⁹ Rossignol, Micher, Boughrassa, Faiza et Jean-Marie Moutquin. (2012) Mesures prometteuses pour diminuer le recours aux interventions obstétricales évitables pour les femmes à faible risque. Institut national d'excellence en santé et en services sociaux (INESSS). ETMIS, 8(14):1-134
- ²⁰ Canadian Paediatric Society (2017) The Baby-Friendly Initiative: Promoting, protecting and supporting breastfeeding. Position statement.
- ²¹ Association pour la santé publique du Québec et Mouvement allaitement du Québec. Rendre votre municipalité plus favorable à l'allaitement.
- ²² Semenic S, Groleau D, Gray-Donald K, Rodriquez C, Collaborators : Haiek L, Sibeko L. L'évaluation de la mise en oeuvre des lignes directrices en allaitement maternel au Québec. Rapport de recherche. Montréal, McGill University, 2012.
- ²³ Holmes, Alison Volpe et al. (2012) Physician Breastfeeding Education Leads to Practice Changes and Improved Clinical Outcomes. *Breastfeeding Medicine*,7(6): 403-408..
- ²⁴ Canadian Paediatric Society (2017) The Baby-Friendly Initiative: Promoting, protecting and supporting breastfeeding. Position statement.
- ²⁵ Ministère de la Santé et des Services sociaux du Québec. Vaccination, the best protection. Fact sheets for vaccine recipients. (http://publications.msss.gouv.qc.ca/msss/fichiers/piq/feuillets_complets_en.pdf)
- ²⁶ Deal et al. (2000). Unintentional injuries in childhood: analysis and recommandations. *The Future of Children*, 10(1), 4-22. Gold, JI. (2008). The impact of unintentional pediatric trauma: a review of pain, acute stress, and posttraumatic stress. *J Pediatr Nurs.*, 23(2), 81-91. Institut national de santé publique du Québec (2009). Les traumatismes chez les enfants et les jeunes québécois âgés de 18 ans et moins : état de situation, Direction du développement des individus et des communautés, 129 p. Martin-Herz, SP et al. (2012). Health-related quality of life in children and adolescents following traumatic injury: a review. *Clin Child Fam Psychol Rev.*, 15(3), 192-214. Garcia, D., Hungerford, G. M. et al. (2015). Topical review: negative behavioral and cognitive outcomes following traumatic brain injury in early childhood. *J Pediatr Psychol*, 40(4), 391-397.
- ²⁷ Neslihan Koyuncuoğlu Güngör. Overweight and Obesity in Children and Adolescents. J Clin Res Pediatr Endocrinol. 2014 Sep; 6(3): 129–143.
- ²⁸ Blackman, J. A. et Gurka, M. J. (2007). Developmental and behavioral comorbidities of asthma in children. *J Dev Behav Pediatr*, 28(2), 92-99. Blackman, J. A. et Conaway, M.R. (2012). Changes over time in reducing developmental and behavioral comorbidities of asthma in children. *J Dev Behav Pediatr*, 33(1), 24-31. Chen, J. H. (2014). Asthma and child behavioral skills: does family socioeconomic status matter? *Soc Sci Med*, 115, 38-48. Schieve, L. A., Gonzalez, V. et al. (2012). Concurrent medical conditions and health care use and needs among children with learning and behavioral developmental disabilities, National Health Interview Survey, 2006-2010. *Res Dev Disabil*, 33(2), 467-476. Carl E. Stafstrom and Lionel Carmant. Seizures and Epilepsy: An Overview for Neuroscientists. *Cold Spring Harb Perspect Med*. 2015 Jun 1; 5(6).
- ²⁹ Neslihan Koyuncuoğlu Güngör. Overweight and Obesity in Children and Adolescents. J Clin Res Pediatr Endocrinol. 2014 Sep; 6(3): 129–143.
- ³⁰ Desrosiers, Hélène, Dumitriu, Valeriu et Lise Dubois. (2009). Le surplus de poids chez les enfants de 4 à 7 ans : des cibles pour l'action. *Je suis, je serai*, vol. 4, fascicule 3, Institut de la statistique du Québec.
- ³¹ Cole, Sarah Z., Failure to Thrive : An Update. *Am Fam Physician.* 2011 Apr 1; 83(7) : 829-834.
- ³² Aizer, A. et Currie, J. (2014). The intergenerational transmission of inequality: maternal disadvantage and health at birth. *Science*, 344(6186), 856-861. Globerman, Steven (2013). Reducing Wait Times for Health Care: What Canada Can Learn from Theory and International Experience. Fraser Institute. Institute for Health Information (2012). Health Care in Canada, 2012: A Focus on Wait Times. Ottawa, ON: CIHI. Maharaj, V., Rahman, F. et al. (2014). Tackling child health inequalities due to deprivation: using health equity audit to improve and monitor access to a community paediatric service. *Child Care Health Dev*, 40(2), 223-230. National Child and Youth Health Coalition (2006). Children wait too. National Paediatric Surgical Wait Times Strategy. Final Report.
- ³³ Since data have been rounded up or down, the total number of minutes of physical activity may not be equal to the sum of the number of minutes of light physical activity plus the number of minutes of moderate to vigorous activity.
- ³⁴ Canadian Society for Exercise Physiology (CSEP) (2012). Canadian Physical Activity Guidelines Canadian Sedentary Behaviour Guidelines – Your Plan to Get Active Every Day, 29 p.
- ³⁵ Canadian Society for Exercise Physiology (CSEP) (2012). Canadian Physical Activity Guidelines Canadian Sedentary Behaviour Guidelines – Your Plan to Get Active Every Day, 29 p.

- ³⁶ The exact name of this indicator is "traumatisme non intentionnel" or "unintentional trauma."
- ³⁷ Liu, Y.H. and Stein, M.T. (2005). Feeding Behaviour of Infants and Young Children and Its Impact on Child Psychosocial and Emotional Development. *Encyclopedia on Early Childhood Development*, San Diego, University of California, p. 7. Boreham, C, et Riddoch, C. (2001). The physical activity, fitness and health of children. *Journal of Sports Science*, 19(12),
- ³⁸ WHO. (2012) Population-based approaches to childhood obesity prevention.
- ³⁹ La Direction des communications du ministère de la Santé et des Services sociaux. (2016) Politique gouvernementale de prévention en santé (Quebec health policy on prevention).
- ⁴⁰ Ministère de la Famille (2014). Gazelle and Pumpkin (*Gazelle et Potiron*). Framework for creating environments that promote healthy eating, active play and motor development in educational daycare centres.
- ⁴¹ Direction de santé publique de l'Agence de la santé et des services sociaux de la Montérégie (s.d.). Fontaine, je boirai de ton eau!
- ⁴² Ran T, Chattopadhyay S, Community Preventive Services Task Force. Economic evaluation of community water fluoridation: a Community Guide systematic review. Am J Prev Med. 2016; 50(6): 790–6.
- ⁴³ Dubé, Ève et Maryse Guay. (2014) Hésitation à la vaccination : qu'est-ce que c'est et quel est le rôle de la santé publique? Présentation dans le cadre des Journées annuelles de santé publique.
- ⁴⁴ Ministère de la Santé et des Services sociaux. (2017) Programme d'entretien motivationnel en maternité pour l'immunisation des enfants (EMMIE) (Motivational interviewing in the maternity ward for the immunization of children).
- ⁴⁵ Giannakopoulos et al. (2014) et al. Early childhood educators' perceptions of preschoolers' mental health problems: a qualitative analysis. *Annals of General Psychiatry 2014*, 13:1
- ⁴⁶ Dougherty,L. R. et al. Advances and Directions in Preschool Mental Health Research. *Child development perspectives.* Volume 9, Number 1, 2015, Pages 14–19.
- ⁴⁷ Whalen, D. J. et al. Depression and Anxiety in Preschoolers A Review of the Past 7 Years. *Child Adolesc Psychiatric Clin N Am* 26 (2017) 503–522.
- ⁴⁸ Feldman, H. M.et M. I. Reiff.(2014) Attention Deficit–Hyperactivity Disorder in Children and Adolescents. *N Engl J Med*, 370:838-46. Riddle, M. A. et al. (2013) The Preschool Attention-Deficit/Hyperactivity Disorder. Treatment Study (PATS) 6-Year Follow-up. *J Am Acad Child Adolesc Psychiatry*, 52(3): 264–278.e2. Janosz, Michel, Pascal, Sophie, Belleau, Luc, Archambault, Isabelle, Parent, Sophie et Linda Pagani. (2013) Les élèves du primaire à risque de décrocher au secondaire : caractéristiques à 12 ans et prédicteurs à 7 ans. *Je suis, je serai*, Volume 7, fascicule 2, Institut de la statistique du Québec.
- ⁴⁹ Giannakopoulos et al. (2014) Early childhood educators' perceptions of preschoolers' mental health problems : a qualitative analysis. *Annals of General Psychiatry*, 13:1. Dougherty, L. R. et al. (2015) Advances and Directions in Preschool Mental Health Research. *Child development perspectives*, 9 (1), 14-19.2.
- ⁵⁰ Feldman, H. M.et M. I. Reiff.(2014) Attention Deficit–Hyperactivity Disorder in Children and Adolescents. N Engl J Med, 370:838-46.
- ⁵¹ Lavoie, Amélie (2016). Les défis de la conciliation travail-famille chez les parents salariés. Un portrait à partir de l'Enquête québécoise sur l'expérience des parents d'enfants de 0 à 5 ans 2015, Québec, Institut de la statistique du Québec, 59 p.
- ⁵² Bowers, Anne Pordes et al. (2012). An Equal Start : Improving outcomes in Chidren's Centres, The Evidence Review. UCL Institute of Health Equity.
- ⁵³ Nowak, C. et N. Heinrichs. (2008) A comprehensive meta-analysis of Triple P-Positive Parenting Program using hierarchical linear modeling: effectiveness and moderating variables. *Clin Child Fam Psychol Rev.*, 11(3): 114-44.
- ⁵⁴ Melchior, Maria et al. (2012). "Food Insecurity and Children's Mental Health: A Prospective Birth Cohort Study", PLOS ONE, vol. 7, nº 12, p. e52615-.
- ⁵⁵ Touchette, Évelyne et al. (2009). "Short nighttime sleep duration and hyperactivity trajectories in early childhood", *Pediatrics*, vol. 124, n° 5, p. e985-93.
- ⁵⁶ Biddle, S. J. H. et Avis Asare. (2011) Physical activity and mental health in children and adolescents: a review of reviews. *British Journal of Sports Medicine*, 45: 886-895.
- ⁵⁷ Geoffroy, Marie-Claude et al. Daycare Attendance, Stress, and Mental Health. *The Canadian Journal of Psychiatry*, vol. 51 (9): 607-615.
- ⁵⁸ Jensen, Bente et al. (2015) Does Professional Development of Preschool Teachers Improve Child Socio-Emotional Outcomes? IZA Discussion Paper N°. 8957.

- ⁵⁹ Commissaire à la santé et au bien-être du Québec. (2012) Rapport d'appréciation de la performance du système de santé et des services sociaux 2012 : Pour plus d'équité et de résultats en santé mentale au Québec (2012 report on the performance appraisal of the health and social services system: towards greater equity and results for mental health in Quebec).
- ⁶⁰ Kershaw, P., et al (2010). The Economic Costs of Early Vulnerability in Canada, Canadian Journal of Public Health, 101(3), 8-13. Moisan, M. (2013). Garder le cap sur le développement global des jeunes enfants. L'importance des mots utilisés pour parler de l'Enquête québécoise sur le développement des enfants à la maternelle. Québec : Direction du développement des enfants, Direction générale des politiques, Ministère de la Famille, Gouvernement du Québec. Pagani, L. S., et al (2011). Prédire la réussite scolaire des enfants en quatrième année à partir de leurs habiletés cognitives, comportementales et motrices, Étude longitudinale du développement des enfants du Québec (ÉLDEQ 1998-2010). Québec : Institut de la statistique du Québec, vol. 6, fascicule 1. Simard, M., Tremblay, M-E., Lavoie, A. and Audet, N. (2013). Enquête québécoise sur le développement des enfants à la maternelle 2012. Québec : Institut de la statistique du Québec. Williams, R. et al (2012). The promise of the early years: How long should children wait? Canadian Pediatric Society, 17(10), 537-538.
- ⁶¹ Allerton, L. A., Welch, V. et al. (2011). Health inequalities experienced by children and young people with intellectual disabilities: a review of literature from the United Kingdom. *J Intellect Disabil*, 15(4), 269-278. Families Special Interest Research Group of I. (2014). Families supporting a child with intellectual or developmental disabilities: the current state of knowledge. *J Appl Res Intellect Disabil*, 27(5), 420-430. Hauser-Cram et al. (2001). Children with disabilities: A longitudinal study of child development and parent well-being. *Monographs of the Society for Research in Child Development*, Serial no. 266, 66(3), 135 p. Oeseburg, B., G. J. Dijkstra, et al. (2011). Prevalence of chronic health conditions in children with intellectual disability: a systematic literature review. *Intellect Dev Disabil*, 49(2), 59-85. UNICEF (2007). Promoting the rights of the children with disabilities. *Innocenti Digest* no. 13, Innocenti Research Center.
- ⁶² Desrosiers, H., et K. Tétreault (2012). «Les facteurs liés à la réussite aux épreuves obligatoires de français en sixième année du primaire : un tour d'horizon », Étude longitudinale du développement des enfants du Québec (ÉLDEQ 1998-2010) – De la naissance à 12 ans, Institut de la statistique du Québec du vol. 7, fascicule 1, 40 p. Tétreault, K., et H. Desrosiers (2013). «Les facteurs liés à la réussite aux épreuves obligatoires de mathématiques en sixième année du primaire : un tour d'horizon », Étude longitudinale du développement des enfants du Québec (ÉLDEQ 1998-2010) – De la naissance à 12 ans, Institut de la statistique du Québec vol. 7, fascicule 4, 27 p
- ⁶³ Gamache, P. Pampalon, R et Hamel, D. (2010), Guide méthodologique : "L'indice de défavorisation matérielle et sociale : en bref", Québec, Institut national de santé publique du Québec, septembre.
- ⁶⁴ There is no way of knowing if services received by children were individual or group services. Children recognized as living with a disability or with an adaptation or learning difficulty (students with special needs, or EHDAA) at the time of the survey are not included in the calculations.
- ⁶⁵ Desrosiers, H., K. Tétreault et M. Boivin (2012). "Caractéristiques démographiques, socioéconomiques et résidentielles des enfants vulnérables à l'entrée à l'école", Portraits et trajectoires. Série Étude longitudinale du développement des enfants du Québec - ÉLDEQ, Institut de la statistique du Québec, n° 14, mai, 12 p.
- ⁶⁶ Bowers, Anne Pordes et al. (2012). An Equal Start : Improving outcomes in Chidren's Centres, The Evidence Review. UCL Institute of Health Equity.
- ⁶⁷ Simard, Micha, Tremblay, Marie-Eve, Lavoie, Amélie, and Audet, Nathalie (2013). Enquête québécoise sur le développement des enfants à la maternelle 2012, Québec, Institut de la statistique du Québec, 99 p.
- ⁶⁸ Japel, C., & Dihman, P. (2013). Les services à la petite enfance : la qualité et son impact sur le développement des enfants. Dans G. Tarabulsy et M. Provost (Éds.) Développement social et émotionnel des enfants et adolescents, Tome 2, (pp. 155-192). Presses de l'Université du Québec.
- ⁶⁹ Canadian Pediatric Society. (2016) Universal newborn hearing screening. Position statement.
- ⁷⁰ Since changes were made to the geographical boundaries of the Estrie and Montérégie regions in April 2015 by the ministère de la Santé et des services sociaux, results for these two regions prior to 2015-2016 cannot be compared to later results.
- ⁷¹ Since changes were made to the geographical boundaries of the Estrie and Montérégie regions in April 2015 by the ministère de la Santé et des services sociaux, results for these two regions prior to 2015-2016 cannot be compared to later results.

OBSERVATOIRE des tout-petits

The mission of the Early Childhood Observatory is to help ensure that the development and well-being of Quebec's very youngest children has a place on the province's list of social priorities. In order to do so, the Observatory compiles the most rigorous data on 0-5 year-olds which it then disseminates to incite dialogue on collective actions in this area.

Tout-petits.org

